

53

INTERVAL SHEET

Page 1

VDMR WELL NO. : WELL NO. 393

Sample Interval: from 30 to 700

PROP:

Total Depth _____

PROP: FIRESTONE CO.
COMP: R. L. OBENCHAIN
COUNTY: BOTENTOUET
VDMR WELL NO: 393
FROM: TO:

Oil _____ Gas _____ Water Exploratory _____
Cuttings Core _____ Other _____

From-To	From-To	From-To	From-To	From-To
30	330	630	-	-
40	340	640	-	-
50	350	650	-	-
60	360	660	-	-
70	370	670	-	-
80	380	680	-	-
90	390	690	-	-
100	400	700	-	-
110	410	-	-	-
120	420	-	-	-
130	430	-	-	-
140	440	-	-	-
150	450	-	-	-
160	460	-	-	-
170	470	-	-	-
180	480	-	-	-
190	490	-	-	-
200	500 Missing	-	-	-
210	510	-	-	-
220	520	-	-	-
230	530	-	-	-
240	540	-	-	-
250	550	-	-	-
260	560	-	-	-
270	570	-	-	-
280	580	-	-	-
290	590	-	-	-
300	600	-	-	-
310	610	-	-	-
320	620	-	-	-

Box # 2

Interval Sheet

Sheet No. _____

LEON. BIRNSTEIN CO.
COMP. R. J. GRENCHAM
COUNTY-ROCKWELL
ONE WELL NO. 22

— Cuttings

— Core

— Water Well

--- Gas Well

From-To

From-To

From-To

From-To

From-To

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

Total Depth _____

COMMONWEALTH OF VIRGINIA
DEPARTMENT OF CONSERVATION AND ECONOMIC DEVELOPMENT
DIVISION OF MINERAL RESOURCES

Box 3667, University Station, Charlottesville, Virginia

WVCR 53
VDMR 393

WATER WELL COMPLETION REPORT

OWNER: Firestone Poultry Co. Well #3 Mailing Address: Troutville, Va.
TENANT: (Raymond & Herbert Firestone) Mailing Address: _____
DRILLER: W R. Obenchain Mailing Address: Hollins, Va.
WELL LOCATION: County Botetourt Approx. 600 ft. ft. miles _____
E (direction) of U.S. Hwy 11, on SE edge of Troutville and _____ of _____
(Give direction and distance in feet or tenths of mile from two reference points - roads, towns, rivers, etc. - on county highway or other map.)

WATER CONDITIONS

DEPTH 144'
STATIC WATER LEVEL _____
WATER ZONES (fissures or formations supplying water)
(from) (to) (from) (to)
_____ ft. _____ ft. _____ ft. _____ ft.
QUANTITY OF WATER
WELL ~~PUMPED~~ (or bailed) at ≠ 3 Gal. per Min. with
630 feet DRAWDOWN after _____ HOURS PUMPING.
FLOW (natural) _____ G.P.M. HEAD _____ ft. (above ground) **W**
REMARKS: Insufficient → for Ind. use

QUALITY OF WATER

COLOR _____ TASTE _____
ODOR _____ OTHER _____
ANALYSIS: AVAILABLE - Yes No ATTACHED Yes No
TEMPERATURE _____
_____ WATER (from) _____ ft. (to) _____ ft.
(salt, brackish, iron, sulfur, acid, other)
USE OF WATER: Domestic Town Industry Farm Public

CONSTRUCTION

RIG TYPE (or method) Cable
(rotary, cable, bored, driven, etc..)
DATE: Started Oct. '59; Completed Nov. '59
TOTAL DEPTH 776 ft.
BEDROCK at 19 ft.

GROUTING INFORMATION

METHOD USED _____
GROUTING MATERIAL _____
DEPTH OF GROUTING None

HOLE SIZE

10 (diam) in. 0 (from) ft. 776 ft. 780 ft.

CASING SIZE

(diam) in. 0 (from) 3 (to) ft.
12 in. (temp. cap)

SCREEN (or perforations)

(diam) in. (from) _____ ft. (to) _____ ft. (opening size)

PUMP (installed)

TYPE _____ Cap. (gpm) _____
H.P. None Depth of intake _____ ft.

REMARKS: Well abandoned at 776' because of low yield; wanted ≠ 100 gpm.
Located by E. Ramsey in Rome Fm midway up steep slope of 100' hill.
Elec & gamma log #33
Probably 6e (←100 yds w of fault)
Elev.: 1340'
Source of information - Letter from H. Firestone 12/14/59 & VDMR card (Ramsey)
DeKay - logger & samples

Log of well (over)

