		INTERVAL SHEET		
Page 1		VDMR WEI	L NO. 429	
		Sample I	nterval: from 10	to_30
PROP: J. R.	Orgain	Total De	pth	
COMP: O. A.	Cumbia	Oil	GasWaterXE	xploratory
COUNTY: Brun	nswick (Alberta)	Cuttings	X Core Othe	er
From-To	From-To	From-To	From-To	From-To
10 - 20 - 27 - 30 -	-		, and a	-
	-	The same of the sa		-
-	A - John	A STATE OF THE PARTY OF THE PAR	- - -	- -
			-	- } <del>-</del>
<u>-</u>	_	4		

## COMMONWEALTH OF VIRGINIA

WWCR 11 DEPARTMENT OF CONSERVATION AND ECONOMIC DEVELOPMENT VDMR 429

## DIVISION OF MINERAL RESOURCES

Box 3667, University Station,

Charlottesville, Virginia

Moiling Address: Alberta, Vir	ginia MU
Mailing Address: Broadnax	
Approx.	ft. miles
ear school ft miles	of
	N
. 14/	
d) w	
8	
£	
HOLE SIZE	CASING SIZE
24 (diam) in O (from) ft 37(o)	cement 24diam) (from) (to)
SCREEN (a	r perforations)
(diam.) (from) (to)	(opening size)
PUN	Permanent pum yet installed
TYPE	Cap. (gpm)
- LL D	of intole
	of intake
e) for railroad.	
	## HOLE SIZE  ## A Company to the street of

DATE .

DEF (fee	PTH et)	TYPE OF SOIL OR ROCK PENETRATED	REMARKS
FROM	TO	and (gravel, clay, etc., hardness, color, etc)	(water, caving, shot, screen, sample, etc.)
		Mailing address Mailing agains Strading K	ENANT Bartes Mr. C. A. Cumbia
	A STILE OF A STANKE POWER		GLI - LOGATION com Brunshick
- Agleo		c. 157, near school	
		И	WATER CONDITIONS
			DEPTH DEVEL 17
		(value p	ATER ZONES (fissures or lormations supplying thom)
			RETAW NO YTITWAUD
			VELL PUMPED (or boiled) at \$
B			LOW (notwork) HEAD (forwing) WOL
			EMARKS
			QUALITY OF WAYER
			STRAT ROJO
R3174	17.0		900 900
		日本	WALYSYS AVAILABLE-YARD HATE ATTAONED YARD N
		(t) (e)	FITAW
		allias dalas	SE OF WATER Comments proved based to
	NO SIZE	NOTE BIZE CAR	иоптоивтеноо
1011	(mort)	10 (100 PM) 10 (10 PM) 10 (10 PM) 10 (10 PM) 12 (10 PM)	I THE to method to the trace trace, norm, to
		.0001 vn	ATE Standed Jan. 160 . Completed Ja
	(a)	SCHEEN (or performing to the control of the control	OTAL DEFTH 37
			rbRock allot readhed in
a Cimula Liberal	inenemi t insta	PUMP (invalid of )	GROUTING INFORMATION
	AND THE COL	TYPE (gpm)	IETHOD USED
.11		skini fo digag Schi	ROUTING MATERIAL EPTH OF GROUTING
		1 mgr 344 5/12/60	EMARKS Nell box filled by 8' - to
		o (enter called the ca	oldivih ' obbrozi ' (filz bersool w sperma sesuversen Serso( loods)
	744		
			manua - maidemunità fo socues
	(inval)	nvi to, goul	