

182

INTERVAL SHEET

Page 1

VDMR WELL NO. 447

PROP: Neff Trailer Sales #2

COMP: Sydnor Pump and Well

COUNTY: Rockingham

Sample Interval: from 10 to 400

Total Depth 412

Oil Gas Water Exploratory

Cuttings Core Other

From-To	From-To	From-To	From-To	From-To
10-	340 -350	-	-	-
20-	350 -360	-	-	-
40-	360 -370	-	-	-
60-	370 -380	-	-	-
70-	380 -390	-	-	-
	390 400	-	-	-
80-	-	-	-	-
100-110	-	-	-	-
110-120	-	-	-	-
120-130	-	-	-	-
130-140	-	-	-	-
140-150	-	-	-	-
150-160	-	-	-	-
160-170	-	-	-	-
170-180	-	-	-	-
180 190	-	-	-	-
190-200	-	-	-	-
200-210	-	-	-	-
210-220	-	-	-	-
220-230	-	-	-	-
240-	-	-	-	-
250-	-	-	-	-
260-270	-	-	-	-
270-280	-	-	-	-
284	-	-	-	-
280 290	-	-	-	-
290 300	-	-	-	-
300 310	-	-	-	-
310 320	-	-	-	-
320 330	-	-	-	-
330 340	-	-	-	-

*Not suff. sample
to wash*

182

W-447

Well No. 2 WATER WELL COMPLETION REPORT

OWNER: Hoff Trailer Sales Mailing Address: Harrisonburg, Virginia
 TENANT: _____ Mailing Address: _____
 DRILLER: Rig Co. Snyder Pump & Well Co Mailing Address: Richmond Va
 WELL LOCATION: County Rockingham Approx. _____ ft. miles
 (direction) of _____ and _____ ft. miles of _____

(Give direction and distance in feet or tenths of mile from two reference points - roads, towns, rivers, etc. - on county highway or other map.)

WATER CONDITIONS

DEPTH
 STATIC WATER LEVEL 69
 WATER ZONES (fissures or formations supplying water)
 (from) (to) (from) (to)
150 ft. _____ ft.
 _____ ft. _____ ft.

QUANTITY OF WATER

WELL PUMPED (or bailed) at 1 Gal. per Min. with
380 feet DRAWDOWN after 2 HOURS PUMPING.
 FLOW (natural) _____ G.P.M. HEAD _____ ft. (above ground)
 REMARKS: _____

QUALITY OF WATER

COLOR OK TASTE OK
 ODOR No OTHER _____
 ANALYSIS: AVAILABLE - Yes No ATTACHED Yes No
 TEMPERATURE _____
 _____ WATER (from) _____ ft. (to) _____ ft.
 (salt, brackish, iron, sulfur, acid, other)

USE OF WATER: Domestic Town Industry Farm Public

CONSTRUCTION

RIG TYPE (or method) _____ (rotary, cable, bored, driven, etc...)
 DATE: Started 4-17-60; Completed 4-23-60
 TOTAL DEPTH 412 ft.
 BEDROCK at 95' ft.

GROUTING INFORMATION

METHOD USED _____
 GROUTING MATERIAL _____
 DEPTH OF GROUTING _____

HOLE SIZE

(diam) (from) (to)
10 in. 0 ft. 100 ft.
6 1/2 " 0 " 412 "

CASING SIZE

(diam) (from) (to)
6 1/2 in. 0 ft. 101 ft.

SCREEN (or perforations)

(diam.) (from) (to) (opening size)
 _____ in. _____ ft. _____ ft.

PUMP (installed)

TYPE _____ Cap. (gpm) _____
 H.P. _____ Depth of intake _____ ft.

REMARKS: This pipe was pulled from this well after completion of well No 3 - See log well No 3 -

Log of well (over)

By Jesse Snyder

FURNISHED BY Sydney Pump & Well Co Inc DATE: 8-25-60

From Mitchell Stockmen - Log's Rig 65 By Jesse Snyder

DEPTH (feet)		TYPE OF SOIL OR ROCK PENETRATED (gravel, clay, etc., hardness, color, etc)	REMARKS (water, caving, shot, screen, sample, etc.)
FROM	TO		
0	4	Red clay Gravel	
4	55	Red clay	
55	57	Boulder	
57	89	Red clay	
89	93	Boulders	
93	101	Gray Limestone	
101	134	" "	
134	137	- soft	
137	180	Gray Limestone	
180	250	Gray Limestone	
250	252	Brown Limestone	
252	284	Gray + Brown Limestone	
284	286	Brown Limestone	
286	305	Gray Limestone	
305	307	Brown Limestone	
307	352	Gray Limestone	
352	412	Gray Limestone -	

VIRGINIA DIVISION OF
RECEIVED
 AUG 31 1960
 MINERAL RESOURCES

COMMONWEALTH OF VIRGINIA
 DEPARTMENT OF CONSERVATION AND ECONOMIC DEVELOPMENT
 DIVISION OF MINERAL RESOURCES

WWCR# 182
 VDMR# 447

Box 3667, University Station, Charlottesville, Virginia

Well # 2 WATER WELL COMPLETION REPORT

OWNER: Neft Trailer Sales Mailing Address: Harrisonburg, Va.
 TENANT: _____ Mailing Address: _____
 DRILLER: Rig 65 Sydnor Pump & Well Co. Mailing Address: Richmond, Va.
 WELL LOCATION: County Rockingham Approx. _____ ft. _____ miles
 (direction) of _____ and _____ ft. _____ miles of _____
 (Give direction and distance in feet or tenths of mile from two reference points - roads, towns, rivers, etc. - on county highway or other map.)

WATER CONDITIONS

DEPTH 69
 STATIC WATER LEVEL _____
 WATER ZONES (fissures or formations supplying water)
 (from) (to) (from) (to)
150 ft. _____, _____ ft. _____
 _____ ft. _____, _____ ft. _____

QUANTITY OF WATER

WELL PUMPED (or bailed) at 1 Gal. per Min. with
380 feet DRAWDOWN after 2 HOURS PUMPING.
 FLOW (natural) _____ G.P.M. HEAD _____ ft. (above ground) **W**
 REMARKS: _____

QUALITY OF WATER

COLOR OK TASTE OK
 ODOR NO OTHER _____
 ANALYSIS: AVAILABLE - Yes No ATTACHED Yes No
 TEMPERATURE _____
 _____ WATER (from) _____ ft. (to) _____ ft.
 (salt, brackish, iron, sulfur, acid, other)
 USE OF WATER: Domestic Town Industry Farm Public

N

Trailer park on Hwy. 81 clover
 leaf at jct. of US 33 E. of
 Harrisonburg.

S

CONSTRUCTION

RIG TYPE (or method) _____ (rotary, cable, bored, driven, etc...)
 DATE: Started 4-17-60; Completed 4-23-60
 TOTAL DEPTH 412 ft.
 BEDROCK at 95 ft.

GROUTING INFORMATION

METHOD USED _____
 GROUTING MATERIAL _____
 DEPTH OF GROUTING _____

HOLE SIZE

(diam) (from) (to) ft.
10 in. 0 ft. 100 ft.
6 1/2 in. 0 ft. 412 ft.

CASING SIZE

(diam) (from) (to) ft.
6 1/2 in. 0 ft. 101 ft.

SCREEN (or perforations)

(diam) (from) (to) ft. (opening size)

PUMP (installed)

TYPE _____ Cap. (gpm) _____
 H.P. _____ Depth of intake _____ ft.

REMARKS: This pipe was pulled from this well after completion of well no. 3 - see log well no. 3

Log of well (over)

FURNISHED BY Sydnor Pump and Well Company, Inc DATE: 8-25-60

from Mitchell Stockner logs Rig 65 by Jesse Snyder, Jr.

DEPTH (feet)		TYPE OF SOIL OR ROCK PENETRATED (gravel, clay, etc., hardness, color, etc)	REMARKS (water, caving, shot, screen, sample, etc)
FROM	TO		
0	4	red clay gravel	
4	55	red clay	
55	57	boulder	
57	89	red clay	
89	93	boulders	
93	101	gray lime	
101	134	" "	
134	137	soft	
137	180	gray lime	
180	250	gray lime	
250	252	brown lime	
252	284	gray and brown lime	
284	286	brown lime	
286	305	gray lime	
305	307	brown lime	
307	352	gray lime	
352	412	gray lime	