



COMMONWEALTH OF VIRGINIA  
DEPARTMENT OF CONSERVATION AND ECONOMIC DEVELOPMENT  
DIVISION OF MINERAL RESOURCES

Box 3667, University Station, Charlottesville, Virginia

WATER WELL COMPLETION REPORT

OWNER: Mrs. Ada Meadows Mailing Address: Route 2, Box 49, Luray, Virginia

TENANT: Mailing Address: \_\_\_\_\_  
DRILLER: Rig. 65 Sydnor Pump and Well Co. Inc. Mailing Address: Richmond, Virginia

WELL LOCATION: County Page Approx. \_\_\_\_\_ ft. miles  
(direction) of \_\_\_\_\_ and \_\_\_\_\_ ft. miles of \_\_\_\_\_

(Give direction and distance in feet or tenths of mile from two reference points - roads, towns, rivers, etc. - on county highway or other map)

WATER CONDITIONS

DEPTH

STATIC WATER LEVEL 133'

WATER ZONES (fissures or formations supplying water)  
(from) (to) (from) (to)  
\_\_\_\_\_ ft. \_\_\_\_\_ ft. \_\_\_\_\_ ft. \_\_\_\_\_ ft.

QUANTITY OF WATER

WELL PUMPED (or bailed) at 20 Gal. per Min. with 230 feet DRAWDOWN after 2 HOURS PUMPING.

FLOW (natural) \_\_\_\_\_ G.P.M. HEAD \_\_\_\_\_ ft. (above ground)

REMARKS: \_\_\_\_\_

QUALITY OF WATER

COLOR ok TASTE ok

ODOR none OTHER \_\_\_\_\_

ANALYSIS: AVAILABLE - Yes  No  ATTACHED Yes  No

TEMPERATURE \_\_\_\_\_  
WATER (from) \_\_\_\_\_ ft. (to) \_\_\_\_\_ ft.  
(salt, brackish, iron, sulfur, acid, other)

USE OF WATER: Domestic  Town  Industry  Farm  Public

CONSTRUCTION

RIG TYPE (or method) \_\_\_\_\_ (rotary, cable, bored, driven, etc..)

DATE: Started 9-21-60; Completed 9-22-60

TOTAL DEPTH 238 ft.

BEDROCK at 169 ft.

GROUTING INFORMATION

METHOD USED \_\_\_\_\_

GROUTING MATERIAL \_\_\_\_\_

DEPTH OF GROUTING \_\_\_\_\_

HOLE SIZE

(diam) (from) (to) ft.  
9 in 0 ft 172 ft  
5 172 238

CASING SIZE

(diam) (from) (to) ft.  
5 in 0 ft 173 - 4"

SCREEN (or perforations)  
(diam.) (from) (to) (opening size)  
\_\_\_\_\_ in \_\_\_\_\_ ft. \_\_\_\_\_ ft.

PUMP (installed)

TYPE \_\_\_\_\_ Cap. (gpm) \_\_\_\_\_

H.P. \_\_\_\_\_ Depth of intake \_\_\_\_\_ ft.

REMARKS: samples saved for Division of Mineral Resources.  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_



(43)

VDNR #470

COMMONWEALTH OF VIRGINIA  
DEPARTMENT OF CONSERVATION AND ECONOMIC DEVELOPMENT  
DIVISION OF MINERAL RESOURCES

Box 3667, University Station, Charlottesville, Virginia

WATER WELL COMPLETION REPORT

OWNER: Mrs Hdg Meadows Mailing Address: Route 2 Box 49 Luray Virginia

TENANT: \_\_\_\_\_ Mailing Address: \_\_\_\_\_

DRILLER: Rig 65 Sydon Pump and Well Co Inc Mailing Address: Richmond Virginia

WELL LOCATION: County Page Approx. \_\_\_\_\_ ft. miles \_\_\_\_\_

(direction) of \_\_\_\_\_ and \_\_\_\_\_ ft. miles \_\_\_\_\_ of \_\_\_\_\_

(Give direction and distance in feet or tenths of mile from two reference points - roads, towns, rivers, etc. - on county highway or other map)

**WATER CONDITIONS**

DEPTH 133'

STATIC WATER LEVEL \_\_\_\_\_

WATER ZONES (fissures or formations supplying water)

(from) ft.	(to) ft.	(from) ft.	(to) ft.
_____	_____	_____	_____
_____	_____	_____	_____

**QUANTITY OF WATER**

WELL PUMPED (or bailed) at 20 Gal. per Min. with 250 feet DRAWDOWN after 2 HOURS PUMPING.

FLOW (natural) \_\_\_\_\_ G.P.M. HEAD \_\_\_\_\_ ft. (above ground)

REMARKS: \_\_\_\_\_

**QUALITY OF WATER**

COLOR OK TASTE OK

ODOR None OTHER \_\_\_\_\_

ANALYSIS: AVAILABLE - Yes  No  ATTACHED Yes  No

TEMPERATURE \_\_\_\_\_

WATER (from) \_\_\_\_\_ ft. (to) \_\_\_\_\_ ft.

(salt, brackish, iron, sulfur, acid, other)

USE OF WATER: Domestic  Town  Industry  Farm  Public

FORMATION	DEPTH (ft.)	THICKNESS (ft.)
Yellow clay	10	10
Gray clay	15	15
Yellow clay	25	25
Gray clay	35	35
Yellow clay	100	100
Yellow clay	175	175
Soft weathered limestone	133	133
Light Gray limestone	133	133

**CONSTRUCTION**

RIG TYPE (or method) \_\_\_\_\_ (rotary, cable, bored, driven, etc..)

DATE: Started 9-21-60; Completed 9-22-60

TOTAL DEPTH 238 ft.

BEDROCK at 169 ft.

**HOLE SIZE**

**CASING SIZE**

(diam) in	(from) ft	(to) ft	(diam) in	(from) ft	(to) ft
9	0	172	5	0	173-4"
15	172	238			

SCREEN (or perforations)

(diam) in	(from) ft	(to) ft	(opening size)

**GROUTING INFORMATION**

METHOD USED \_\_\_\_\_

GROUTING MATERIAL \_\_\_\_\_

DEPTH OF GROUTING \_\_\_\_\_

**PUMP (installed)**

TYPE \_\_\_\_\_ Cap. (gpm) \_\_\_\_\_

H.P. \_\_\_\_\_ Depth of intake \_\_\_\_\_ ft.

REMARKS: Samples saved for Division of Mineral Resources.

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Meadow

LOG

FURNISHED BY Sydney Pump and Well Co Inc

DATE: 9-30-60

From Miller's Mitchell Stochuer Logs

By Jesse Snyder

DEPTH (feet)		TYPE OF SOIL OR ROCK PENETRATED (gravel, clay, etc., hardness, color, etc)	REMARKS (water, caving, shot, screen, sample, etc)
FROM	TO		
0	5	- yellow clay Boulders	
5	9	- Red clay Boulders	
9	19	- yellow clay Boulders	
19	21	- Gray clay	
21	22	- yellow clay	
22	24	- Gray clay	
24	169	- yellow clay	
169	172	- weathered limestone	
172	221	- soft weathered limestone	
221	237	- Light Gray limestone	

VIRGINIA DIVISION OF  
**RECEIVED**  
 NOV 1 1960  
**RECEIVED**  
 MINERAL RESOURCES