## County: Nansemond VDMR Well #1223

Well: V-66-13
Property Owner: T. J. Saunders
Driller: Froehling and Robertson
Location: 20 feet southwest of intersection of State Road 604 and 606
Altitude Top of Hole: 58.4 feet
Total Depth: 26.0 feet
Started Drilling: June 24, 1966
Completed Drilling: June 24, 1966
Sample Description by: N. K. Coch

## GEOLOGIC SUMMARY

Depth	Thickness	Formation	Age
0.0'-13.0'	13'	Elberon	Middle Pleistocene
13.0'-26.0'	13'	Yorktown	Late Miocene

## GEOLOGIC LOG

Formation	Depth in feet	Thickness in feet	Description
Elberon	0.0'-4.0'	4	Flush Interval
	4.0-6.0	2	Clay - gray, with dark orange streaks, very-sandy, medium-to coarse with some granules, pieces of gray clay at
			angles to bedding 4.0'-5.0' - 14 blows per foot
			5.0'-6.0' - 30 blows per foot Compressive strength: 2.6 tons per
			square foot
	6.0-9.0	3	Flush Interval
	9.0-11.0	2	Sand - gray, medium-to coarse, granules, slightly clayey 9.0'-10.0' - 13 blows per foot 10.0'-11.0' - 12 blows per foot
			Compressive strength: non-cohesive Rupture
	11.0-13.0	2	Flush Interval
Yorktown	13.0-14.0	1	Flush Interval (contact at 13.0)
	14.0-16.0	2	Sand - bluish-green, fine-to medium, slightly clayey, fossiliferous, fragments
			up to .8 cm., 20-25 percent shell by volume
			14.0'-15.0' - 2 blows per foot
			15.0'-16.0' - 4 blows per foot
	16.0-19.0	3	Flush Interval
	19.0-21.0	2	Sand - greenish-blue, fine-to medium, slightly clayey, fossiliferous, fragments up to 1.5 cm. 19.0'-20.0' - 9 blows per foot
			20.0'-21.0' - 19 blows per foot

-

-2-

VDMR Well #1223

Formation	Depth in feet	Thickness in feet	Description
Yorktown	21.0-24.0	3	Flush Interval
	24.0-26.0	2	Sand - greenish-gray, fine-to medium, slightly clayey (more so than 19.0'-21.0' interval), fossiliferous, shell fragments up to .8 cm.

24.0'-25.0'-11 blows per foot 25.0'-26.0'-20 blows per foot

# VIRGINIA DIVISION OF MINERAL RESOURCES Box 3667, Charlottesville, VA 22903

#### INTERVAL SHEET

Page 1	of 1		Well Reposito	ry No:	1223
Date rec'd: 8/	/5/66		Sample Interv	val: fron	n 4 to: 11
PROPERTY:	Coch V-13		Number of sa	.mples:	2
COMPANY:	Froehling and Robertson		Total Depth:	11	
COUNTY:	Nansemond		Oil or Gas:	Water:	Exploratory: <b>X</b>
From - To	From - To	From - T	o Fi	rom - To	
4 - 6 9 - 11	- -	-		-	
- -	- - -			-	1.
 		-			
- - -	- -	-	· · ·	-	
-		. <b></b>			
		-			
-	-	-		-	
-		-		-	
-	- 	-		- -	
	-	- - -			
-	-			-	

All intervals have both washed and unwashed samples