INTERVAL SHEET

WWCR 149

Page	1	VDMR Well No.: Well No. 1	.335		
Date	7/22/65	Sample Interval: from 0	to200		
PROP:	A. V. Fleming	Total depth 200			
COMP:	(Clifton Farms) Sydnor Pump & Well Co.	OilGasWater_X_Ex	ploratory		
COUNTY:	Chesterfield	Cuttings_X_CoreO	ther		
VDMR Well No: W-1335		Washed Samples			
From-To	From-To	From-To From-To	From-To		
-	=	0 - 10 -	; - .		
-	-	10 - 20 -	-		
-	<u>-</u>	20 - 30 -	-		
_	-	30 40	-		
-	•	40 50	: - -		
_	_	50_ 60 _	2017		
_	-	60 - 70 -			
_	-	70- 80 -	, m		
-	H	80 - 90 -	,		
-	-	90 - 100 -			
-	-	100 - 110 -	=		
-	-	110 - 120 -	-		
_	-	120 - 130 -	/. - }		
_	:: 	130 - 140 -	1		
_	-	140 150	-		
		150_ 160 _			
_	-	160 - 170 -	_		
_	-	170 - 180 -	_		
-	-	180 - 190 -	-		
-	-	190 - 200 -			
-	-	-	:==:		
-	-		-		
-		-			
_	-		-		
		_	_		
_)*				
-	H	= =	-		
-	(= .		-		
i -	_	-	_		

OWNER: A. V. Fleming (Clifton Farms)
DRILLER: Sydnor Pump and Well Co., Inc.

COUNTY: Chesterfield

VDMR #1335 WWCR #149 TOTAL DEPTH: 200'

GEOLOGIC LOG

0-10	Overburden — light-brown, average grain size 1.5 mm, angular and irregular fragments quartz; mica, feldspar with clay.	
10-20	As above.	
20-30	Saprolitic Granite — pale-brown, pink and white; pink microcline to 10.0 mm, quartz 1.0 to 3.0 mm, mica (mostly weathered biotite) 1.0 to 3.0 mm; minor clay, iron oxide and epidote.	
30-40	As above.	
40-50	As above — microcline slightly coarser.	
50-60	Weathered Granite — light-brown and gray, average grain size 1.0 mm; feldspar fragments to 3.0 mm (size to cuttings); alkalifeldspar and oligoclase, quartz, biotite; minor epidote; feldspar partly kaolinized; iron stain.	
60-70	Granite — light-salmon-pink with gray and white; grain size 0.5 to 7.0 mm; microcline, plagioclase, quartz, biotite, minor epidote.	
70-80	Granite — medium-gray, grain size 0.5 to 10.0 mm; microcline, albite, oligoclase, quartz, biotite; minor muscovite, apatite, clay, hornblende, chlorite, iron oxide on a fracture.	
80-90	Granite — medium-light-gray, grain size 0.5 to 10.0 mm; microcline albite, quartz, oligoclase, biotite; minor muscovite, clay; small portion slightly foliated.	
90-100	As above — less biotite, no foliation.	
100-110	Granite — medium-light-gray, slightly blue; very-coarse-grained; microcline, oligoclase, quartz, biotite; minor apatite, muscovite, epidote, and clay.	
110-120	As above — more biotite; some of the microcline is pink.	
120-130	Quartz Monzonite — medium-gray with minor pink; medium- to coarse-grained; slightly foliated in part; oligoclase, microcline, quartz, biotite, and minor epidote.	
130-140	Granite — white, pink, black; coarse-grained; microcline, oligoclase, quartz, biotite; minor apatite, and epidote.	
140-150	As above.	

OWNER: A.	V. Fleming (Clifton Farms)	#1335
150-160	Granite — white, pink, black; coarse-grained; quartz, biotite; minor apatite, and epidote.	microcline, oligoclase,
160-170	As above — microcline is darker pink and mor	re abundant .
170-180	As above — more microcline.	
180-190	Granite — light-gray with pink, black, and white, very-coarse-grained; microcline (both gray and pink), albite-oligoclase, quartz, biotite, epidote, muscovite; minor pyrite.	
190-200	As above — less gray, more pink and white.	

GEOLOGIC SUMMARY

ROCK UNIT

TIME ROCK UNIT

Petersburg Granite

Precambrian ?

Virginia Division of Mineral Resources Hollis N. Walker, Geologist August 2, 1965