

INTERVAL SHEET

WWCR: 367

Page 1 of 1

VDMR Well No: 1723

Date rec'd: 9/27/66

Sample Interval: from 0' to 465'

PROP: Harry E. Wine

Number of samples: 29

COMP: Sydnor Hydrodynamics

Total Depth: 465'

COUNTY: Augusta (Mt. Sydney)

Oil or Gas: Water:<sup>x</sup> Exploratory:

From-To	From-To	From-To	From-To
0 - 44	-	-	-
44 - 50 *	-	-	-
No Sample	-	-	-
60 - 75 *	-	-	-
75 - 90	-	-	-
90 - 105	-	-	-
105 - 120	-	-	-
120 - 135	-	-	-
135 - 150	-	-	-
150 - 165	-	-	-
165 - 180	-	-	-
180 - 195	-	-	-
195 - 210	-	-	-
210 - 225	-	-	-
225 - 240	-	-	-
240 - 255	-	-	-
255 - 270	-	-	-
270 - 285	-	-	-
285 - 300	-	-	-
300 - 315	-	-	-
315 - 330	-	-	-
330 - 345	-	-	-
345 - 360	-	-	-
360 - 375	-	-	-
375 - 390	-	-	-
390 - 405	-	-	-
405 - 420	-	-	-
420 - 435 *	-	-	-
435 - 450	-	-	-
450 - 465 *	-	-	-

\*Unwashed samples only

OWNER: Harry E. Wine  
DRILLER: Sydnor Hydrodynamics, Inc.  
COUNTY: Augusta (Mt. Sydney)

VDMR: 1723  
WWCR: 367  
TOTAL DEPTH: 465'

GEOLOGIC LOG

Depth in feet

0-44	Limestone - dark-gray to black, fine-grained, argillaceous, massive
44-50	"
50-60	No Sample
60-75	Limestone - dark-gray to black, fine-grained, argillaceous, massive
75-90	" vein calcite
90-105	" "
105-120	" "
120-135	" "
135-150	" "
150-165	" "
165-180	" "
180-195	" "
195-210	" "
210-225	" "
225-240	" "
240-255	Limestone - very dark-gray, fine-grained, crystalline, argillaceous, hackly fracture; vein calcite
255-270	"
270-285	"
285-300	"

300-315	Limestone - very dark-gray, fine-grained, crystalline, argillaceous, hackly fracture; vein calcite
315-330	" trace pyrite
330-345	" "
345-360	" "
360-375	" "
375-390	" "
390-405	" "
405-420	" "
420-435	" trace pyrite
435-450	" "
450-465	" "

GEOLOGIC SUMMARY

Rock Unit

Chepultepec Formation

Age

Ordovician

Virginia Division of Mineral Resources  
W. W. Winters, Geologist  
September 1967