

INTERVAL SHEET

Page 1 of 1

VDMR Well No: 1797

Date rec'd: 1/25/67

Sample Interval: from 0 to 180

PROP: Adkins & Henderson Co. #3
(Mill Pond, Inc.) *Piedmont Est.*

Number of samples: 18

COMP: Falwell Well Corp.

Total Depth: 180

COUNTY: ~~Pittsylvania (Ringgold)~~ *Henry*

Oil or Gas: Water: ^X Exploratory:

From-To	From-To	From-To	From-To
0 - 10	-	-	-
10 - 20	-	-	-
20 - 30	-	-	-
30 - 40	-	-	-
40 - 50	-	-	-
50 - 60	-	-	-
60 - 70	-	-	-
70 - 80	-	-	-
80 - 90	-	-	-
90 - 100	-	-	-
100 - 110	-	-	-
110 - 120	-	-	-
120 - 130	-	-	-
130 - 140	-	-	-
140 - 150	-	-	-
150 - 160	-	-	-
160 - 170	-	-	-
170 - 180	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-

All intervals have both washed and unwashed samples.

OWNER: Adkins & Henderson Construction #3
DRILLER: Falwell Well Corporation (Piedmont Est)
COUNTY: ~~Pittsylvania (Ringgold)~~ Henry

VDMR: 1797
WWCR: 204-266
TOTAL DEPTH: 180'

GEOLOGIC LOG

Depth in feet

OVERBURDEN (0-90')

0-10	Overburden - saprolite, pale-brown bleached biotite and coarse (up to 10 mm), white weathered feldspar cleavage fragments (about 1:1).
10-20	"
20-30	"
30-40	"
40-50	" with quartz and muscovite.
50-60	" "
60-70	" "
70-80	" "
80-90	" "

PORPHYROBLASTIC BIOTITE-GRANITE GNEISS (90-180')

90-100	Biotite Granite Gneiss - white, gray, and some pink; porphyroblastic feldspar 60% (up to 2 cm), 20% plagioclase, 10% quartz, and 10% irregular, streaky clots of biotite.
100-110	"
110-120	"
120-130	"
130-140	"
140-150	"
150-160	"
160-170	"
170-180	"

OWNER: Adkins & Henderson Construction #3
(Piedmont Est.)

#1797

GEOLOGIC SUMMARY

	<u>Rock Unit</u>	<u>Age</u>
0-90	Overburden	
90-180	Porphyroblastic Biotite-Granite Gneiss	Early Paleozoic

Virginia Division of Mineral Resources
Richard S. Good, Geologist
March 10, 1967