

INTERVAL SHEET

Page 1 of 1

VDMR Well No: 1881

Date rec'd: 5/19/67

Sample Interval: from 50' to: 260'

PROP: W. & J. Bishop (Bedford Hills, Well #2)

Number of samples: 22

COMP: C. R. Moore Well Drilling Co.

Total Depth: 260'

COUNTY: Albemarle (Earlsville)

Oil or Gas: Water~~X~~ Exploratory:

From-To	From-To	From-To	From-To
No sample	-	-	-
45 - 50	-	-	-
60 -	-	-	-
70 -	-	-	-
80 -	-	-	-
90 -	-	-	-
100 -	-	-	-
110 -	-	-	-
120 -	-	-	-
130 -	-	-	-
140 -	-	-	-
150 -	-	-	-
160 -	-	-	-
170 -	-	-	-
180 -	-	-	-
190 -	-	-	-
200 -	-	-	-
210 -	-	-	-
220 -	-	-	-
230 -	-	-	-
240 -	-	-	-
250 -	-	-	-
260 -	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-

All intervals have both washed and unwashed samples.

OWNER: W. & J. Bishop
(Bedford Hills, Well #2)
DRILLER: C. R. Moore Well Drilling Co.
COUNTY: Albemarle (Earlsville)

VDMR: 1881
WWCR: 1020
TOTAL DEPTH: 260'

GEOLOGIC LOG

Depth in feet

0-45	No sample
45-50	Biotite-granite-gneiss - gray; granitic, non-orientated, coarse, holocrystalline feldspar and quartz; semi-linedated to slightly-foliated patches and stringers of fine-grained biotite; trace of pyrite
60	"
70	"
80	"
90	"
100	"
110	"
120	"
130	" with shear surfaces on some fragments
140	"
150	"
160	" with trace of garnet
170	" "
180	" "
190	" "
200	"
210	"
220	"

OWNER: W. & J. Bishop (Bedford Hills, Well #2)

#1881

- 230 Biotite-granite-gneiss - gray; granitic, non-orientated, coarse, holocrystalline feldspar and quartz; semi-lined to slightly-foliated patches and stringers of fine-grained biotite; trace of pyrite
- 240 "
- 250 "
- 260 "

GEOLOGIC SUMMARY

	<u>Rock Unit</u>	<u>Age</u>
0-45'	No Samples	
45-260'	Lovingston Formation	Precambrian

Virginia Division of Mineral Resources
 Robert G. Willson, Geologist
 December 5, 1967