

INTERVAL SHEET

Page 1 of 1

VDMR Well No: 1903

Date rec'd: 6/15/67

Sample Interval: from 0 to: 320'

PROP: English's, Inc., Well #2

Number of samples: 32

COMP: Falwell Well Corporation

Total Depth: 320'

COUNTY: Bedford (Huddleston)

Oil or Gas: WaterX Exploratory:

From-To	From-To	From-To	From-To
0 - 10	300 - 310	-	-
10 - 20	310 - 320	-	-
20 - 30	-	-	-
30 - 40	-	-	-
40 - 50	-	-	-
50 - 60	-	-	-
60 - 70	-	-	-
70 - 80	-	-	-
80 - 90	-	-	-
90 - 100	-	-	-
100 - 110	-	-	-
110 - 120	-	-	-
120 - 130	-	-	-
130 - 140	-	-	-
140 - 150	-	-	-
150 - 160	-	-	-
160 - 170	-	-	-
170 - 180	-	-	-
180 - 190	-	-	-
190 - 200	-	-	-
200 - 210	-	-	-
210 - 220	-	-	-
220 - 230	-	-	-
230 - 240	-	-	-
240 - 250	-	-	-
250 - 260	-	-	-
260 - 270	-	-	-
270 - 280	-	-	-
280 - 290	-	-	-
290 - 300	-	-	-

All intervals have both washed and unwashed samples.

OWNER: English's, Inc. (Housing Development, Well #2)  
DRILLER: Falwell Well Corporation  
COUNTY: Bedford (Huddleston)

VDMR: 1903  
WWCR: 167  
TOTAL DEPTH: 320'

GEOLOGIC LOG

Depth in feet

0-10	Saprolite = tan, fine-grained silty sand with trace of clay; very micaceous; quartz, biotite, muscovite and feldspar
10-20	"
20-30	"
30-40	"
40-50	"
50-60	"
60-70	Biotite-quartz-gneiss = gray, fine- to medium-grained, lineated to foliated, schistose; quartz, biotite, mus- covite and feldspar
70-80	"
80-90	"
90-100	"
100-110	"
110-120	"
120-130	"
130-140	"
140-150	"
150-160	" very schistose
160-170	"
170-180	"
180-190	"
190-200	"

OWNER: English's, Inc. (Housing Development, Well #2)

#1903

200-210	Biotite-quartz-gneiss - gray, fine- to medium-grained, linedated to foliated, schistose; quartz, biotite, muscovite and feldspar
210-220	"
220-230	"
230-240	"
240-250	"
250-260	"
260-270	" trace of epidote
270-280	" "
280-290	" "
290-300	" "
300-310	"
310-320	"

GEOLOGIC SUMMARY

	<u>Rock Unit</u>	<u>Age</u>
0-60'	Saprolite	
60-320'	Lynchburg Formation	Precambrian

Virginia Division of Mineral Resources  
Robert G. Willson, Geologist  
November 17, 1967