

COMMONWEALTH OF VIRGINIA  
DEPARTMENT OF CONSERVATION AND ECONOMIC DEVELOPMENT W-3565

VV-3565  
C-63

MAILING ADDRESS:  
Box 3667  
Charlottesville, VA 22903

DIVISION OF MINERAL RESOURCES  
JAMES L. CALVER, COMMISSIONER  
WATER WELL COMPLETION REPORT

OFFICE ADDRESS:  
McCormick Road  
Charlottesville, Virginia

OWNER: Virginia Beach Camoground, Inc. Mailing Address: 1304 Prosperity Road, Va. Beach, Va. 23454

TENANT: Camp Site Mailing Address:

DRILLER: SYDNOR HYDRODYNAMICS, INC. Mailing Address: P. O. BOX 27186, Richmond, Va. 23226

WELL LOCATION: County ~~Virginia Beach~~ <sup>Princess Anne</sup> Approx. 1 <sup>feet</sup> ~~mi~~ <sup>mi</sup> ~~West~~ <sup>South</sup> (direction) of Route 637 and 1,000 <sup>feet</sup> ~~mi~~ <sup>mi</sup> West (direction) of Prosperity Road

(GIVE DIRECTION AND DISTANCE IN FEET OR MILES FROM TWO REFERENCE POINTS - ROADS, TOWNS, RIVERS, ETC - ON COUNTY HIGHWAY OR OTHER MAP.)

DATE STARTED: March 13, 72 DATE COMPLETED: 3/27/72

TYPE OF DRILL RIG USED: Rotary TOTAL DEPTH 145 feet

WATER LEVEL: Stands 8'5" <sup>8 1/2</sup> feet below surface OR

has NATURAL flow of \_\_\_\_\_ gallons per minute

YIELD TEST: Method Turbine

Drawdown 44'5" <sup>44 1/2</sup> feet

Rate 151 gal. per min.

Duration 24 hrs., \_\_\_\_\_ min.

WATER ZONES: from 72 to 92 feet

from 116 to 126 feet

from \_\_\_\_\_ to \_\_\_\_\_ feet

WATER: Color Clear Taste \_\_\_\_\_

Odor \_\_\_\_\_ Temp. \_\_\_\_\_ °F

WELL TO SUPPLY: (check one) Home \_\_\_\_\_

Farm \_\_\_\_\_ Town \_\_\_\_\_ School \_\_\_\_\_

Industry \_\_\_\_\_ Other \_\_\_\_\_ Campsite \_\_\_\_\_

WATER ANALYSIS AVAILABLE: Yes  No \_\_\_\_\_

DRILL CUTTINGS SAVED: Yes  No \_\_\_\_\_

(DRILL CUTTINGS SHOULD BE COLLECTED AT 10 FOOT INTERVALS THESE SAMPLES MAY BE SHIPPED TO THIS OFFICE EXPRESS COLLECT. SAMPLE BAGS ARE FURNISHED FREE OF CHARGE UPON REQUEST)

REMARKS: Electric Log Ran.

HOLE SIZE: 12 inches from 0 to 145 feet

\_\_\_\_\_ inches from \_\_\_\_\_ to \_\_\_\_\_ feet

\_\_\_\_\_ inches from \_\_\_\_\_ to \_\_\_\_\_ feet

SCREEN SIZE: 6 inches from 72' to 92 feet

6 inches from 116' to 126 feet

\_\_\_\_\_ inches from \_\_\_\_\_ to \_\_\_\_\_ feet

CASE SIZE: 6 inches from +2 to 72 feet

6 inches from 92 to 116 feet

6 inches from 126 to 131 feet

GROUTING: Method Pressure

Material Cement & Water Depth 50 feet

PUMP: Type \_\_\_\_\_

Capacity \_\_\_\_\_ gal per min

Depth of intake \_\_\_\_\_ feet

# LOG

W-3565

FURNISHED BY: SYDNOR HYDRODYNAMICS, INC. DATE: 3/27/72

DEPTH (feet)		TYPE OF ROCK OR SOIL PENETRATED ( gravel, clay, etc , hardness, color, etc )	REMARKS (water, caving, shot, screen, sample, etc.)
FROM	TO		
0	5	Top Soil- Red Clay	
5	28	Yellow Sand	
28	35	Fine GraySand	
35	45	Fine Gray Sand - Trace of Clay	
45	60	Fine Gray Sand, Shells, Trace of Clay	
60	80	Fine Sand - Shells - Some Clay	
80	90	Blue Clay, Shells	
90	110	Fine Sand, Blue Clay, Shells	
110	130	Fine Sand, Shells	
130	145	Blue Clay, Fine Sand, Shells	

VIRGINIA DIVISION OF MINERAL RESOURCES  
 Box 3667, Charlottesville, VA 22903

INTERVAL SHEET

C-63

**3565**

Page 1 of 1

Well Repository No:

Date rec'd: 6-19-72 Date Processed: 7-17-72

Sample Interval: from 0 to: 145

PROPERTY: Da. Beach Campgrounds, Inc.

Number of samples: 15

COMPANY: Sydnor Hydrodynamics &

Total Depth: 145

COUNTY: Princess Anne

Oil or Gas: Water:  Exploratory:

From-To	From-To	From-To	From-To
0 - 10	-	-	-
10 - 20	-	-	-
20 - 30	-	-	-
30 - 40	-	-	-
40 - 50	-	-	-
-	-	-	-
50 - 60	-	-	-
60 - 70	-	-	-
70 - 80	-	-	-
80 - 90	-	-	-
90 - 100	-	-	-
-	-	-	-
100 - 110	-	-	-
110 - 120	-	-	-
120 - 130	-	-	-
130 - 140	-	-	-
140 - 145	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-

all intervals have both washed and unwashed samples.

