C-235 COMMONWEALTH OF VIRGINIA DEPARTMENT OF CONSERVATION AND ECONOMIC DEVELOPMENT DIVISION OF MINERAL RESOURCES OFFICE ADDRESS: MAILING ADDRESS: Box 3667 JAMES L. CALVER, COMMISSIONER McCormick Road C lottesville, VA 22903 WATER WELL COMPLETION REPORT Charlottesville, Virginia 14809 Fox Dr. Mailing Address: Colonial Heights, VA 23834 OWNER: Lloyd Spitzer TENANT: \_\_\_\_ & SIGMAR Mailing Address 16815 Happy Hill Rd. DRILLER: Mitchell's Well & Pump Co., Inc. Mailing Address Colonial Heights, VA 23834 WELL LOCATION County Chesterfield Approx \_\_\_\_\_\_miles \_\_\_ feet C1 weight 0 and miles (direction) of COUNTY HIGHWAY OR OTHER MAP.) DATE STARTED: June 1978 DATE COMPLETED: June 16, 1978

\_\_\_\_(direction) of (GIVE DIRECTION AND DISTANCE IN FEET OR MILES FROM TWO REFERENCE POINTS - ROADS, TOWNS, RIVERS, ETC. - ON TYPE OF DRILL RIG USED: Cable tool TOTAL DEPTH 127' 6" feet WATER LEVEL: Stands 35 feet below surface OR has NATURAL flow of\_\_\_\_\_gallons per minute. HOLE SIZE: 71/2 inches from 0 to 12 feet YIELD TEST: Method \_\_\_ Pumped Drawdown \_\_\_\_\_ feet Rate 12 gal. per min. \_\_\_\_\_inches from \_\_\_\_\_to \_\_\_\_feet Duration 4 hrs , min. SCREEN SIZE:\_\_\_\_inches from \_\_\_\_\_to \_\_\_\_feet \_\_\_\_inches from \_\_\_\_to \_\_\_feet WATER ZONES: from \_\_\_\_\_\_to \_\_\_\_feet inches from to feet from \_\_\_\_\_feet CASE SIZE: 4 inches from +1 to 124 feet 9" from \_\_\_\_\_feet WATER: Color\_\_\_\_\_Taste\_\_\_\_ \_\_\_\_inches from\_\_\_to\_\_\_feet Odor\_\_\_\_\_\_°F \_\_\_\_inches from\_\_\_\_to\_\_\_feet GROUTING: Method \_\_\_\_ Poured in WELL TO SUPPLY: (check one) Home XX cement, Material sand & gravelDepth 12 feet Farm.\_\_\_\_School\_\_\_\_ Industry\_\_\_\_Other\_\_\_ PUMP: Туре \_\_\_\_\_ Capacity\_\_\_\_\_gal. per min WATER ANALYSIS AVAILABLE Yes \_\_\_\_\_No \_\_\_\_ Yes\_XX\_ No \_\_\_\_ Depth of intake \_\_\_\_\_ DRILL CUTTINGS SAVED: (DRILL CUTTINGS SHOULD BE COLLECTED AT 10 FOOT INTERVALS, THESE SAMPLES MAY BE SHIPPED TO THIS OFFICE EXPRESS COLLECT, SAMPLE BAGS ARE FURNISHED FREE OF CHARGE UPON REQUEST.)

R ARKS:

229900 FURNISHED BY: \_\_\_\_\_\_\_DATE:\_\_\_\_\_\_\_\_\_\_DATE:\_\_\_\_\_\_

DEPTH REMARKS TYPE OF ROCK OR SOIL PENETRATED (feet) (gravel, clay, etc., hardness, color, etc.) (water, caving, shot, screen, sample, etc.) FROM TO SAMPLE # gray earth 10 tan mud Isinoloo .o., Ind. Mitchell's Well & Pump 20 10 3 30 20 4 Chesterfiel gray mud 30 40 11 11 5 40 50 6 thru 12 50 127'6" sand & gravel backfilled with gravel to 121'. BUR ILLED TO BETT (Use additional forms if necessary)

## VIRGINIA DIVISION OF MINERAL RESOURCES Box 3667, Charlottesville, VA 22903

## INTERVAL SHEET

						C-235	
Page 1	of	1		Well Repository	No.:	W-5387	
Date rec'd:	11/1/78	Date Processed:	1/11/79	Sample Interval	: from	0	to:127'6
PROPERTY: Lloyd Spitzer				Number of samples: 12			
COMPANY: Mitchell's W & P Co.				Total Depth:		127'	6"
COUNTY: Chesterfield (Col. Heights)				Oil or Gas:	Water: 2	XX Explo	ratory:
From-To		From-To	From-To	From-To		From-To	
0-10		-	-	=		-	
10_20		-	-	<del>-</del>		-	
20-30		3 <del></del>	-	-		-	
30-40		-	-	-		-	
40-50		-	-	***		-	
50-60		=	_	=		-	
60-70		i <del>,                                    </del>	-	=		-	
70-80		-	-	_		-	
80-90		-	-	) —(		1.	
90- <u>100</u>		-	-	-		_	
100-110			=	-		_	
110-127	6"	-	-	-		-	
-		-	-	-		_	
-		-	_	-		-	
-		-	-	-		-	
-		=	-	<del>-</del>		-	
-		, <del>=</del>	-	-		=	
-		-	-	-		-	
-		-	-	_		-	
-		-	-	-		-	
_		_	_	_		=	
-		-	-	_		-	
_		-	-	-		-	
_		-	-	-		-	
.=		-	=	=		-	
		_	_	_		4 <u>5</u> 45	
_		_	_	_		_	
_		_	_	_		-	
_		_	_	_		_	

All samples have both washed and unwashed samples.

Depth (feet)	WELL LOG
0-10	Sand - very pale orange (10YR 8/2); abundant clay; fine to granule, subangular, moderate sorting.
10-30	Sand - dusky yellow (5Y 6/4); medium, subangular, well sorted; 10% unweathered glauconite, weathered glauconite giving an "abundant" clay appearance.
30-50	Sand - olive gray (5Y 4/1); abundant clay; medium, subangular, well sorted; 10% glauconite; mica.
50-100	Gravel - mixed colors; medium to pebble, angular, poor sorting; feldspar; some loose glauconite at 50-60'.
100-127	Sand - yellowish gray (5Y 8/1); sparse clay as coating on grains; fine to very coarse with granules at 110-127', angular and subangular, moderate sorting; feldspar; garnet.

W# 5387 C# 235

Logged by: J. K. Polzin

Oct. 16, 1980

Total Depth: 127' Quad: Hopewell Elev: 43'

Owner: Lloyd Spitzer
Driller: Mitchell's
County: Chesterfield