



Commonwealth of Virginia
Department of Mines, Minerals, and Energy
Division of Gas and Oil
P.O. Drawer 159, Lebanon, VA 24266
Telephone: (276) 415-9700

Tracking Number:	<u>1603</u>
Company:	<u>CNX Gas Company LLC</u>
File Number:	<u>BU-3656</u>
Operations Name:	<u>CBM G26A W/PL</u>
Operation Type:	<u>Coalbed/Pipeline</u>
Drilling Report Type:	<u>Original</u>

DRILLING REPORT (DGO-GO-14)

1. Drilling Data

Date drilling commenced:	<u>4/7/2008</u>	Drilling Contractor:	<u>NOAH HORN</u>
Date drilling completed:	<u>4/15/2008</u>	Rig Type:	<input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Cable
Driller's Total Depth (feet):	<u>2500.00</u>		
Log Total Depth (feet):	<u>2510.15</u>	Coal Seam at Total Depth:	<u>Pocahontas</u>

2. Final Location Plat (as required by 4 VAC25-150-360.C.)

Permitted State Plane X:	<u>10476169.3300</u>	Final Plat State Plane X:	<u>10476169.2400</u>
Permitted State Plane Y:	<u>3635220.0400</u>	Final Plat State Plane Y:	<u>3635212.2000</u>

Plat Previously Submitted Or...

List of Attached Items:

Description	FileName
PLAT	G26A PLAT.pdf

3. Geological Data

Fresh Water At:

Depth (in feet)	Rate	Unit of Measure
665	damp	

Salt Water At:

Depth (in feet)	Rate	Unit of Measure
2110	damp	

Coal Seams:

List of Attached Items:

Description	FileName
EXHIBIT A	G26A EXHIBIT A.pdf

Gas and Oil Shows:

List of Attached Items:

Description	FileName
GAS SHOW	G26A Gas Show.xls

4. Electric Logs (As required by 4VAC25-150-280.A)

List all logs run: caliper gamma density temp deviation

Did logs disclose vertical locations of a coal seam? R

5. Survey Results (As required by 4VAC25-150-280.B.2)

List of Attached Items:

Description	FileName
DEVIATION	G26A DEVIATION.pdf

6. Casing and Tubing Program

List of Attached Items:

Description	FileName
CASING	G26A Casing.xls

7. Remarks

Use this space to note any conditions or occurrences, such as lost circulation, fishing jobs, junk left in hole, sidetracks, squeeze jobs, etc., not shown above. Include data and depth of condition/occurrence.

8. Drillers Log

Compiled By: NOAH HORN

List of Attached Items:

Description	FileName
DRILL DATA	G26A DRILL DATA.pdf

9. Comments

OK. [9/30/2009, gje]

Yes, this is correct. Baskets were set as a precautionary measure. Thanks! [9/30/2009, DonnaHellas]

The casing program shows baskets on the 4 1/2". Is this correct? [12/16/2008, gje]

10. Signature

Permitee: CNX Gas Company LLC

Date: 9/30/2009

Signed By: Leslie Arrington

Title: Director Environmental Permitting

INTERNAL USE ONLY

Submit Date: 9/30/2009

Status: A

Date: 9/30/2009

Final PDF Date: 9/30/2009

520'

LATITUDE: 37° 17' 30"

BEARING BASIS:
VIRGINIA STATE PLANE - SOUTH ZONE - NAD'27




80 ACRE UNIT

FINAL LOCATION
CBM-G26A

LONGITUDE: 81° 57' 30"

13,025



NOTE:
THIS WELL WAS DRILLED WITHIN 10 FT. OF PROPOSED LOCATION
ACCORDING TO 4 VAC 25-150-290 AND 45.1-361.30

WELL LOCATION PLAT

G26AFNL
1N19/20-651/36


COMPANY CNX GAS COMPANY, LLC. WELL NAME OR NUMBER CBM-G26A
TRACT NUMBER C.L. RITTER LUMBER CO QUADRANGLE PATTERSON
DISTRICT: GARDEN

WELL COORDINATES (VIRGINIA STATE PLANE): STATE PLANE: N 354,332.26 E 993,182.10
ELEVATION: 2293.88' METHOD USED TO DETERMINE ELEVATION: BY TRIG. LEVELS FROM CONSOLE INC BM'S
COUNTY BUCHANAN Scale: 1" = 400' Date 04-17-08

THIS PLAT IS A NEW PLAT _____; AN UPDATED PLAT _____; OR A FINAL LOCATION PLAT X

+ Denotes the location of a well on United States Topographic Maps, scales 1" to 24,000, latitude and longitude lines being represented by border lines as shown (optional)

Danny R. Price



Licensed Professional Engineer or Licensed Land Surveyor (Affix Seal)

G26A.CMP
Exhibit A

Well Name: 08 CBM G26A
SURFACE ELEV: 2295.00 EASTING: 993182.00 NORTHING: 354340.00

SEAM	DEPTH FROM (FT)	DEPTH TO (FT)	ELEVATION (TOSE)	THK. (FT)	REMARKS
NR1	43.50	44.50	2251.50	1.00	
	44.50	90.00	2250.50	45.50	
COAL	90.00	91.40	2205.00	1.40	
	91.40	95.90	2203.60	4.50	
HG1	95.90	97.00	2199.10	1.10	
	97.00	169.10	2198.00	72.10	
COAL	169.10	169.80	2125.90	0.70	
	169.80	188.90	2125.20	19.10	
COAL	188.90	189.20	2106.10	0.30	
	189.20	193.90	2105.80	4.70	
SD1	193.90	195.40	2101.10	1.50	
	195.40	222.30	2099.60	26.90	
SD2	222.30	223.10	2072.70	0.80	
	223.10	265.20	2071.90	42.10	
COAL	265.20	266.70	2029.80	1.50	
	266.70	279.50	2028.30	12.80	
UB1	279.50	280.90	2015.50	1.40	
	280.90	374.20	2014.10	93.30	
LB1	374.20	376.80	1920.80	2.60	
	376.80	530.00	1918.20	153.20	
KN1	530.00	531.20	1765.00	1.20	
	531.20	557.60	1763.80	26.40	
KN2	557.60	558.50	1737.40	0.90	
	558.50	655.60	1736.50	97.10	
AL1	655.60	656.00	1639.40	0.40	
	656.00	770.00	1639.00	114.00	
RA2	770.00	771.80	1525.00	1.80	
	771.80	898.90	1523.20	127.10	
JB1	898.90	899.20	1396.10	0.30	
	899.20	937.20	1395.80	38.00	
JB3	937.20	939.50	1357.80	2.30	
	939.50	956.00	1355.50	16.50	
T2	956.00	956.70	1339.00	0.70	
	956.70	959.40	1338.30	2.70	
COAL	959.40	959.50	1335.60	0.10	
	959.50	962.90	1335.50	3.40	
COAL	962.90	963.10	1332.10	0.20	
	963.10	972.70	1331.90	9.60	
T1	972.70	972.80	1322.30	0.10	
	972.80	989.10	1322.20	16.30	
TI	989.10	989.50	1305.90	0.40	
	989.50	1106.70	1305.50	117.20	
US1	1106.70	1106.90	1188.30	0.20	
	1106.90	1277.70	1188.10	170.80	
GC2	1277.70	1277.90	1017.30	0.20	
	1277.90	1278.10	1017.10	0.20	
GC2	1278.10	1278.80	1016.90	0.70	
	1278.80	1352.30	1016.20	73.50	
*SE2	1352.30	1353.90	942.70	1.60	
	1353.90	1384.40	941.10	30.50	
*LS1	1384.40	1385.90	910.60	1.50	
	1385.90	1453.60	909.10	67.70	
*UH1	1453.60	1454.50	841.40	0.90	
	1454.50	1456.90	840.50	2.40	
*COAL	1456.90	1457.10	838.10	0.20	
	1457.10	1487.00	837.90	29.90	

			G26A.CMP	
*UH2	1487.00	1487.60	808.00	0.60
	1487.60	1650.30	807.40	162.70
*P11	1650.30	1653.70	644.70	3.40
	1653.70	1658.80	641.30	5.10
*113	1658.80	1659.30	636.20	0.50
	1659.30	1772.80	635.70	113.50
*LH3	1772.80	1773.10	522.20	0.30
	1773.10	1773.30	521.90	0.20
*LH3	1773.30	1774.20	521.70	0.90
	1774.20	1795.90	520.80	21.70
*P91	1795.90	1797.90	499.10	2.00
	1797.90	1825.80	497.10	27.90
*P93	1825.80	1826.10	469.20	0.30
	1826.10	1826.90	468.90	0.80
*COAL	1826.90	1827.00	468.10	0.10
	1827.00	2052.20	468.00	225.20
*P42	2052.20	2052.30	242.80	0.10
	2052.30	2163.10	242.70	110.80
*P43	2163.10	2163.70	131.90	0.60
	2163.70	2163.80	131.30	0.10
*P43	2163.80	2164.10	131.20	0.30
	2164.10	2179.10	130.90	15.00
*P3	2179.10	2183.70	115.90	4.60
	2183.70	2286.60	111.30	102.90
*P01	2286.60	2287.10	8.40	0.50
	2287.10	2346.20	7.90	59.10
*SJ2	2346.20	2346.90	-51.20	0.70
	2346.90	2510.15	-51.90	163.25

COAL SEAMS TO BE STIMULATED WERE ADJUSTED DUE TO THE GAS WELL'S PROXIMITY TO DISMAL CREEK.
 GAMMA-CALIPER LOG FROM 0 TO 846.00
 GAMMA-DENSITY LOG FROM 846.00 TO TD.
 NOTE: FOOTAGE NOT ADJUSTED FOR DEVIATION
 FILE: H:\JIMHAZ~1\PROJECTS\GAS\G26A.CMP
 DATE: 04/25/08

Well: G26A

Oil & Gas Show


Formation	Top	Bottom	Thickness	IPF (MCFD/BOPD)	Pressure	Hours Tested
Lee/Norton	1352.3	1797.9	445.6			
Pocahontas	2179.1	2183.7	4.6			
Total IPF				NOT TAKEN		

PLAN VIEW COMPU-LOG DEVIATION

CLIENT: CNX GAS
 LOCATION: -
 HOLE ID: 08-CNX-G-26-A
 DATE OF LOG: 04/15/08
 PROBE: 9136CH 1244

↑
 ↑
 ↑
 MAG DECL: -7.1

SCALE: 5 FT/IN
 TRUE DEPTH: 2509.28 FT
 AZIMUTH: 41.1
 DISTANCE: 14.6 FT
 + = 150 FT INCR
 ○ = BOTTOM OF HOLE



***** COMPU-LOG - VERTICAL DEVIATION *****

CLIENT : CNX GAS	HOLE ID. : 08-CNX-G-26-A
FIELD OFFICE : O'DRISCOLL	DATE OF LOG : 04/15/08
DATA FROM : -	PROBE : 9136CH , 1244
MAG. DECL. : -7.100	DEPTH UNITS : FEET
LOG: 08-CNX-G-26-A_04-15-08_11-48_9136CH_10_0.00_2509.80_DEVI.log	

TABLE DEPTH	TRUE DEPTH	NORTH DEV.	EAST DEV.	DISTANCE	AZIMUTH	SANG	SANGE
0.50	0.50	0.00	0.00	0.0	0.0	0.0	0.0
10.00	10.00	-0.05	-0.01	0.1	194.5	0.9	237.5
20.00	20.00	-0.10	0.04	0.1	157.0	1.0	218.7
30.00	30.00	-0.03	0.01	0.0	168.6	1.1	105.2
40.00	39.99	-0.14	-0.03	0.1	194.1	1.3	270.7
50.00	49.99	-0.03	-0.19	0.2	261.5	1.2	351.4
60.00	59.99	0.11	-0.26	0.3	293.2	1.2	306.5
70.00	69.99	0.28	-0.27	0.4	315.6	1.0	54.6
80.00	79.99	0.19	-0.29	0.3	302.8	1.3	263.1
90.00	89.98	0.34	-0.37	0.5	312.1	1.2	322.8
100.00	99.98	0.46	-0.49	0.7	312.9	0.9	12.7
110.00	109.98	0.55	-0.39	0.7	324.7	0.9	4.5
120.00	119.98	0.58	-0.30	0.7	332.2	1.2	190.4
130.00	129.98	0.64	-0.37	0.7	330.2	1.0	73.4
140.00	139.97	0.56	-0.34	0.7	329.1	1.8	289.4
150.00	149.97	0.66	-0.35	0.7	332.0	1.0	137.8
160.00	159.97	0.65	-0.50	0.6	322.4	0.9	21.8
170.00	169.97	0.62	-0.38	0.7	328.5	1.0	196.3
180.00	179.97	0.60	-0.55	0.8	317.4	1.1	200.8
190.00	189.96	0.55	-0.76	0.9	305.8	1.5	284.4
200.00	199.96	0.69	-0.84	1.1	309.5	1.1	68.4

50.00	49.99	-0.03	-0.19	0.2	261.5	1.2	351.4
60.00	59.99	0.11	-0.26	0.3	293.2	1.2	306.5
70.00	69.99	0.28	-0.27	0.4	315.6	1.0	54.6
80.00	79.99	0.19	-0.29	0.3	302.8	1.3	263.1
90.00	89.98	0.34	-0.37	0.5	312.1	1.2	322.8
100.00	99.98	0.46	-0.49	0.7	312.9	0.9	12.7
110.00	109.98	0.55	-0.39	0.7	324.7	0.9	4.5
120.00	119.98	0.58	-0.30	0.7	332.2	1.2	190.4
130.00	129.98	0.64	-0.37	0.7	330.2	1.0	73.4
140.00	139.97	0.56	-0.34	0.7	329.1	1.8	289.4
150.00	149.97	0.66	-0.35	0.7	332.0	1.0	137.8
160.00	159.97	0.65	-0.50	0.8	322.4	0.9	21.8
170.00	169.97	0.62	-0.38	0.7	328.5	1.0	196.3
180.00	179.97	0.60	-0.55	0.6	317.4	1.1	200.8
190.00	189.96	0.55	-0.76	0.9	305.8	1.5	284.4
200.00	199.96	0.69	-0.84	1.1	309.5	1.1	68.4
210.00	209.96	0.82	-0.90	1.2	312.1	1.2	4.4
220.00	219.96	0.87	-0.80	1.2	317.3	1.3	12.4
230.00	229.96	0.98	-0.70	1.2	324.5	1.1	119.7
240.00	239.95	0.91	-0.75	1.2	320.4	0.5	230.7
250.00	249.95	0.86	-0.80	1.2	316.9	0.2	36.8
260.00	259.95	0.84	-0.82	1.2	315.4	0.6	225.6
270.00	269.95	0.81	-0.88	1.2	312.8	0.4	7.9
280.00	279.95	0.83	-0.93	1.2	311.7	0.7	297.3
290.00	289.95	0.82	-0.99	1.3	309.5	0.9	263.1
300.00	299.95	0.83	-1.12	1.4	306.7	0.9	282.2
310.00	309.95	0.81	-1.25	1.5	303.0	0.8	271.1
320.00	319.95	0.84	-1.36	1.6	301.7	0.8	289.9
330.00	329.95	0.86	-1.48	1.7	300.2	0.4	304.2
340.00	339.95	0.91	-1.55	1.8	300.3	0.6	299.9
350.00	349.95	0.96	-1.61	1.9	300.8	0.4	303.1
360.00	359.95	1.01	-1.65	1.9	301.5	0.4	299.5
370.00	369.95	1.06	-1.70	2.0	301.8	0.5	259.6
380.00	379.95	1.10	-1.74	2.1	302.4	0.3	42.3
390.00	389.95	1.10	-1.72	2.0	302.6	0.4	218.7
400.00	399.95	1.11	-1.77	2.1	302.0	0.4	325.1
410.00	409.95	1.12	-1.81	2.1	301.7	0.4	273.9
420.00	419.95	1.15	-1.85	2.2	302.0	0.4	10.8
430.00	429.95	1.19	-1.88	2.2	302.3	0.3	256.7
440.00	439.95	1.21	-1.89	2.2	302.6	0.3	275.4
450.00	449.95	1.23	-1.89	2.3	303.1	0.3	313.6
460.00	459.95	1.27	-1.97	2.3	304.2	0.4	96.5
470.00	469.95	1.29	-1.84	2.3	305.1	0.3	49.1
480.00	479.95	1.29	-1.82	2.2	305.4	0.4	313.6
490.00	489.95	1.33	-1.86	2.3	305.7	0.4	285.8
500.00	499.95	1.35	-1.87	2.3	305.9	0.3	331.1
510.00	509.95	1.37	-1.65	2.3	306.5	0.3	271.4
520.00	519.95	1.36	-1.83	2.3	306.6	0.3	54.6
530.00	529.95	1.36	-1.83	2.3	306.7	0.3	209.9
540.00	539.95	1.37	-1.83	2.3	306.9	0.5	356.7
550.00	549.94	1.35	-1.83	2.3	306.6	0.4	279.7
560.00	559.94	1.40	-1.81	2.3	307.7	0.4	105.6
570.00	569.94	1.41	-1.80	2.3	307.9	0.4	274.7
580.00	579.94	1.40	-1.81	2.3	307.6	0.4	297.8
590.00	589.94	1.42	-1.83	2.3	307.9	0.4	9.2
600.00	599.94	1.41	-1.82	2.3	307.7	0.4	88.0
610.00	609.94	1.43	-1.80	2.3	308.5	0.4	110.2
620.00	619.94	1.42	-1.72	2.2	309.5	0.6	124.2
630.00	629.94	1.36	-1.69	2.2	309.8	0.6	152.8
640.00	639.94	1.35	-1.65	2.1	309.3	0.3	136.0
650.00	649.94	1.28	-1.61	2.1	308.5	0.4	173.6
660.00	659.94	1.29	-1.63	2.1	308.4	0.1	272.4
670.00	669.94	1.29	-1.62	2.1	308.5	0.5	156.3
680.00	679.94	1.24	-1.62	2.0	307.3	0.1	354.9
690.00	689.94	1.23	-1.59	2.0	307.7	0.5	177.5
700.00	699.94	1.17	-1.55	1.9	307.1	0.5	113.7
710.00	709.94	1.16	-1.51	1.9	307.4	0.3	69.3
720.00	719.94	1.11	-1.41	1.8	308.2	0.8	138.0
730.00	729.94	1.08	-1.38	1.7	308.1	0.4	107.2
740.00	739.94	1.08	-1.33	1.7	308.9	0.2	95.9
750.00	749.94	1.00	-1.29	1.6	307.8	0.5	177.3
760.00	759.94	0.96	-1.22	1.5	308.2	0.7	141.9
770.00	769.94	0.84	-1.17	1.4	305.8	0.7	180.0
780.00	779.94	0.78	-1.07	1.3	305.9	1.0	126.6
790.00	789.94	0.67	-0.97	1.2	304.3	1.0	172.5
800.00	799.94	0.60	-0.91	1.1	303.3	0.6	113.3
810.00	809.93	0.48	-0.87	1.0	299.0	1.5	174.7
820.00	819.93	0.38	-0.82	0.9	294.7	0.7	147.2
830.00	829.93	0.22	-0.70	0.7	287.2	1.3	148.4
840.00	839.93	0.05	-0.61	0.6	274.6	0.8	136.2
850.00	849.93	-0.11	-0.54	0.6	258.9	0.9	170.3
860.00	859.93	-0.28	-0.55	0.6	243.5	0.8	167.4
870.00	869.92	-0.38	-0.67	0.8	240.2	0.7	175.4
880.00	879.92	-0.47	-0.73	0.9	237.2	0.5	207.3
890.00	889.92	-0.58	-0.73	0.9	231.3	0.5	192.0
900.00	899.92	-0.58	-0.83	1.0	234.8	0.9	197.0
910.00	909.92	-0.75	-0.88	1.2	229.3	1.1	203.8
920.00	919.92	-0.63	-0.96	1.1	236.5	1.2	320.4
930.00	929.92	-0.75	-1.03	1.3	233.7	1.1	222.3
940.00	939.92	-0.75	-1.09	1.3	235.6	1.3	99.1
950.00	949.91	-0.78	-1.11	1.4	234.8	1.2	208.9
960.00	959.91	-0.97	-1.25	1.6	232.0	1.4	216.9
970.00	969.91	-1.16	-1.36	1.8	229.5	1.1	225.9
980.00	979.91	-1.31	-1.48	2.0	228.6	1.1	308.8
990.00	989.90	-1.36	-1.45	2.0	226.7	0.9	335.2
1000.00	999.90	-1.50	-1.57	2.2	226.2	1.2	207.3

910.00	919.92	-0.63	-0.96	1.1	236.5	1.2	320.4
920.00	929.92	-0.75	-1.03	1.3	233.7	1.1	222.3
930.00	939.92	-0.75	-1.09	1.3	235.6	1.3	99.1
940.00	949.91	-0.78	-1.11	1.4	234.8	1.2	208.9
950.00	959.91	-0.97	-1.25	1.6	232.0	1.4	216.9
960.00	969.91	-1.16	-1.36	1.8	229.5	1.1	225.9
970.00	979.91	-1.31	-1.48	2.0	228.6	1.1	308.8
980.00	989.90	-1.36	-1.45	2.0	226.7	0.9	335.2
990.00	999.90	-1.50	-1.57	2.2	226.2	1.2	207.3
1000.00	1009.90	-1.69	-1.68	2.4	224.8	1.2	210.5
1010.00	1019.90	-1.85	-1.77	2.6	223.8	1.1	223.6
1020.00	1029.90	-1.96	-1.84	2.7	223.3	1.3	184.4
1030.00	1039.89	-2.10	-1.90	2.8	222.2	1.3	219.3
1040.00	1049.89	-2.28	-2.04	3.1	221.8	1.3	208.6
1050.00	1059.89	-2.39	-2.09	3.2	221.2	1.3	173.3
1060.00	1069.89	-2.51	-2.11	3.3	220.0	1.0	185.8
1070.00	1079.89	-2.69	-2.16	3.5	218.6	1.2	193.6
1080.00	1089.88	-2.89	-2.21	3.6	217.4	1.1	187.4
1090.00	1099.88	-3.03	-2.27	3.8	216.8	1.2	357.5
1100.00	1109.88	-3.00	-2.32	3.8	217.7	1.1	322.5
1110.00	1119.88	-3.05	-2.37	3.9	217.9	1.2	342.7
1120.00	1129.88	-3.00	-2.30	3.8	217.4	1.3	177.6
1130.00	1139.87	-3.23	-2.32	4.0	215.7	1.5	198.0
1140.00	1149.87	-3.47	-2.34	4.2	214.1	1.3	183.3
1150.00	1159.87	-3.70	-2.37	4.4	212.6	1.2	189.6
1160.00	1169.87	-3.82	-2.35	4.5	211.5	0.7	126.4
1170.00	1179.86	-3.98	-2.37	4.6	210.8	1.2	190.6
1180.00	1189.86	-4.20	-2.37	4.8	209.4	1.4	176.0
1190.00	1199.86	-4.42	-2.36	5.0	208.1	1.1	174.7
1200.00	1209.86	-4.60	-2.35	5.2	207.1	1.0	173.8
1210.00	1219.86	-4.76	-2.32	5.3	206.0	0.9	166.6
1220.00	1229.85	-4.92	-2.28	5.4	204.9	0.9	166.6
1230.00	1239.85	-5.03	-2.26	5.5	204.2	0.8	350.9
1240.00	1249.85	-5.05	-2.24	5.5	203.9	0.7	184.7
1250.00	1259.85	-5.14	-2.23	5.6	203.5	0.6	181.1
1260.00	1269.85	-5.20	-2.24	5.7	203.2	0.5	198.6
1270.00	1279.85	-5.19	-2.24	5.7	203.4	0.3	39.4
1280.00	1289.85	-5.18	-2.22	5.6	203.2	0.2	59.0
1290.00	1299.85	-5.20	-2.20	5.6	202.9	0.2	255.8
1300.00	1309.85	-5.17	-2.18	5.6	202.9	0.1	358.7
1310.00	1319.85	-5.13	-2.17	5.6	202.9	0.2	3.9
1320.00	1329.85	-5.11	-2.13	5.5	202.6	0.3	64.9
1330.00	1339.85	-5.12	-2.12	5.5	202.6	0.5	43.2
1340.00	1349.85	-5.02	-2.14	5.5	203.0	0.7	337.0
1350.00	1359.85	-4.88	-2.19	5.4	204.2	1.9	338.0
1360.00	1369.85	-4.72	-2.18	5.2	204.7	0.9	324.3
1370.00	1379.84	-4.58	-2.25	5.1	206.2	1.4	30.5
1380.00	1389.84	-4.42	-2.22	4.9	206.7	1.0	296.8
1390.00	1399.84	-4.24	-2.24	4.8	207.9	1.4	323.7
1400.00	1409.84	-4.16	-2.24	4.7	208.3	1.0	127.1
1410.00	1419.84	-4.11	-2.21	4.7	208.3	1.5	325.1
1420.00	1429.83	-3.89	-2.34	4.5	211.0	1.3	327.3
1430.00	1439.83	-3.69	-2.45	4.4	213.6	1.4	334.2
1440.00	1449.83	-3.49	-2.55	4.3	216.2	1.2	336.1
1450.00	1459.83	-3.31	-2.65	4.2	218.7	1.3	335.8
1460.00	1469.82	-3.17	-2.66	4.1	220.0	1.2	107.8
1470.00	1479.82	-3.17	-2.73	4.2	220.7	1.0	339.4
1480.00	1489.82	-3.00	-2.80	4.1	223.0	0.9	320.0
1490.00	1499.82	-2.84	-2.86	4.0	225.2	0.9	331.5
1500.00	1509.82	-2.70	-2.93	4.0	227.3	1.0	11.2
1510.00	1519.82	-2.65	-2.98	4.0	228.4	0.5	122.7
1520.00	1529.81	-2.48	-3.02	3.9	230.6	1.0	344.0
1530.00	1539.81	-2.32	-3.09	3.9	233.1	1.1	353.5
1540.00	1549.81	-2.13	-3.15	3.8	235.9	1.1	345.9
1550.00	1559.81	-1.93	-3.21	3.7	238.9	1.2	349.8
1560.00	1569.81	-1.72	-3.27	3.7	242.2	1.3	353.9
1570.00	1579.80	-1.49	-3.32	3.6	245.9	1.4	340.2
1580.00	1589.80	-1.25	-3.36	3.6	249.6	1.3	339.5
1590.00	1599.80	-1.02	-3.41	3.6	253.4	1.4	344.3
1600.00	1609.79	-0.79	-3.46	3.5	257.0	1.3	349.2
1610.00	1619.79	-0.59	-3.45	3.5	260.3	1.3	192.1
1620.00	1629.79	-0.45	-3.51	3.5	262.7	1.5	11.3
1630.00	1639.79	-0.28	-3.55	3.6	265.4	1.4	356.6
1640.00	1649.78	-0.11	-3.57	3.6	268.3	1.4	346.9
1650.00	1659.78	0.06	-3.55	3.5	271.0	1.5	7.1
1660.00	1669.78	0.23	-3.58	3.6	273.7	1.4	1.6
1670.00	1679.77	0.46	-3.59	3.6	277.4	1.1	358.9
1680.00	1689.77	0.69	-3.58	3.6	280.9	1.4	2.2
1690.00	1699.77	0.92	-3.58	3.7	284.4	1.3	359.3
1700.00	1709.77	1.13	-3.54	3.7	287.8	1.2	19.1
1710.00	1719.76	1.35	-3.48	3.7	291.2	1.2	19.0
1720.00	1729.76	1.52	-3.42	3.7	294.0	1.0	28.5
1730.00	1739.76	1.66	-3.35	3.7	296.6	1.0	17.4
1740.00	1749.76	1.86	-3.25	3.7	299.8	1.3	33.2
1750.00	1759.76	2.04	-3.12	3.7	303.2	1.3	35.3
1760.00	1769.75	2.24	-2.96	3.7	307.1	1.6	41.9
1770.00	1779.75	2.41	-2.95	3.6	305.5	1.1	68.6
1780.00	1789.75	2.57	-2.82	3.6	308.3	1.3	52.3
1790.00	1799.74	2.74	-2.64	3.5	311.6	1.2	55.4
1800.00	1809.74	2.91	-2.51	3.4	312.2	1.2	208.8
1810.00	1819.74	3.08	-2.51	3.3	311.0	1.5	40.4
1820.00	1829.74	3.25	-2.31	3.3	315.8	1.7	38.7
1830.00	1839.73	3.42	-2.09	3.3	320.9	1.8	47.7
1840.00	1849.73	3.59	-1.86	3.4	326.5	1.9	54.5
1850.00	1859.72	3.76	-1.61	3.4	332.0	1.8	48.9
1860.00	1869.72	3.93	-1.38	3.5	336.8	1.8	49.5

1740.00	1739.76	1.66	-3.35	3.7	296.6	1.0	17.4
1750.00	1749.76	1.06	-3.25	3.7	299.6	1.3	33.2
1760.00	1759.76	2.04	-3.12	3.7	303.2	1.3	35.3
1770.00	1769.75	2.24	-2.96	3.7	307.1	1.6	41.9
1780.00	1779.75	2.11	-2.95	3.6	305.5	1.1	68.6
1790.00	1789.75	2.22	-2.82	3.6	308.3	1.3	52.3
1800.00	1799.74	2.34	-2.64	3.5	311.6	1.2	55.4
1810.00	1809.74	2.27	-2.51	3.4	312.2	1.2	208.6
1820.00	1819.74	2.19	-2.51	3.3	311.0	1.5	40.4
1830.00	1829.74	2.38	-2.31	3.3	315.8	1.7	38.7
1840.00	1839.73	2.58	-2.09	3.3	320.9	1.8	47.7
1850.00	1849.73	2.81	-1.86	3.4	326.5	1.9	54.5
1860.00	1859.72	3.03	-1.61	3.4	332.0	1.6	48.9
1870.00	1869.72	3.24	-1.39	3.5	336.8	1.8	49.5
1880.00	1879.71	3.46	-1.14	3.6	341.7	2.0	42.3
1890.00	1889.70	3.69	-0.90	3.6	346.2	1.9	47.9
1900.00	1899.70	3.89	-0.66	3.9	350.4	1.8	51.4
1910.00	1909.70	4.09	-0.42	4.1	354.1	1.8	49.6
1920.00	1919.69	4.28	-0.18	4.3	357.6	1.8	50.2
1930.00	1929.69	4.48	0.07	4.5	0.9	1.8	46.7
1940.00	1939.68	4.68	0.31	4.7	3.8	1.8	53.4
1950.00	1949.68	4.88	0.56	4.9	6.6	1.7	49.3
1960.00	1959.67	5.07	0.81	5.1	9.1	1.9	42.0
1970.00	1969.66	5.27	1.06	5.4	11.4	1.8	55.6
1980.00	1979.66	5.46	1.30	5.6	13.4	1.8	51.5
1990.00	1989.66	5.68	1.53	5.9	15.1	1.9	52.3
2000.00	1999.65	5.84	1.78	6.1	17.0	1.8	51.6
2010.00	2009.65	6.07	2.01	6.4	18.3	1.9	34.7
2020.00	2019.64	6.26	2.23	6.7	19.6	1.8	41.8
2030.00	2029.64	6.43	2.45	6.9	20.8	1.5	89.5
2040.00	2039.63	6.62	2.66	7.1	21.9	1.9	51.0
2050.00	2049.63	6.77	2.91	7.4	23.2	1.8	37.2
2060.00	2059.62	6.94	3.16	7.6	24.5	1.7	54.2
2070.00	2069.62	7.14	3.38	7.9	25.3	1.7	74.2
2080.00	2079.61	7.34	3.56	8.2	25.9	1.6	10.2
2090.00	2089.61	7.43	3.79	8.3	27.0	1.8	53.9
2100.00	2099.61	7.72	3.73	8.6	25.8	1.6	353.0
2110.00	2109.60	7.90	3.64	8.7	24.7	1.4	41.5
2120.00	2119.60	7.99	3.85	8.9	25.7	1.3	78.8
2130.00	2129.60	8.08	4.08	9.0	26.8	1.4	74.0
2140.00	2139.59	8.14	4.33	9.2	28.0	1.6	68.0
2150.00	2149.59	8.22	4.58	9.4	29.1	1.5	75.3
2160.00	2159.59	8.28	4.81	9.6	30.2	1.3	80.4
2170.00	2169.58	8.35	5.05	9.8	31.2	1.5	87.0
2180.00	2179.58	8.42	5.27	9.9	32.0	1.5	91.5
2190.00	2189.58	8.46	5.49	10.1	33.0	1.3	76.5
2200.00	2199.57	8.59	5.66	10.3	33.4	1.6	309.4
2210.00	2209.57	8.74	5.58	10.4	32.6	1.4	54.3
2220.00	2219.57	8.82	5.43	10.4	31.6	1.2	308.0
2230.00	2229.56	8.94	5.54	10.5	31.8	1.4	65.9
2240.00	2239.56	9.04	5.77	10.7	32.5	1.4	81.9
2250.00	2249.56	9.12	6.02	10.9	33.5	1.5	76.3
2260.00	2259.55	9.20	6.27	11.1	34.3	1.6	68.9
2270.00	2269.55	9.28	6.53	11.3	35.1	1.5	71.5
2280.00	2279.55	9.37	6.78	11.6	35.9	1.6	72.0
2290.00	2289.54	9.47	7.03	11.8	36.6	1.6	71.0
2300.00	2299.54	9.59	7.13	11.9	36.6	1.6	254.0
2310.00	2309.54	9.44	7.09	11.8	36.9	1.1	16.9
2320.00	2319.54	9.53	7.27	12.0	37.3	1.3	83.4
2330.00	2329.53	9.63	7.36	12.1	37.4	1.6	314.8
2340.00	2339.53	9.81	7.39	12.3	37.0	1.7	43.0
2350.00	2349.52	9.85	7.24	12.2	36.3	1.3	264.9
2360.00	2359.52	9.94	7.32	12.3	36.3	1.5	76.1
2370.00	2369.52	10.02	7.55	12.5	37.0	1.4	70.7
2380.00	2379.51	10.12	7.60	12.6	37.6	1.4	83.4
2390.00	2389.51	10.19	8.03	13.0	38.2	1.5	74.7
2400.00	2399.51	10.25	8.26	13.2	38.9	1.3	69.1
2410.00	2409.51	10.30	8.48	13.3	39.4	1.3	80.2
2420.00	2419.50	10.38	8.70	13.5	40.0	1.3	72.2
2430.00	2429.50	10.44	8.92	13.7	40.5	1.4	59.5
2440.00	2439.50	10.54	9.09	13.9	40.8	1.3	237.0
2450.00	2449.50	10.59	9.07	13.9	40.6	1.0	104.1
2460.00	2459.49	10.57	9.10	13.9	40.7	1.3	95.6
2470.00	2469.49	10.59	9.25	14.1	41.1	1.3	69.7
2480.00	2479.49	10.61	9.41	14.2	41.6	1.0	231.8
2490.00	2489.49	10.56	9.51	14.2	42.0	1.3	70.7
2500.00	2499.48	10.70	9.68	14.4	42.1	1.5	39.4
2509.80	2509.28	10.99	9.60	14.6	41.1	2.1	338.2

COMPANY CNX
 HOLE G-26A
 RIG #: 294
 LOCATION: DISMAL RIVER ROAD
 DATE STARTED: 4/7/2008
 DATE COMPLETED: 4/15/2008
 ELECTRIC LOGGED: YES
 GROUTED: YES

DEPTH FROM	THICKNESS TO	FT	STRATA DESCRIPTION, VOIDS ETC.
0	11		11 OVERBURDEN
11	30		19 SANDY SHALE
30	60		30 SANDY SHALE / COAL
60	90		30 SANDY SHALE / COAL
90	120		30 COAL / SANDY SHALE
120	150		30 SANDY SHALE / SAND
150	180		30 SAND
180	210		30 SANDY SHALE / SAND
210	240		30
240	270		30 SANDY SHALE / COAL
270	300		30 SANDY SHALE / COAL
300	335		35 SANDY SHALE
335	365		30 SANDY SHALE / COAL
365	395		30 SANDY SHALE / COAL
395	425		30 SAND / SANDY SHALE
425	455		30 SAND / SANDY SHALE
455	485		30 SANDY SHALE / SAND
485	515		30 SAND
515	545		30 SANDY SHALE / SAND
545	575		30 SANDY SHALE / COAL
575	605		30 SAND / SANDY SHALE
605	635		30 SANDY SHALE
635	665		30 SANDY SHALE / COAL
665	695		30 SAND / SANDY SHALE
695	725		30 SANDY SHALE / COAL
725	750		25 SANDY SHALE
750	780		30 SANDY SHALE
780	810		30 SANDY SHALE
810	840		30 SANDY SHALE
840	855		15 SANDY SHALE
855	875		20 SANDY SHALE
875	905		30 SANDY SHALE / COAL
905	935		30 SANDY SHALE
935	965		30 SANDY SHALE / COAL
965	995		30 SANDY SHALE / COAL
995	1025		30 SANDY SHALE

1025	1060	30 SANDY SHALE
1060	1090	30 SANDY SHALE
1090	1120	30 SANDY SHALE / COAL
1120	1150	30 SANDY SHALE
1150	1180	30 SANDY SHALE
1180	1210	30 SANDY SHALE
1210	1240	30 SANDY SHALE
1240	1270	30 SANDY SHALE
1270	1300	30 SANDY SHALE / COAL
1300	1330	30 SANDY SHALE
1330	1360	30 SANDY SHALE / COAL
1360	1390	30 SANDY SHALE / COAL
1390	1420	30 SANDY SHALE
1420	1450	30 SANDY SHALE
1450	1480	30 SANDY SHALE / COAL
1480	1510	30 SANDY SHALE / COAL
1510	1540	30 SANDY SHALE
1540	1570	30 SANDY SHALE
1570	1600	30 SANDY SHALE
1600	1630	30 SANDY SHALE
1630	1660	30 SANDY SHALE / COAL
1660	1690	30 SANDY SHALE / COAL
1690	1720	30 SANDY SHALE
1720	1750	30 SANDY SHALE
1750	1780	30 SANDY SHALE / COAL
1780	1810	30 SANDY SHALE / COAL
1810	1840	30 SANDY SHALE / COAL
1840	1870	30 SANDY SHALE / COAL
1870	1900	30 SANDY SHALE / SAND
1900	1930	30 SANDY SHALE / COAL
1930	1960	30 SANDY SHALE / SAND
1960	1990	30 SAND
1990	2020	30 SANDY SHALE / COAL
2020	2050	30 SAND / SANDY SHALE
2050	2080	30 SAND / COAL
2080	2110	30 SAND
2110	2140	30 SAND / SANDY SHALE
2140	2170	30 SANDY SHALE / COAL
2170	2200	30 SANDY SHALE / COAL P3
2200	2230	30 SAND
2230	2260	30 SAND
2260	2290	30 SANDY SHALE / SAND
2290	2320	30 SAND
2320	2350	30 SAND
2350	2380	30 SAND
2380	2410	30 SAND
2410	2440	30 SAND
2440	2470	3 SAND
2470	2500	30 SAND

2500' TOTAL DEPTH
11' OF 13 3/8" CASING
221' OF 9 5/8" CASING
839.8' OF 7" CASING
2264.68' OF 4 1/2" CASING