

Plotted

WELL NO. 0085

32

Interval Sheet

LD-VA-2 WELL NO. 1

Sheet No. 1

PROP: FARM SECURITY ADM.

0-200

~~FARMVILLE, VA.~~

COUNTY: PRINCE EDWARD

COMP: \_\_\_\_\_

E. Side Little Sandy River, ± 4 mi. N.E. Green Bay  
see Prince Edward Co. Water Wells folder

✓ Cuttings      --- Core      / Water Well      --- Gas Well

From-To	From-To	From-To	From-To	From-To
0-20	-	-	-	-
20-60	-	-	-	-
60-75	-	-	-	-
75-80	-	-	-	-
80-94	-	-	-	-
94-120	-	-	-	-
20-47	-	-	-	-
47-65	-	-	-	-
65-80	-	-	-	-
80-200	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-

Total Depth \_\_\_\_\_

DIVISION OF MINERAL RESOURCES

Box 3667, University Station, Charlottesville, Virginia

WATER WELL COMPLETION REPORT

OWNER: Farm Security Adm. Well #1 Mailing Address: \_\_\_\_\_  
 TENANT: \_\_\_\_\_ Mailing Address: \_\_\_\_\_  
 DRILLER: \_\_\_\_\_ Mailing Address: \_\_\_\_\_  
 WELL LOCATION: County Prince Edward Approx. \_\_\_\_\_ ft. miles  
 \_\_\_\_\_ (direction) of \_\_\_\_\_ and \_\_\_\_\_ ft. miles of \_\_\_\_\_  
(Give direction and distance in feet or tenths of mile from two reference points - roads, towns, rivers, etc. - on county highway or other map.)

**WATER CONDITIONS**

**DEPTH**

STATIC WATER LEVEL \_\_\_\_\_

WATER ZONES (fissures or formations supplying water)

(from) \_\_\_\_\_ (to) \_\_\_\_\_ (from) \_\_\_\_\_ (to) \_\_\_\_\_

ft. \_\_\_\_\_ ft. \_\_\_\_\_

ft. \_\_\_\_\_ ft. \_\_\_\_\_

**QUANTITY OF WATER**

WELL PUMPED (or bailed) at \_\_\_\_\_ Gal. per Min. with \_\_\_\_\_ feet **DRAWDOWN** after \_\_\_\_\_ HOURS PUMPING.

FLOW (natural) \_\_\_\_\_ G.P.M. HEAD \_\_\_\_\_ ft. (above ground)

REMARKS: \_\_\_\_\_

**QUALITY OF WATER**

COLOR \_\_\_\_\_ TASTE \_\_\_\_\_


ODOR \_\_\_\_\_ OTHER \_\_\_\_\_

ANALYSIS: AVAILABLE - Yes  No  ATTACHED Yes  No

TEMPERATURE \_\_\_\_\_

\_\_\_\_\_ WATER (from) \_\_\_\_\_ ft. (to) \_\_\_\_\_ ft.  
(salt, brackish, iron, sulfur, acid, other)

USE OF WATER: Domestic  Town  Industry  Farm  Public



**CONSTRUCTION**

RIG TYPE (or method) \_\_\_\_\_  
(rotary, cable, bored, driven, etc..)

DATE: Started \_\_\_\_\_; Completed \_\_\_\_\_

TOTAL DEPTH 556' ft.

BEDROCK at \_\_\_\_\_ ft.

**GROUTING INFORMATION**

METHOD USED \_\_\_\_\_

GROUTING MATERIAL \_\_\_\_\_

DEPTH OF GROUTING \_\_\_\_\_

**HOLE SIZE** (diam) \_\_\_\_\_ in. (from) \_\_\_\_\_ ft. (to) \_\_\_\_\_ ft.

**CASING SIZE** (diam) \_\_\_\_\_ in. (from) \_\_\_\_\_ ft. (to) \_\_\_\_\_ ft.

**SCREEN (or perforations)** (diam.) \_\_\_\_\_ in. (from) \_\_\_\_\_ ft. (to) \_\_\_\_\_ ft. (opening size)

**PUMP (installed)**

TYPE \_\_\_\_\_ Cap. (gpm) \_\_\_\_\_

H.P. \_\_\_\_\_ Depth of intake \_\_\_\_\_ ft.

REMARKS: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_



