BOS PLOTTED

WELL NO. 0093 WELL NO. 00

Interval Sheet

PROP OTIS DYER

Sheet No. _/ 50 ? - 260

DRILLED BY:
DANVILLE, YA.

COUNTY! Gitteyl.

Cuttings

---- Core

--- Gas Well

From-To	From-To	From-To	From-To	From-To	
0 50	10-25	es es	_	-	
50-60	25-30(2)		_		
60-75	30-35	_			
80	35-40	-	<u>-</u>		
90-100	40-45	-	_	-	
00-05	50-55	503	-	<u>-</u> -	
05-15	55-60 T.D.	_	-	-	
15-25	=	a			
25-35			_		
40-50	-	-	- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	-	
50-60	7.54	=	- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1		
75-85	-	-	-	<u>-</u>	
85-95		<u>-</u>		-	
205-10(2)	No.	NA.	± 10 0	-	

COMMONWEALTH OF VIRGINIA

DEPARTMENT OF CONSERVATION AND ECONOMIC DEVELOPMENT

DIVISION OF MINERAL RESOURCES

Box 3667, University Station, Charlottesville, Virginia

WATER WELL G	DIMPLETION REPORT	105	180
OWNER: Dyer and Hold galvos antoni	- Mailing Address:	e care of	FIEDM
TENANT:	- Mailing Address		
DRILLER. Rich Well Co.	Mailing Address:		
WELL LOCATION: County_ Pittsylvania	Approx.	ft.	
(direction) of		_of	
(Give direction and distance in feet or tenths of mile from two reference points - roads, towns, riv			
WATER CONDITIONS	N	The same leading	
DEPTH			
STATIC WATER LEVEL			
WATER ZONES (fissures or formations supplying water)			
(from) (to) (from) (to)			
ft. (1011)			
ftft.	- 1		
QUANTITY OF WATER			
WELL PUMPED (or bailed) atGal. per Min. with			
feet <u>DRAWDOWN</u> afterHOURS PUMPING.			
FLOW (natural)G.P.M. HEADft. (above ground	nd) W		E
REMARKS:			
REMARKS.			
QUALITY OF WATER			
COLOR TASTE			
ODOROTHER			
ANALYSIS: AVAILABLE— Yes No ATTACHED Yes No	A COURSE PROMISE AS A SECOND		
TEMPERATURE (to)			
(salt, brackish, iron, sulfur, acid, other)	ft.		
USE OF WATER: Domestic Town Industry Farm Public	s		
CONSTRUCTION	HOLE SIZE	CASING SIZE	
		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
RIG TYPE (or method) (rotary, cable, bored, driven, etc)	(diam) (from) (to)	(diam.) (from)ft_	(to)
DATE: Started; Completed			
TOTAL DEPTH 260 ft.	SCREEN (or	perforations)	
BEDROCK atft.	(diam.) (from) (to)	(opening size)	
GROUTING INFORMATION	inftft		
	PUMP	(installed)	
METHOD USED		p. (gpm)	
GROUTING MATERIAL	_		
DEPTH OF GROUTING	H.P Depth of	intake	ft.
REMARKS:			
			-
		Log of well (over)	

DEPARTMENT OF CONSERVATION AND ECONOMIC DEVELOPMENT VDMR # 93 FURNISHED BY_

DEPTH (feet) TYPE OF SOIL OR ROCK PENETRATED REMARKS FROM (gravel, clay, etc., hardness, color, etc) (water, caving, shot, screen, sample, etc.) Pitteplymia ATER ZONES (fissures or tornations supplying water). After nith req (as belied to) GERMUS 113/ ____fest <u>DRAWDOWN</u> offer ____HOURS PUMPING. MALYSIS, AVAILABLE- YELD HOD ATTACHED YEED HOLD SE OF WATER: Domestic C Town C (physics C Prin C Public OAS NG SIZE NG TYPE (or mathed) rolling, cabra, poets, arrive, e (1510) or to pol