		WDMP W	TELL NO DIA	1		
Sheet No.		VDMR WELL NO. D 161 Sample Interval 1-250				
		Total De	pth 430			
PROP: COUNTY COURT HOUSE C AP: L. RUDE COUNTY: LANCASTER		OilGasWaterExploratory				
WELL NO. 288 (USC	SI DATE LOSE	Cuttings	Cuttings Core Other			
VDMR WELL NO: OF TROM:	1161	See Bulletin #5 p. 316				
				<₹30%		
From-To	From-To	From-To	From-To	From-To		
1 -30		-	-			
30 - 75	-		-	-		
75-90	-	-	-	-		
90-115	-			-		
115-130				1.5		
130-150	•	-		, -		
50-160	_		-			
160-180			-			
180-250	-		-			
250-		-		-		
-		-	-	-		
-	-	-	-			
		-	_			
	-	-				
		-	-	-		
	-		-	-		
-			-	2		
0 -		-		-		
_			-	-		

Lancaster 5'el. KF 9/80

COMMONWEALTH OF VIRGINIA

DEPARTMENT OF CONSERVATION AND ECONOMIC DEVELOPMENT

DIVISION OF MINERAL RESOURCES

Box 3667, University Station, Charlottesville, Virginia

Lucaster.

WWCR-#18 (VDMR-#161

WATER WELL GOI	MPLETION RE	PORT	ADMIN-44 TO	10
OWNER: County Court House	Mailing Address	(Grayer) o	07	HOSE
The state of the s	Mailing Address:			
DRILLER:				
WELL LOCATION: county Lancaster	Approx.		ft. miles	
(direction) of Lancaster				
(Give direction and distance in feet or tenths of mile from two reference points roads, towns, rivers	, etc.— On county highway or other m	op.)		
WATER CONDITIONS				
DEPTH				
STATIC WATER LEVEL				
WATER ZONES (fissures or formations supplying water)				
(from) (to) (from) (to)				
ftft				
QUANTITY OF WATER				
WELL PUMPED (or bailed) atGal. per Min. with				
feet <u>DRAWDOWN</u> afterHOURS PUMPING.	W			Ε
FLOW (natural)G.P.M. HEADft. (above ground)	AA.			78.23
REMARKS:				4-14
QUALITY OF WATER				
COLOR TASTE				
ODOROTHER				
ANALYSIS AVAILABLE- Yes No ATTACHED Yes No				
TEMPERATURE				
WATER (from) ft. (to) ft.				
USE OF WATER: Domestic Town Industry Farm Public		S		
CONSTRUCTION	HOLE SIZE		SING SIZE	
	-10 10 10 10 10 10 10 10 10 10 10 10 10 1			(t o)
RIG TYPE (or method) (rotary, cable, bored, driven, etc)	inft_	(to) (diam)	_inft_	ft.
DATE: Started; Completed				
TOTAL DEPTH 450 ft.	SCREE (diam.) (from)	N (or perforat		
BEDROCK atft.	inft.		(opening size)	
GROUTING INFORMATION		PUMP (installed)		
METHOD USED	TYPE	Cap. (gpm)_		
GROUTING MATERIAL				
DEPTH OF GROUTING	Н.Р С	epth of intake_		ff.
REMARKS:				
		201-201-201-201-201-201-201-201-201-201-		
		Log of	well (over)	

FURNISHED BY_

DATE

DEPTH (feet) TYPE OF SOIL OR ROCK PENETRATED		ED	REMARKS				
FROM	то		(gravel, clay, etc., hardness, color, e	tc)	(water, caving, shot, screen, sample, etc.)		
			atrest pro		THE	th M3	
					99		
					Contained Longo MONTADO F		
					TREADURE & DURING		
					Marine State of the state of th		
					EMOLITICHOS A STAW		
					итеаа		
					SVEL STAW OF		
					R ZONES (Change in Indication 100)		
					(mod) (or) (or)		
10							
					NETTY OF WATER		
					EUNIFED (or belied of the Cultural Color of		
				Finning senior!	L DASH MR.D Boylen		
					18 x [8 x		
					RETAIN RO YTELAND		
	in the time						
					R 3HTO	SION	
					eer ofecants part than -treamy Sirk		
					ERATURE		
					THE CONTRACT OF STREET		
					comes dues domento harab so		
	NG SIZE	SAS			MOITOURTEMOD		
(61)	(ntnt)	Lateral -			I Service allegates within the services (Services to) \$127		
	140	Alva salsas			11.050 biriol 2		
	Stat Bush	21010124			15 NOO XOO		
					HOITAMEDENT DINTHOSD		
100		(briefing 5			gaeu on		
(770	(mgg)_a:			THE WATERIAN			
13		minus -			PAITUGES TO I		
					:BNE/		
	Discool	on the one					