

DIVISION OF MINERAL RESOURCES

Box 3667, University Station, Charlottesville, Virginia

WATER WELL COMPLETION REPORT

OWNER: Sydnor Pump and Well Co. Mailing Address: Heathsville
TENANT: _____ Mailing Address: _____
DRILLER: Sydnor Pump and Well Co. Mailing Address: _____
WELL LOCATION: County Northumberland Approx. _____ ft. miles
(direction) of _____ and _____ ft. miles of _____
(Give direction and distance in feet or tenths of mile from two reference points - roads, towns, rivers, etc. - on county highway or other map.)

WATER CONDITIONS

DEPTH

STATIC WATER LEVEL 87

WATER ZONES (fissures or formations supplying water)

(from) (to) (from) (to)
_____ ft. _____ ft. _____ ft. _____ ft.
_____ ft. _____ ft. _____ ft. _____ ft.

QUANTITY OF WATER

WELL PUMPED (or bailed) at 50 Gal. per Min. with
70 feet **DRAWDOWN** after 24 HOURS PUMPING.

FLOW (natural) _____ G.P.M. HEAD _____ ft. (above ground) **W**

REMARKS: _____

QUALITY OF WATER

COLOR _____ TASTE _____

ODOR _____ OTHER _____

ANALYSIS: AVAILABLE - Yes No ATTACHED Yes No

TEMPERATURE _____

WATER (from) _____ ft. (to) _____ ft.
(salt, brackish, iron, sulfur, acid, other)

USE OF WATER: Domestic Town Industry Farm Public

CONSTRUCTION

RIG TYPE (or method) Drilled
(rotary, cable, bored, driven, etc..)

DATE: Started _____; Completed 1946

TOTAL DEPTH 448 ft.

BEDROCK at _____ ft.


GROUTING INFORMATION

METHOD USED _____

GROUTING MATERIAL _____

DEPTH OF GROUTING _____

REMARKS: Topography: terrace.



HOLE SIZE

(diam) _____ (from) _____ ft. (to) _____ ft.
8" in _____ ft. _____ ft.

CASING SIZE

(diam) _____ (from) _____ ft. (to) _____ ft.

SCREEN (or perforations)

(diam) _____ (from) 414 ft. (to) 440 ft. (approx.) (opening size)

PUMP (installed)

TYPE _____ Cap. (gpm) _____

H.P. _____ Depth of intake _____ ft.

228
WISCONSIN

FURNISHED BY _____ DATE: _____

DEPTH (feet)		TYPE OF SOIL OR ROCK PENETRATED (gravel, clay, etc., hardness, color, etc)	REMARKS (water, caving, shot, screen, sample, etc)
FROM	TO		