### INTERVAL SHEET

WELL NO. 0312

Page		VDMR WELI	VDMR WELL NO. :			
0	PROP: R.A. FRANKLIN COMP: R.B. BRICKEY	Sample Inter	val: from	to 170'T.		
PROP:	COUNTY: CRAIG VDMR WELL NO: 0312	Total Depth_	170			
COMP:	FROM: TO: 170	OilGas_	Water	Exploratory		
COUNTY:	one Samuel	Cuttings	Core	Other		
From-To	From-To	From-To	From-To	From-To		
170-	-	_	_	_		
-	:=-	:-	(m)			
		8=8	, <del>-</del> ,			
	, · · · · · · · · · · · · · · · · · · ·	i <b>=</b> i	100	-		
1134 -34	laran		-	. 1981 113-11		
		1 <del>20</del> 5				
-	<u>-</u>	-	) <del>-</del> 1	-		
e de la constante de la consta			-	-		
	1-10-1 <del>1</del>	-	-	-		
_	-	n=1	-	•		
2	:-	_	_	213		
-	_	1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	w.*	_		
-		-	-	-		
-	- · · · · · · · · · · · · · · · · · · ·	· cor	-			
-	-		=	*		
-			-			
_	-	_	_	_		
-	<u>.</u>	-	-			
-	· · · · · · · · · · · · · · ·		<b>E</b>			
14						
wa (	-		-	-		
***		μ	_			
_	_	-	_	-		
-		100	-	-		
	¥		-			
	=		-	-		
	-	-		-		
			-			
75.	F <del>EX</del>	50				

### Interval Sheet

Sheet No.

--- Cuttings --- Core --- Water Well --- Gas Well

From-To	From-To	From-To	From-To	From-To
		•	-	- (
-		_		_
2	-	-	_	
-	(	-	_	
	-			
		-	-	-
_	-		-	
-	-	-		# -
-	-	-	-	- 1
_	_	-		
-		-		7.3
-	-	-	-	-
-	-	1600	-	-

Total Depth \_\_\_\_\_

#### COMMONWEALTH OF VIRGINIA

DEPARTMENT OF CONSERVATION AND ECONOMIC DEVELOPMENT

## DIVISION OF MINERAL RESOURCES

Box 3667, University Station, Charlottesville, Virginia

WWCR-#1 VDMR-#312

WATER WELL COMPLETION REPORT OWNER: R. A. Franklin Moiling Address: Rt. New Castle Va.

I ENANT.	Mailing Address.
DRILLER: R. B. Bricky	Mailing Address: Box 253 A, Rt. 4, Salem, Va.
WELL LOCATION: County Craig	
East (direction) of New Castle, Va.	and ft miles of
(Give direction and distance in feel or tenths of mile from two reference points - roads, towns, river	
	N SV
WATER CONDITIONS	
DEPTH	
STATIC WATER LEVEL 40*	Rt 618 Quell
WATER ZONES (fissures or formations supplying water)	of Kit Quell
(from) (to) (from) (to)	3
ft —	
ft	7
QUANTITY OF WATER	
WELL PUMPED (or bailed) at 2 hrs.Gal. per Min. with	1. 2.11 1 Pt 311
10_feet DRAWDOWN afterHOURS PUMPING.	(New CASTIE,
	(New Castle, T Rt. 311  Approx 8mi.)
FLOW (natural)G.P.M. HEADft. (above ground	Who we want
REMARKS: don't install pumps	
QUALITY OF WATER	
COLOR good TASTE good	
ODOR good OTHER	
ANALYSIS: AVAILABLE- Yes D No D: ATTACHED YES D NO D	[1] 전 전 1일
TEMPERATURE	
WATER (from) ft. (to) ft. (solf, brackish, iron, sulfur,acid, other)	
(salt, brackish, iron, sulfur,acid, other)	
USE OF WATER: Domestic   Town   Industry   Farm   Public	S
CONSTRUCTION	HOLE SIZE CASING SIZE
RIG TYPE (or method) _ Cable _ (rotal / , cable , bored, driven, etc)	(diam) (from) (to) (diam) (from) (to)
DATE: Started April 11 ; Completed	-10 Top 8 ft 175 5 5/8 Top 28
TOTAL DEPTH 170 ft.	SCREEN (or perforations)
BEDROCK at	(diam.) (from) (to) (opening size)
	inftft
GROUTING INFORMATION	PUMP (installed)
METHOD USED	TYPE Cap. (gpm)
GROUTING MATERIAL	- Cup. (gpin)
DEPTH OF GROUTING	H.Pft.
REMARKS: Surface Elevation level	
4	

DEPTH (feet) TYPE OF SOIL OR ROCK PENETRATED REMARKS FROM (gravel, clay, etc., hardness, color, etc) (water, caving, shot, screen, sample, etc.) ATER ZONES it sames on Comprions happy tim not see letter to the bollet of created the UOH TESTS NWOOWARD Fails of incom world in DESCRIPTION OF THE PARTY OF THE CASING SIZE

# WATER WELL COMPLETION REPORT

Department of Conservation and Economic Development

Samples sent Log of well (over)

MINERAL RESOURCES

	MINERAL RESOURCES
OWNER: A. Frankler TENENT:	0
	County Charge . Approx. 5 ml fittes
(Give direction) of her Costling Co. (Give directions and distance in feet or tenths of miles from two reference points show	andofof
DRILLER: RB Brechy	LOCATION SKETCH OR MAP TRACING
Address: But 253 4 Mg 4 Salyn Va	*
	3
WATER CONDITIONS	
DEPTH-176 11	3
STATIC WATER LEVEL 40 Pt	3/7tt . 20°
WATER (aquifers):	42. 6
WELL PUMPED (or bailed) at 2 hrs. G.P.M. with 10 ft. DRAWDOWN	W 118 FAT E
afterhrs. PUMPING.	13 3 3
ARTESIAN (natural) FLOWG.P.M; HEADft. (above grnd.)	3 31.3
REMARKS: don't install pumps	3 8 8
QUALITY OF WATER	3 2 8
COLOR good TASTE good	2 3 3
ODOR grad OTHER	S
ANALYSIS: AVAILABLE - Yes \( \) No \( \); ATTACHED - Yes \( \) No \( \)	
TEMPERATURE (from) (to)	
(salt, brackish, iron, sulfur, acid, other) WATERftft.	HOLE SIZE CASING SIZE
USE OF WATER	(diam.) (from) (to) (diam.) (from) (to)  10 In. 10 ft. 8 ft. 55/ in. 10 ft. 28 ft.
FOR Resen Tolental	5. £ 8 14 175 8
(domestic, town, industry, irrigation, etc.)  ADEQUACY, PERMANENCE	18
ADEQUACT, PERMANENCE	
PUMP (installed)	SCREEN (or perforations)
TYPE	(diam.) (from) (to) (opening size)
H.PDEPTH OF INTAKE	in ft
CONSTRUCTION	
RIG TYPE (or method) Calele	
(rotary, cable, bored, dug, driven, etc.)	
TOTAL DEPTH / 70 PT ft.	OTHER CONSTRUCTION INFORMATION: (gravel pack, depth and size of shot, packer, plugs, etc.)
BEDROCK of 25 ft.	
SURFACE ELEVATION Level #1.	
The state of the s	
REMARKS	4 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -
	VIRGINIA DIVISION OF
	Jahan Lake in the Control of the Con

FURNISHED	BY_	DATE:	
TORNISHED	01	DATE:	

DEPTH (feet)		TYPE OF SOIL OR ROCK PENETRATED	REMARKS	
FROM	ТО	(gravel, clay, etc., hardness, color, etc)	(water, caving, shot, screen, sample, etc.)	
9				
		*.		
			8	