INTERVAL SHEET

	INTERVAL SHEET				
Page 1		VDMR WEL	L NO. : WELI	NO. 0315	
			rval: from 2		
PROP: W.M. MAYO COMP: HUTCHINS COUNTY: ALBEMARLE VDMR WELL NO: 0315		Total Depth			
		OilGas	Exploratory		
COUNTY FROM:	TO:	Cuttings	Core	Other	
From-To	From-To	From-To	From-To	From-To	
20.30	.=	4			
30 - 35	8	-	-	-	
35 - 40	9 4 8	7 4	-		
45 - 45	, , , , , , , , , , , , , , , , , , , 	7 = 0		**	
	The series			April 1 10-2	
50 55			1		
55 -60			_		
60 -70	07-10-75	FEGS. To	4.5 - 000.00	03-20-3	
70 75				and the same of the same	
75 79		-		- 1 1 + 1 ()	
	· ·		<u> </u>	• • •	
	-			-	
	X-I	-	-	-	
			-		
	-	-		-	
A 123 - 100 - 1					
	1-1 X			-	
**		2.7			
	=			-	
-		1-	-		
₩.	-	-	-	**	
11.	.=.		-		
		-	-	-	
	-	· · · · · · · · · · · · · · · · · · ·	-		
Tale 1	1 2	_			
0			_		

Interval Sheet

Sheet No. ____

-- Cuttings

---- Core

--- Water Well

--- Gas Well

From-To	From-To	From-To	From-To	From-To
- 1	-	-	-	- 0
- A. S	·	5 + <u>1</u> =		-
<u>-</u>	-		-	-
- 1		-	•	
- 1	-			<u>-</u>
-	-	-	4	
-				
-		-	-	
-		-		<u>-</u>
		-	-	
Type		-	2. 2. 1	- 1
			-	
100-	-	-	-	- 0
* *	- 1			

Total Depth _____

COMMONWEALTH OF VIRGINIA

DEPARTMENT OF CONSERVATION AND ECONOMIC DEVELOPMENT

DIVISION OF MINERAL RESOURCES W-315

	odion, Charlottesville, Virginia OMPLETION RE		The Aller	Kuning
TENANT:	Mailing Address:			
All Talacan	Mailing Address:			1
WELL LOCATION: county albemance	Mailing Address: Approx	10 01.	e ft.	
(direction) of Augustulies	Approx. ft	27.0	miles	
(Give direction and distance in feet or tenths of mile from two reference points - roads, towns, riv	rs, etc.— On county highway or other map	.)		
WATER CONDITIONS		N		
DEPTH				
STATIC WATER LEVEL 79				
WATER ZONES (fissures or formations supplying water)				
(from) (to) (from) (to)	The state of the s			
ft. ————————————————————————————————————				
ftft	-			
QUANTITY OF WATER				
WELL PUMPED (or bailed) at				
feet <u>DRAWDOWN</u> afterHOURS PUMPING.				E
FLOW (natural)G.P.M. HEADft. (above groun	W (b			-
REMARKS:				
QUALITY OF WATER				
COLOR TASTE				
ODOROTHER				
ANALYSIS. AVAILABLE— Yes 🗆 No 🗆: ATTACHED Yes 🗆 No 🗆				
TEMPERATURE (10)	- 11			
TEMPERATURE WATERftftft.				
(salt, brackish, iron, sulfur,acid, other) WATER (from) ft. (to)		e		
WATER (from) ft. (to) ft. (salt, brackish, iron, sulfur,acid, other) USE OF WATER: Domestic Town Industry Farm Public		S	ASING SIZE	
WATER (from) ft. (to) ft. (salt, brackish, iron, sulfur,acid, other) USE OF WATER: Domestic Town Industry Farm Public CONSTRUCTION	HOLE SIZE		ASING SIZE	
WATER (from) ft. (to) ft. (salt, brackish, iron, sulfur,acid, other) USE OF WATER: Domestic Town Industry Farm Public CONSTRUCTION				(to) ft.
WATER (from) ft. (to) ft. (salt, brackish, iron, sulfur,acid, other) USE OF WATER: Domestic Town Industry Farm Public CONSTRUCTION RIG TYPE (or method) (rotary, cable, bored, driven, etc)	HOLE SIZE	С		
WATER (from) ft. (to) ft. (salt, brackish, iron, sulfur,acid, other) USE OF WATER: Domestic Town Industry Farm Public CONSTRUCTION RIG TYPE (or method) (rotary, cable, bored, driven, etc) DATE: Started ; Completed	HOLE SIZE	(to) (diam)	in (from)	
WATER (from) ft. (to) ft. (salt, brackish, iron, sulfur,acid, other) USE OF WATER: Domestic Town Industry Farm Public CONSTRUCTION RIG TYPE (or method) (rotary, cable, bored, driven, etc) DATE: Started ; Completed ft.	HOLE SIZE (diam) (from) ft	(to) ft (diam) (or perfora	in (from)	
WATER (from) ft. (to) ft. (salt, brackish, iron, sulfur,acid, other) USE OF WATER: Domestic Town Industry Farm Public CONSTRUCTION RIG TYPE (or method) (rotary, cable, bored, driven, etc) DATE: Started ; Completed TOTAL DEPTH 79 ft. BEDROCK atft.	HOLE SIZE (diam) (from) ft	(or perfora	_in(from)fi	
WATER (from) ft. (to) ft. (salt, brackish, iron, sulfur,acid, other) USE OF WATER: Domestic Town Industry Farm Public CONSTRUCTION RIG TYPE (or method) (rotary, cable, bored, driven, etc) DATE: Started ; Completed TOTAL DEPTH 79 ft. BEDROCK atft. GROUTING INFORMATION	HOLE SIZE (diam) (from) ft	(to) ft (diam) (or perfora	_in(from)fi	
WATER (from) ft. (to) ft. (salt, brackish, iron, sulfur,acid, other) USE OF WATER: Domestic Town Industry Farm Public CONSTRUCTION RIG TYPE (or method) (rotary, cable, bored, driven, etc) DATE: Started ; Completed FOTAL DEPTH 79 ft. BEDROCK atft. GROUTING INFORMATION METHOD USED	HOLE SIZE (diam) in (from) ft SCREEN (diam.) (from) ft.	(or perfora	tions) (opening size)	
WATER (from) ft. (to) ft. (salt, brackish, iron, sulfur,acid, other) USE OF WATER: Domestic Town Industry Farm Public CONSTRUCTION RIG TYPE (or method) (rotary, cable, bored, driven, etc) DATE: Started ; Completed TOTAL DEPTH ft. BEDROCK at ft. ft. GROUTING INFORMATION METHOD USED GROUTING MATERIAL	HOLE SIZE (diam) in (from) ft SCREEN (diam.) in (from) ft.	(or perfora (to) ft PUMP (installed) Cap. (gpm)	tions) (opening size)	(to) ft.
WATER (from) ft. (to) ft. (salt, brackish, iron, sulfur,acid, other) USE OF WATER: Domestic Town Industry Farm Public CONSTRUCTION RIG TYPE (or method) (rotary, cable, bored, driven, etc) DATE: Started ; Completed TOTAL DEPTH 79 ft. BEDROCK at ft. GROUTING INFORMATION METHOD USED GROUTING MATERIAL DEPTH OF GROUTING	HOLE SIZE (diam) in (from) ft SCREEN (diam.) (from) ft.	(or perfora (to) ft PUMP (installed) Cap. (gpm)	tions) (opening size)	(to) ft.
WATER (from) ft. (to) ft. (salt, brackish, iron, sulfur,acid, other) USE OF WATER: Domestic Town Industry Farm Public CONSTRUCTION RIG TYPE (or method) (rotary, cable, bored, driven, etc) DATE: Started ; Completed TOTAL DEPTH 79 ft. BEDROCK at ft. GROUTING INFORMATION METHOD USED GROUTING MATERIAL DEPTH OF GROUTING	HOLE SIZE (diam) in (from) ft SCREEN (diam.) in (from) ft.	(or perfora (to) ft PUMP (installed) Cap. (gpm)	tions) (opening size)	(to) ft.
WATER (from) ft. (to) ft. (salt, brackish, iron, sulfur,acid, other) USE OF WATER: Domestic Town Industry Farm Public CONSTRUCTION RIG TYPE (or method) (rotary, cable, bored, driven, etc) DATE: Started ; Completed FOTAL DEPTH 79 ft. GROUTING INFORMATION METHOD USED GROUTING MATERIAL DEPTH OF GROUTING	HOLE SIZE (diam) in (from) ft SCREEN (diam.) in (from) ft.	(or perfora (to) ft PUMP (installed) Cap. (gpm)	tions) (opening size)	(to) ft.
WATER (from) ft. (to) ft. (salt, brackish, iron, sulfur,acid, other) USE OF WATER: Domestic Town Industry Farm Public CONSTRUCTION RIG TYPE (or method) (rotary, cable, bored, driven, etc) DATE: Started ; Completed TOTAL DEPTH 79 ft. BEDROCK at ft. GROUTING INFORMATION METHOD USED GROUTING MATERIAL DEPTH OF GROUTING	HOLE SIZE (diam) in (from) ft SCREEN (diam.) in (from) ft.	(or perfora (to) ft PUMP (installed) Cap. (gpm)	tions) (opening size)	(to) ft.
WATER (from) ft. (to) ft. (salt, brackish, iron, sulfur,acid, other) USE OF WATER: Domestic Town Industry Farm Public CONSTRUCTION RIG TYPE (or method) (rotary, cable, bored, driven, etc) DATE: Started ; Completed TOTAL DEPTH 79 ft. BEDROCK at ft. GROUTING INFORMATION METHOD USED GROUTING MATERIAL DEPTH OF GROUTING	HOLE SIZE (diam) in (from) ft SCREEN (diam.) in (from) ft.	(or perfora (to) ft PUMP (installed) Cap. (gpm)	tions) (opening size)	(to) ft.
WATER (from) ft. (to) ft. (salt, brackish, iron, sulfur,acid, other) USE OF WATER: Domestic Town Industry Farm Public CONSTRUCTION RIG TYPE (or method) (rotary, cable, bored, driven, etc) DATE: Started ; Completed TOTAL DEPTH 79 ft. BEDROCK at ft. GROUTING INFORMATION METHOD USED GROUTING MATERIAL DEPTH OF GROUTING	HOLE SIZE (diam) in (from) ft SCREEN (diam.) in (from) ft.	(or perfora (to) ft PUMP (installed) Cap. (gpm)	tions) (opening size)	(to) ft.
WATER (from) ft. (to) ft. (salt, brackish, iron, sulfur,acid, other) USE OF WATER: Domestic Town Industry Farm Public CONSTRUCTION RIG TYPE (or method) (rotary, cable, bored, driven, etc) DATE: Started ; Completed TOTAL DEPTH 79 ft. BEDROCK at ft. GROUTING INFORMATION METHOD USED GROUTING MATERIAL DEPTH OF GROUTING	HOLE SIZE (diam) in (from) ft SCREEN (diam.) in (from) ft.	(or perfora (to) ft PUMP (installed) Cap. (gpm)	tions) (opening size)	(to) ft.

FURNICHER	DV	DATE:
FURNISHED	BY	DAIL.

DEP (fee	TH	TYPE OF SOIL OR ROCK PENETRATE	D	REMARKS
FROM	TO	(gravel, clay, etc., hardness, color, etc.		(water, caving, shot, screen, sample, etc.)
		, and the second of the second of the second		35
		Welling Adjusted to the Company of t		The second of the second of the second
		· La Alla La Partir San Rollina La La Rollina La Rol		DISPERSION AND STREET
		2 20 10 20 20 10 20 20 20 20 20 20 20 20 20 20 20 20 20		to the second se
				EXCLUSIVE CONTRACTOR
				AND ANALYSIS OF THE PROPERTY O
				(month (all) (month)
				Total III
	-			
				3337 (8) 10. 17 (1) (4) (9)
				niya =ae o dik Cokkiso ing = niya =ae peraciao, CD2974 Nis
				255.4
				ESTAN TO TELEVISION.
				50.5
				от ракомите при проучения водила.
				3017577
				THE RESERVE THE PROPERTY OF THE PERSON OF TH
	31	1945 BOOK		
	14.	Lander (cont.)		Account of the second s
- 11	0 mg			a state charte season restau
				nicistanco
	Table applied	Starothing so MARABS		A
				HOTELSTONE OFFICERS
		in agree 1 14 0 11		
		(4.85) (50)		JAMES TEMPORAL STATES
		5,010 10 17 50		\$ 11000 00000
	1 / (anvo)/	evitor pod		
	1	I		1.

COMMONWEALTH OF VIRGINIA

WWCR 301 VDMR 315

DEPARTMENT OF CONSERVATION AND ECONOMIC DEVELOPMENT DIVISION OF MINERAL RESOURCES

WATER WELL COMPLETION REPORT

Box 3667, University Station, Charlottesville, Virginia

Chresten.	THE THAT MAN AND THE STATE OF T	
OWNER: Mayo	Mailing Address:	Him
TENANT:	Mailing Address	
Untahina	Mailing Address:	
WELL LOCATION: County Albemarle	Approx. 1 mile N. E. ft. miles	
(direction) of Hydraulic		
(Give direction and distance in feet or tenths of mile from two reference points - roads, towns, rivers		
WATER CONDITIONS	N N	
DEPTH		
STATIC WATER LEVEL	The second secon	
WATER ZONES (fissures or formations supplying water)		
(from) (to) (from) (to)		
ft. , ft		
QUANTITY OF WATER		
WELL PUMPED (or bailed) at 8 Gal. per Min. with		
feet DRAWDOWN afterHOURS PUMPING.		
	w	E
FLOW (natural)G.P.M. HEADft. (above ground)		
REMARKS:		
OUALITY OF WATER		
QUALITY OF WATER		
COLOR TASTE		
OTHER		
ANALYSIS: AVAILABLE- Yes No ATTACHED Yes No		
TEMPERATURE		
TEMPERATURE WATERftftft.		
ISE OF WATER Described Towards Toward Towards	e	
USE OF WATER: Domestic Town Industry Farm Public	S	
CONSTRUCTION	HOLE SIZE CASING SIZE	
RIG TYPE (or method) (rotary, cable, bored, driven, etc)	(diam) (from) (to) (diam) (from) oft	(to)
DATE: Started; Completed		
TOTAL DEPTH 79 ft.	SCREEN (or perforations) (diam.) (from) (to) (opening size)	
BEDROCK atft.	infttt	
GROUTING INFORMATION	PUMP (installed)	
METHOD USED	TYPE	
GROUTING MATERIAL	TTPE	
DEPTH OF GROUTING	H.P Depth of intake	ft.
REMARKS: Topography: ridge		
Source of information - Cir. 2 (Cross II)	
Source of Información - Off. 2 (01000 117	

FURNISHED BY_

FURNISHED BY_______DATE:

DEPTH (feet)	TYPE OF SOIL OR ROCK PENETRAT	ED	REMARK	S
FROM TO	(gravel, clay, etc., hardness, color, et	c)	(water, caving, shot, s	creen, sample, etc)
				TANK
		w.		77.119
				SMO(FLOO FOLES
				A CONTRACTOR OF THE PARTY OF TH
				30 SSTAN DITAT
		Tellow Inne		
				len-1-
		the cultivated		
K () many				
				EMARKS
			137AW 10 17 (A)	
			LLLL 31171	900
		D off E	on all carry than the	-131 M K BIET 1916
			Particular Land	
	3		THE ROLL OF STATE OF STATE OF	
92 主 96			NOITELLETENO	
LOUI TO AND			harman panda takan pada	
			askomoo	
200				
			FIRE INFORMATION	
M-				
			SALE VALVE DE	EMARKS LOC
	- vil ara	- CHO-4-	milder zor en locale	
100				
			2 4259AC	
			The state of the s	