## INTERVAL SHEET

Page		VIJIVIE	X WELL	NO. : 0 31	8
		Samp	le Interv	al: from 2	0 to 106
PROP: PROP: RAY LEAKE # 3 COMP: HUTCHINS		Total Depth			
COMP: COUNTY	: ALBEMARLE ELL NO: 0318	Oil	Gas_	Water	Exploratory
COUNT PROM:	TO:	Cuttir	ngs	Core	Other
					,
From-To	From-To	From-To		From-To	From-To
20 25		_		_	
25 30	•	_			-
30 40	-	-		-	
40 46	-	-		249	-
45 50	-	-			
50 55					
55 15	* * . · ·	-		~	-
65 70	-			-	7
70 80	1 (400)	1		55 _561 / 1	4 500
80 85		-		-	
85 90	-	_		-	
100 106					
700 106	-	-		-	-
- 1	-	-		-	-
	<u>.</u>	/ <del>=</del>		-	
-	* <del>-</del>			-	•
-	-	-		-	
-	÷	-		-	
-	÷	-	*	-	-
	-	-		-	-
**	<del>(i)</del>	, i =		-	-
-	-	-		-	-
	· •	<del>-</del> ,			-
	-	=		-	
-	H	-		-	400
-	* '.	-		-	-
-	~			-	~
	-	-		- "	-
*	-	-		-	-
0 -	-	-		-	er .
0 -	1 =	-		-	-
_	_	_			-

## Interval Sheet

Sheet No. \_\_\_\_

--- Cuttings --- Core --- Water Well --- Gas Well

From-To	From-To	From-To	From-To	From-To
-	Also		_	- 0
Walter and the same of the sam		-	_	44 14
	_	_	-	-
-	-	-	-	
-	=	-	¥ .	-
	_		-	12-13-1
-	,	1 _		
34	,	-		
-				
-	-		-	-
-	<u> </u>	_	_	
-	-	-	-	-
_		, <del>-</del> '- '- '-	2	-
_	-	ates	_	_ 0

Total Depth \_\_\_\_



### COMMONWEALTH OF VIRGINIA

DEPARTMENT OF CONSERVATION AND ECONOMIC DEVELOPMENT

# DIVISION OF MINERAL RESOURCES

Box 3667, University Sta		W-318
CW 2 (CLOSS) WATER WELL CO	MPLETION REPORT	F [438
OWNER! Seake	Mailing Address.	OT 1083
TENANT:	Mailing Address	
	Mailing Address:	
WELL LOCATION: County albemance	Approx	ft. miles
(direction) of (Give direction and distance in feet or tenths of mile from two reference points-roads, towns, rivers	and ft miles	of
WATER CONDITIONS	N	
DEPTH		
STATIC WATER LEVEL		
WATER ZONES (fissures or formations supplying water)		
네 아니는 토론에 있는 그림을 들어 보고 가지 때문을 가고 있다. 그는 그 이 점을 모르는데 내 모양을 했다.		
(from) (to) (from) (to)		
ft		
QUANTITY OF WATER		
WELL PUMPED (or bailed) atGal. per Min. with	•	
feet <u>DRAWDOWN</u> afterHOURS PUMPING.		
FLOW (natural)G.P.M. HEADft. (above ground	W	E
REMARKS:		
NEMANNO.		
QUALITY OF WATER		
COLOR TASTE		
ODOROTHER		
ANALYSIS: AVAILABLE— Yes O No O: ATTACHED Yes O No O		
TEMPERATURE (from) (to)		
(salt, brackish, iron, sulfur, acid, other)  (salt, brackish, iron, sulfur, acid, other)		
USE OF WATER: Domestic   Town   Industry   Farm   Public	S	
CONSTRUCTION	HOLE SIZE	CASING SIZE
Annual Control of the	(diam) (from) (to)	
RIG TYPE (or method) (rotary, cable, bored, driven, etc)	inftft	(diam.) (from) (to) ft. ft.
DATE: Started; Completed		
TOTAL DEPTH 108 ft.	SCREEN (or	perforations)
BEDROCK atft.	(diam.) (from) (to)	(opening size)
GROUTING INFORMATION		(installed)
METHOD USED	POMP	(installed)
GROUTING MATERIAL	TYPE	. (gpm)
DEPTH OF GROUTING	H.P Depth of	intaka
A A	ri.r Depili of	intakeft.
REMARKS: Tapography: flat		
		Log of well (over)

#### COMMONWEALTH OF VIRGINIA

DEPARTMENT OF CONSERVATION AND ECONOMIC DEVELOPMENT

DIVISION OF MINERAL RESOURCES

Box 3667, University Station, Charlottesville, Virginia

WWCR 295 **VDMR 318** 

WATER WELL CO	MPLETION REPORT	
OWNER: R. Leake	Mailing Address:	THE
TENANT:	Mailing Address	
Untahina	Mailing Address:	
WELL LOCATION: county_Albemarle	Approxft.	
(direction) of Rio	andofof	
(Give direction and distance in feet or tenths of mile from two reference points - roads, towns, rivers	, etc.— On county highway or other map.)	
WATER CONDITIONS	N	
DEPTH		
STATIC WATER LEVEL		
WATER ZONES (fissures or formations supplying water)		
(from) (to) (from) (to)		
QUANTITY OF WATER		
WELL PUMPED (or bailed) at Gal. per Min. with		62,48
feet DRAWDOWN afterHOURS PUMPING.		
FLOW (natural)G.P.M. HEADft. (above ground)	w	E
REMARKS:		
QUALITY OF WATER		
COLOR TASTE		
ODOROTHER		
NALYSIS AVAILABLE- Yes D No D: ATTACHED Yes D No D		*
TEMPERATURE		
WATER (from) ft. (fo) ft.		
TEMPERATURE (from) ftftft. USE OF WATER: Domestic   Town   Industry   Farm   Public	S	
CONSTRUCTION	HOLE SIZE CASING SIZE	
RIG TYPE (or method) (rotary, cable, bored, driven, etc)	(diam) (from) (to) (diam) (from) (	(to)ft.
DATE: Started; Completed		
TOTAL DEPTH 108 ft.	SCREEN (or perforations)	
BEDROCK atft.	(diam.) (from) (to) (opening size)	
GROUTING INFORMATION	PUMP (installed)	
METHOD USED		
GROUTING MATERIAL	TYPE Cap. (gpm)	
DEPTH OF GROUTING	H.P Depth of intake	ft.
REMARKS:		
Topography: flat		

FURNISHED	BY	DATE :	

DE	DEPTH (feet) TYPE OF SOIL OR ROCK PENETRATED		D	REMARKS		
FROM	TO	(gravel, clay, etc., hardness, color, etc		(water, caving, shot, screen, sample, etc.)		
				A CONTRACTOR OF THE PARTY OF TH		
				PARTITION IN THE PARTITION IN		
	-					
				Serra Timbra State (1)		
				PTEM		
				THE RESERVE OF THE PROPERTY OF		
				The transfer to expend 83005 1076		
		Characters of a fath least of	100	- bookly to the bloot		
			ATT THE PARTY			
				757 AP NO 111 MAND		
				TO LETTE (General not DETAINED LES		
		The 25 % COTTO A	I Was a second	14-38-14-15-15-15-15-15-15-15-15-15-15-15-15-15-		
			(minute, suppre)			
				A CONTROL OF THE PROPERTY OF T		
				<b>有国际的</b> 自己,其他的地		
				Lame 1 1841 - Lame - Lame 1014		
				5-4-80410 - Laborator 10-2-78		
				See things of their payments and edigical		
				and the second of the second o		
	2316 × 4	SERVE STORY		HOM SALETANDON		
		The late of the late		3-17-3		
				Amenico		
		pulsarian of the second		PALESTON PROPERTY AND		
				11		
		Territoria		MUST CHAPTER STORAGES		
		La		The state of the s		
				and the second s		
		Little 10 fired		and the second		
	-			87418		
				Table and the second second		
	42.7					
	111 17					