



Interval Sheet

Sheet No. \_\_\_\_\_

--- Cuttings

--- Core

--- Water Well

--- Gas Well

From-To

From-To

From-To

From-To

From-To

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

Total Depth \_\_\_\_\_

COMMONWEALTH OF VIRGINIA  
 DEPARTMENT OF CONSERVATION AND ECONOMIC DEVELOPMENT  
 DIVISION OF MINERAL RESOURCES

Box 3667, University Station, Charlottesville, Virginia

WWCR 306  
 VDMR 322

WATER WELL COMPLETION REPORT

OWNER: Thorne Mailing Address: \_\_\_\_\_

TENANT: \_\_\_\_\_ Mailing Address: \_\_\_\_\_

DRILLER: Hutchins Mailing Address: \_\_\_\_\_

WELL LOCATION: County Albemarle Approx. \_\_\_\_\_ ft. miles  
 \_\_\_\_\_ (direction) of Ivy and \_\_\_\_\_ ft. miles of \_\_\_\_\_

(Give direction and distance in feet or tenths of mile from two reference points - roads, towns, rivers, etc. - on county highway or other map.)

**WATER CONDITIONS**

**DEPTH**

STATIC WATER LEVEL \_\_\_\_\_

WATER ZONES (fissures or formations supplying water)

(from) \_\_\_\_\_ (to) \_\_\_\_\_ (from) \_\_\_\_\_ (to) \_\_\_\_\_

\_\_\_\_\_ ft. \_\_\_\_\_ ft.  
 \_\_\_\_\_ ft. \_\_\_\_\_ ft.

**QUANTITY OF WATER**

WELL PUMPED (or bailed) at dry Gal. per Min. with  
 \_\_\_\_\_ feet **DRAWDOWN** after \_\_\_\_\_ HOURS PUMPING.

FLOW (natural) \_\_\_\_\_ G.P.M. HEAD \_\_\_\_\_ ft. (above ground) **W**

REMARKS: \_\_\_\_\_

**QUALITY OF WATER**

COLOR \_\_\_\_\_ TASTE \_\_\_\_\_

ODOR \_\_\_\_\_ OTHER \_\_\_\_\_

ANALYSIS AVAILABLE - Yes  No  ATTACHED Yes  No

TEMPERATURE \_\_\_\_\_

WATER \_\_\_\_\_ (from) \_\_\_\_\_ ft. \_\_\_\_\_ (to) \_\_\_\_\_ ft.  
 (salt, brackish, iron, sulfur, acid, other)

USE OF WATER: Domestic  Town  Industry  Farm  Public

**CONSTRUCTION**

RIG TYPE (or method) \_\_\_\_\_  
 (rotary, cable, bored, driven, etc..)

DATE: Started \_\_\_\_\_; Completed \_\_\_\_\_

TOTAL DEPTH \_\_\_\_\_ ft.

BEDROCK at \_\_\_\_\_ ft.

**GROUTING INFORMATION**

METHOD USED \_\_\_\_\_

GROUTING MATERIAL \_\_\_\_\_

DEPTH OF GROUTING \_\_\_\_\_

REMARKS: Topography: hill

Source of information - Cir. 2 (Cross II)

**HOLE SIZE**

(diam) \_\_\_\_\_ in. (from) \_\_\_\_\_ ft. (to) \_\_\_\_\_ ft.

**CASING SIZE**

(diam) \_\_\_\_\_ in. (from) \_\_\_\_\_ ft. (to) \_\_\_\_\_ ft.

**SCREEN (or perforations)**

(diam.) \_\_\_\_\_ in. (from) \_\_\_\_\_ ft. (to) \_\_\_\_\_ ft. (opening size)

**PUMP (installed)**

TYPE \_\_\_\_\_ Cap. (gpm) \_\_\_\_\_

H.P. \_\_\_\_\_ Depth of intake \_\_\_\_\_ ft.





J

306

COMMONWEALTH OF VIRGINIA  
DEPARTMENT OF CONSERVATION AND ECONOMIC DEVELOPMENT

DIVISION OF MINERAL RESOURCES

Box 3667, University Station, Charlottesville, Virginia

W-322

WATER WELL COMPLETION REPORT

OWNER: Thorne Mailing Address: \_\_\_\_\_

TENANT: \_\_\_\_\_ Mailing Address: \_\_\_\_\_

DRILLER: Hutchins Mailing Address: \_\_\_\_\_

WELL LOCATION: County Albemarle Approx. \_\_\_\_\_ ft. miles  
(direction) of Swy and \_\_\_\_\_ ft. miles of \_\_\_\_\_

(Give direction and distance in feet or tenths of mile from two reference points - roads, towns, rivers, etc. - on county highway or other map.)

WATER CONDITIONS

DEPTH

STATIC WATER LEVEL \_\_\_\_\_

WATER ZONES (fissures or formations supplying water)

(from) \_\_\_\_\_ (to) \_\_\_\_\_ (from) \_\_\_\_\_ (to) \_\_\_\_\_  
ft. ft. ft. ft.

QUANTITY OF WATER

WELL PUMPED (or bailed) at Swy Gal. per Min. with  
\_\_\_\_\_ feet DRAWDOWN after \_\_\_\_\_ HOURS PUMPING.

FLOW (natural) \_\_\_\_\_ G.P.M. HEAD \_\_\_\_\_ ft. (above ground) W

REMARKS: \_\_\_\_\_

QUALITY OF WATER

COLOR \_\_\_\_\_ TASTE \_\_\_\_\_

ODOR \_\_\_\_\_ OTHER \_\_\_\_\_

ANALYSIS: AVAILABLE-- Yes  No  ATTACHED Yes  No

TEMPERATURE \_\_\_\_\_  
WATER \_\_\_\_\_ (from) \_\_\_\_\_ (to) \_\_\_\_\_ ft. ft.  
(salt, brackish, iron, sulfur, acid, other)

USE OF WATER: Domestic  Town  Industry  Farm  Public

CONSTRUCTION

RIG TYPE (or method) \_\_\_\_\_  
(rotary, cable, bored, driven, etc..)

DATE: Started \_\_\_\_\_; Completed \_\_\_\_\_

TOTAL DEPTH \_\_\_\_\_ ft.

BEDROCK at \_\_\_\_\_ ft.


GROUTING INFORMATION

METHOD USED \_\_\_\_\_

GROUTING MATERIAL \_\_\_\_\_

DEPTH OF GROUTING \_\_\_\_\_

REMARKS: Synography: hill



HOLE SIZE

(diam) \_\_\_\_\_ in. (from) \_\_\_\_\_ ft. (to) \_\_\_\_\_ ft.

CASING SIZE

(diam) \_\_\_\_\_ in. (from) \_\_\_\_\_ ft. (to) \_\_\_\_\_ ft.

SCREEN (or perforations)

(diam) \_\_\_\_\_ in. (from) \_\_\_\_\_ ft. (to) \_\_\_\_\_ ft. (opening size)

PUMP (Installed)

TYPE \_\_\_\_\_ Cap. (gpm) \_\_\_\_\_

H.P. \_\_\_\_\_ Depth of intake \_\_\_\_\_ ft.



