## INTERVAL SHEET

(481)

Page		Sample Interval: from 40 to 65		
PROP:	PROP: R. RYKOFF COUNTY: ALBEMARLE	Total De	pth 65- ?	
COMP:	VDMR WELL NO.: 358 FROM: TO:	Oil	GasWater_	_Exploratory
COUNTY		Cuttings_	Core_	Other
From-To	From-To	From-To	From-To	From-To
40 -45		_		-
45 - 50		-	en en	-
50 - 65		<u>.</u> .		-
55-65	-	-	***	-
100		-	-	-
	-			=
-		_	-	-
360			- 11	-
-		-	- · · · ·	-
0 -	<del></del>	-	-	5 7
-	-	-	-	
10		-		1
-		-	_	_
	<u> </u>	_	_	_
W2		_	_	_
		_	_	_
_	<u>~~</u>			_
-		_	-	
-	-	-	-	-
60	•			
and .	-	-	-	: <del>-</del> :_
	-	-	-	in the second
-	-	-	-	
-	-	-		-
-	-			-
		1-1	-	/ <del>=</del>
O -	-	-	-	-
-		-	-	

## Interval Sheet

Sheet No. \_\_\_\_

--- Cuttings

---- Core

---- Water Well

--- Gas Well

From-To	From-To	From-To	From-To	From-To
CALL Michigan Control		70:	-	- 0
-		-	-	× 1 2
, · · · -	-	-		
		<del>-</del>		
-	_	-	_	3 - 1
- 1		_	-	-1
-	-	-		-
-	-	~	-	-
-		-	-	
14		-	-	- 15
7 <del>.</del>	-	_	-	
-	( <del>-</del>	-	, <del>-</del>	1-0
-			- i, , i	

Total Depth \_\_\_\_

#### COMMONWEALTH OF VIRGINIA

### DEPARTMENT OF CONSERVATION AND ECONOMIC DEVELOPMENT

## DIVISION OF MINERAL RESOURCES

Box 3667, University Station, Charlottesville, Virginia

WATER WELL CO	MPLETION REPORT
OWNER: Rykoff of Control Control	Mailing Address:
TENANT:	Mailing Address
DRILLER:	Mailing Address:
WELL LOCATION: county Albemarle	Approx ft.
(direction) of	and ftof
(Give direction and distance in feet or tenths of mile from two reference points - roads, towns, river	
WATER CONDITIONS DEPTH	N
STATIC WATER LEVEL	[ [ [ [ [ [ [ [ [ [ [ [ [ [ [ [ [ [ [
WATER ZONES (fissures or formations supplying water)	
(from) (to) (from) (to)	
ft. ft.	
QUANTITY OF WATER	
WELL PUMPED (or bailed) atGal. per Min. withfeet DRAWDOWN afterHOURS PUMPING.	
FLOW (natural)G.P.M. HEADft. (above ground	n) W
REMARKS:	
QUALITY OF WATER	
COLOR TASTE	
ODOR OTHER	
NALYSIS: AVAILABLE- Yes D NoD: ATTACHED YES D NoD	
TEMPERATURE	
(salt, brackish, iron, sulfur, acid, other) ft. (to)	
USE OF WATER: Domestic   Town   Industry   Farm   Public	S
CONSTRUCTION	HOLE SIZE CASING SIZE
RIG TYPE (or method) (rotary, cable, bored, driven, etc)	(diam) (from) (to) (diam) (from) (to)
DATE: Started; Completed	
TOTAL DEPTH 65 ft.	SCREEN (or perforations)
BEDROCK atft.	(diam.) (from) (to) (opening size)
GROUTING INFORMATION	PUMP (installed)
METHOD USED	
GROUTING MATERIAL	TYPE Cap. (gpm)
DEPTH OF GROUTING	H.Pft.
REMARKS:	
	Log of well fered

COMMONWEALTH OLD OTHER

FURNISHED BY\_\_\_\_\_DATE: \_\_\_\_

	PTH eet)	TYPE OF SOIL OR ROCK PENETRATED		REMARKS
FROM	ТО	(gravel, clay, etc., hardness, color, etc)		(water, caving, shot, screen, sample, etc.)
		Markey permits		TENANT
		yearing great		83 LULI G
	19 20	(A)		WELL -LOCATION Alberaria
		The sales are th		to provide the second
		The war is drawn they are the	appropriate the sales	the control of the second of the second of the second of
		A		SHOTTONGO HETAW
				RT930
				STATIC WATER LEVEL _ /
			netow. prov	WATER ZONES (Hissims or Comptions suppl
			(et)	(mart) (a) (mart)
				ATTENDED TO VETTO AND
			Allow workings	VELL RUMPED (or bould of LELL RUMPED)
				HOOR OFFICE WARRANT OFFI
		W		OARH MAD (Individual) VO R
			Commonly Security in	RPMARKS.
				(CATAMIS)
				DUALITY OF WATER
				COLOR TASTE
				A SHED TOOK
			Their r	PALYSIS WHEREIT THE BAR ATTACHED VIL
				PMPERATURE
			1111	WATER
				VIDEO COMPANY DESCRIPTION TO SELECT
	Tierra av	MAN AND AND AND		
	BE18 90	HOLE SIZE DASH		SONETRUSTION.
	(dett)	At the second se		F G TYPE comed may, and that, ear, if
				Darres Straited Completed
	- (6	rolation for Magnoz		TOTAL DEPTH 60
	- Terrandon	as N tract, tests		FORDOK of
		Demon Green		HOLYAMSONING INFORMATION
	1	San		CELHOD GRED
	-	(mgp) (dp) 3977		GROUTING MATERIAL
		aspent to stead		окітиола по мітязо
				REMARKS:
				.0 000
	-			
		A CONTRACTOR OF THE PARTY OF TH		
				1
	(Allen)	3-15 343		
		The same was a second of		
				2



# WATER WELL COMPLETION REPORT

Department of Conservation and Economic Development

MEPURI \_\_\_\_\_\_\_\_

Department of Conservation and Economic Development

VIRGINIA DIVISION OF MINERAL RESOURCES'S GENERAL

Box 3667, University Station, Charlottesville, Virginia

OWNER: KYKOFF	Address:
REMARKS THANAT	
(woter, coving shot) screen, somple, etc.)	FROM TO (groval, clay, etc., hardness, color, etc.)  (groval, clay, etc., hardness, color, etc.)  (groval, clay, etc., hardness, color, etc.)  (groval, clay, etc., hardness, color, etc.)
WELL LOOATION.	Approx. milles
(direction) of	
DRILLER:	LOCATION SKETCH OR MAP TRACING
Address:	N N
WATER CONDITIONS	
DEPTH	
STATIC WATER LEVEL	
WATER (aquifers): (from) (to) (from) (to	
ft	
ftft.	
YIELD	W
WELL PUMPED (or bailed) atG.P.M. withft. DRAW	/DOWN
ofterhrs. PUMPING.	
ARTESIAN (natural) FLOWG.P.M; HEADft. (al	bove grnd.)
REMARKS:	
QUALITY OF WATER	
COLORTASTE	
DDOROTHER	<u> </u>
ANALYSIS: AVAILABLE - Yes \ No \; ATTACHED - Yes	J No□
FMPERATURE	
(salt, brackish, iron, sulfur, acid, other) WATERft	HOLE SIZE CASING SIZE (diam.) (from) (to)
USE OF WATER	inftftft
(domestic, town, industry, irrigation, etc.)	
ADEQUACY, PERMANENCE	
PUMP (installed)	CORENA
YPE	SCREEN (or perforations) (diam.) (from) (to) (opening size)
I.P DEPTH OF INTAKE	in ft ft.
DEFIN OF INTAKE	
CONSTRUCTION	
DIC TYPE (see asked)	
RIG TYPE (or method) (rotary, cable, bored, dug, driven, etc.)	
DATE STARTED; COMPLETED	OTHER CONSTRUCTION INFORMATION: (gravel pack, depth and size shot, packer, plugs, etc.)
OTAL DEPTH 45	and, points, plays the
BEDROCK atft.	
SURFACE ELEVATIONft.	
REMARKS	



