

Interval Sheet

Sheet No. _____

[Faint mirrored text from reverse side of page]

— Cuttings

— Core

— Water Well

--- Gas Well

From-To

From-To

From-To

From-To

From-To

| From-To | From-To | From-To | From-To | From-To |
|---------|---------|---------|---------|---------|
| - | - | - | - | - |
| - | - | - | - | - |
| - | - | - | - | - |
| - | - | - | - | - |
| - | - | - | - | - |
| - | - | - | - | - |
| - | - | - | - | - |
| - | - | - | - | - |
| - | - | - | - | - |
| - | - | - | - | - |
| - | - | - | - | - |
| - | - | - | - | - |
| - | - | - | - | - |
| - | - | - | - | - |
| - | - | - | - | - |
| - | - | - | - | - |
| - | - | - | - | - |
| - | - | - | - | - |
| - | - | - | - | - |
| - | - | - | - | - |
| - | - | - | - | - |
| - | - | - | - | - |
| - | - | - | - | - |
| - | - | - | - | - |
| - | - | - | - | - |

Total Depth _____

OWNER: Armanda Brooks
DRILLER: Ground Water, Inc.
COUNTY: Bath (Millboro Springs)

VDMR: 398
WWCR: #10
Depth: 93'

SAMPLE EXAMINATION
(washed)

- 0 - 9 No sample (Bedrock indicated at 6 feet)
- 9 - 18 Sandstone, fine grained, subangular - subrounded quartz grains, silica cement, some coarse grains present.
- 18 - 27 Sandstone as above - sample mostly floating quartz grains
- 27 - 36 Sandstone as above
- 36 - 45 Sandstone as above
- 45 - 54 Sandstone as above
- 54 - 63 Sandstone as above
- 63 - 72 Sandstone as above
- 72 - 81 Sandstone as above
- 81 - 82 Mixture of sandstone as above and limestone, dark gray-black, dense traces of calcite seams (Indicated contact between Devonian Oriskany sandstone and Devonian Helderberg limestone).
- 82 - 85 Limestone, dark gray-black, calcite seams, traces of chert. Considerable sandstone grains from uphole.
- 90 - 93 As above
- 93 - Total depth (well abandoned here - drilling and crooked hole problems).

VIRGINIA DIVISION OF MINERAL RESOURCES
Laurence H. Gardner II
June 14, 1961