

13

INTERVAL SHEET

Page 1

VDMR WELL NO. 414

Sample Interval: from 10 to 820

PROP: Dupont-Celanese Corp. Well #2  
Narrows, Virginia

Total Depth: 822

COMP: Va. Pump & Machinery Co.

Oil      Gas      Water x Exploratory     

COUNTY: Giles

Cuttings x Core      Other     

From-To	From-To	From-To	From-To	From-To
10 -	<u>300</u> -	660-	-	-
20 -	310 -	680-	-	-
30 -	320 -	<u>700</u> -	-	-
45 -	330 -	<u>720</u> -	-	-
50 -	340 -	740-	-	-
		<del>760</del>	-	-
58 -	350 -	760-	-	-
60 -	360 -	790-	-	-
70 -	370 -	<u>800</u> -	-	-
80 -	380 -	820-	-	-
90 -	390 -	-	-	-
<u>100</u> -	<u>400</u> -	-	-	-
110 -	405 -	-	-	-
120 -	410 -	-	-	-
130 -	420 -	-	-	-
140 -	425 -	-	-	-
150 -	440 -	-	-	-
160 -	450 -	-	-	-
170 -	470 -	-	-	-
180 -	480 -	-	-	-
190 -	495 -	-	-	-
<u>200</u> -	498 -	-	-	-
210 -	<u>500</u> -	-	-	-
220 -	520 -	-	-	-
230 -	540 -	-	-	-
240 -	555 -	-	-	-
250 -	560 -	-	-	-
260 -	580 -	-	-	-
270 -	<u>600</u> -	-	-	-
280 -	620 -	-	-	-
295 -	640 -	-	-	-

*Complete set  
of washed samples*

COMMONWEALTH OF VIRGINIA  
DEPARTMENT OF CONSERVATION AND ECONOMIC DEVELOPMENT

DIVISION OF MINERAL RESOURCES

Box 3667, University Station, Charlottesville, Virginia

WWCR-#13  
VDMR-#414

WATER WELL COMPLETION REPORT

OWNER: Dupont-Celanese Corp. Well # 2 Mailing Address: \_\_\_\_\_

TENANT: \_\_\_\_\_ Mailing Address: \_\_\_\_\_

DRILLER: Va. Pump & Mach. Mailing Address: \_\_\_\_\_

WELL LOCATION: County Giles Approx. \_\_\_\_\_ ft. miles  
(direction) of Narrows and \_\_\_\_\_ ft. miles of \_\_\_\_\_

(Give direction and distance in feet or tenths of mile from two reference points - roads, towns, rivers, etc. - on county highway or other map.)

**WATER CONDITIONS**

**DEPTH**

STATIC WATER LEVEL \_\_\_\_\_

WATER ZONES (fissures or formations supplying water)

(from) \_\_\_\_\_ (to) \_\_\_\_\_ (from) \_\_\_\_\_ (to) \_\_\_\_\_

\_\_\_\_\_ ft. \_\_\_\_\_ ft.  
\_\_\_\_\_ ft. \_\_\_\_\_ ft.

**QUANTITY OF WATER**

WELL PUMPED (or bailed) at \_\_\_\_\_ Gal. per Min. with  
\_\_\_\_\_ feet DRAWDOWN after \_\_\_\_\_ HOURS PUMPING.

FLOW (natural) \_\_\_\_\_ G.P.M. HEAD \_\_\_\_\_ ft. (above ground) **W**

REMARKS: \_\_\_\_\_

**QUALITY OF WATER**

COLOR \_\_\_\_\_ TASTE \_\_\_\_\_

ODOR \_\_\_\_\_ OTHER \_\_\_\_\_

ANALYSIS: AVAILABLE - Yes  No  ATTACHED Yes  No

TEMPERATURE \_\_\_\_\_

WATER \_\_\_\_\_ (from) \_\_\_\_\_ ft. \_\_\_\_\_ (to) \_\_\_\_\_ ft.  
(salt, brackish, iron, sulfur, acid, other)

USE OF WATER: Domestic  Town  Industry  Farm  Public

**CONSTRUCTION**

RIG TYPE (or method) \_\_\_\_\_  
(rotary, cable, bored, driven, etc..)

DATE: Started \_\_\_\_\_; Completed \_\_\_\_\_

TOTAL DEPTH 822 ft.

BEDROCK at \_\_\_\_\_ ft.

**GROUTING INFORMATION**

METHOD USED \_\_\_\_\_

GROUTING MATERIAL \_\_\_\_\_

DEPTH OF GROUTING \_\_\_\_\_

REMARKS: \_\_\_\_\_

**HOLE SIZE**

(diam) \_\_\_\_\_ in. (from) \_\_\_\_\_ ft. (to) \_\_\_\_\_ ft.

**CASING SIZE**

(diam) \_\_\_\_\_ in. (from) \_\_\_\_\_ ft. (to) \_\_\_\_\_ ft.

**SCREEN (or perforations)**

(diam) \_\_\_\_\_ in. (from) \_\_\_\_\_ ft. (to) \_\_\_\_\_ ft. (opening size)

**PUMP (installed)**

TYPE \_\_\_\_\_ Cap. (gpm) \_\_\_\_\_

H.P. \_\_\_\_\_ Depth of intake \_\_\_\_\_ ft.

