

INTERVAL SHEET

Page 1

VDMR WELL NO. 427

Sample Interval: from 45 to 350

PROP: Gore #1

Total Depth _____

COMP: Sydnor

Oil _____ Gas _____ Water X Exploratory _____

COUNTY: Augusta (Staunton)

Cuttings X Core _____ Other _____

From-To	From-To	From-To	From-To	From-To
45 - 145	-	-	-	-
145 - 170	-	-	-	-
170 - 198	-	-	-	-
198 - 238	-	-	-	-
238 - 250	-	-	-	-
250 - 281	-	-	-	-
281 - 328	-	-	-	-
328 - 350	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-

Washed samples

45 - 145 } missing
145 - 170 }

COMMONWEALTH OF VIRGINIA
DEPARTMENT OF CONSERVATION AND ECONOMIC DEVELOPMENT

DIVISION OF MINERAL RESOURCES

Box 3667, University Station, Charlottesville, Virginia

WWCR 86
VDMR 427

WATER WELL COMPLETION REPORT

OWNER: Virgil Gove and Co. Mailing Address: Crowel Bldg., Staunton, Va.
 TENANT: Well No. 1 Mailing Address: _____
 DRILLER: Sydnor Pump and Well Co. Mailing Address: Richmond, Va.
 WELL LOCATION: County Augusta Approx. _____ ft. miles
 _____ (direction) of _____ and _____ ft. miles of _____
(Give direction and distance in feet or tenths of mile from two reference points—roads, towns, rivers, etc.—on county highway or other map.)

WATER CONDITIONS

DEPTH

STATIC WATER LEVEL 28'

WATER ZONES (fissures or formations supplying water)

(from) _____ (to) _____ (from) _____ (to) _____
 _____ ft. _____ ft.
 _____ ft. _____ ft.

QUANTITY OF WATER

WELL PUMPED (or bailed) at 5 Gal. per Min. with
300 feet **DRAWDOWN** after 2 HOURS PUMPING.

FLOW (natural) _____ G.P.M. HEAD _____ ft. (above ground) **W**

REMARKS: _____

QUALITY OF WATER

COLOR clear TASTE o.k.

ODOR no OTHER _____

ANALYSIS: AVAILABLE— Yes No ATTACHED Yes No

TEMPERATURE _____
 _____ WATER (from) _____ ft. (to) _____ ft.
(salt, brackish, iron, sulfur, acid, other)

USE OF WATER: Domestic Town Industry Farm Public

CONSTRUCTION

RIG TYPE (or method) Air Rotary
(rotary, cable, bored, driven, etc..)

DATE: Started _____; Completed _____

TOTAL DEPTH 320 ft.

BEDROCK at 5 ft.

GROUTING INFORMATION

METHOD USED Gravity

GROUTING MATERIAL cement and water

DEPTH OF GROUTING 22'

REMARKS: Complete records available Sydnor Pump and Well Co., Inc., Richmond Office.
Jesse Snyder, Jr.

N

Go north from Staunton on 613 to Jct. of 626. Well is located on "Springdale" a Gove subdivision.

Well No. 1

E

S

HOLE SIZE

(diam.)	(from)	(to)	(diam.)	(from)	(to)
9 in	0 ft	22 ft	5 in	0 ft	22 ft
5'	22	320			

CASING SIZE

SCREEN (or perforations)

(diam.)	(from)	(to)	(opening size)
_____ in	_____ ft.	_____ ft.	_____

PUMP (installed)

TYPE _____ Cap. (gpm) _____

H.P. _____ Depth of intake _____ ft.

