

265

INTERVAL SHEET

Page 1

VDMR WELL NO.: 487

Date 7/28/61

Sample Interval: from 0 to 240

PROP: Windsor Hills Subdivision

Total Depth 240

COMP: Falwell

Oil Gas Water X Exploratory

COUNTY: Campbell
(Lynchburg)

Cuttings X Core Other

From-To	From-To	From-To	From-To	From-To
-	0-10	-	-	-
-	10-20	-	-	-
-	20-30	-	-	-
-	30-40	-	-	-
-	40-50	-	-	-
-		-	-	-
-	50-60	-	-	-
-	60-70	-	-	-
-	70-80	-	-	-
-	80-90	-	-	-
-	90- <u>100</u>	-	-	-
-		-	-	-
-	100-110	-	-	-
-	110-120	-	-	-
-	120-130	-	-	-
-	130-140	-	-	-
-	140- <u>150</u>	-	-	-
-		-	-	-
-	150-160	-	-	-
-	160-170	-	-	-
-	170-180	-	-	-
-	180-190	-	-	-
-	190- <u>200</u>	-	-	-
-		-	-	-
-	200-210	-	-	-
-	210-220	-	-	-
-	220-230	-	-	-
-	230-240	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-

Complete set of sampled intervals washed.

COMMONWEALTH OF VIRGINIA
DEPARTMENT OF CONSERVATION AND ECONOMIC DEVELOPMENT
DIVISION OF MINERAL RESOURCES

Box 3667, University Station, Charlottesville, Virginia

WVCR 265
VDMR 487

WATER WELL COMPLETION REPORT

OWNER: Mr. Jack Harris Mailing Address: 1106 Brandon Ave.
 TENANT: Windsor Hills Subdivision Mailing Address: Roanoke, Va.
 DRILLER: J. L. Eade (Falwell) Mailing Address: Box 937, Lynchburg, Va.
 WELL LOCATION: County Campbell Approx. 3 mi. ft. miles
west (direction) of Lynchburg and ft. miles of ft. miles

(Give direction and distance in feet or tenths of mile from two reference points - roads, towns, rivers, etc. - on county highway or other map.)

WATER CONDITIONS

DEPTH

STATIC WATER LEVEL 60'

WATER ZONES (fissures or formations supplying water)

(from) 0 ft. (to) 140 ft., (from) 140 ft. (to) 141 ft.

QUANTITY OF WATER

WELL PUMPED (or bailed) at 10 Gal. per Min. with 230 feet DRAWDOWN after 150 HOURS PUMPING.

FLOW (natural) 10 G.P.M. HEAD ft. (above ground) **W**

REMARKS: Pumped well 150 hrs. with meter on pump.

QUALITY OF WATER

COLOR clear TASTE _____

ODOR none OTHER _____

ANALYSIS: AVAILABLE - Yes No ATTACHED Yes No

TEMPERATURE _____
 WATER (from) _____ ft. (to) _____ ft.
(salt, brackish, iron, sulfur, acid, other)

USE OF WATER: Domestic Town Industry Farm Public

CONSTRUCTION

RIG TYPE (or method) down-the-hole drill
(rotary, cable, bored, driven, etc..)

DATE: Started 7-5-60; Completed 7-8-60

TOTAL DEPTH 240 ft.

BEDROCK at 10 ft.

GROUTING INFORMATION

METHOD USED _____

GROUTING MATERIAL _____

DEPTH OF GROUTING _____

HOLE SIZE

(diam) _____ in. (from) _____ ft. (to) _____ ft.

CASING SIZE

(diam) _____ in. (from) _____ ft. (to) _____ ft.

SCREEN (or perforations)

(diam) _____ in. (from) _____ ft. (to) _____ ft. (opening size)

PUMP (installed)

TYPE Submersible Cap. (gpm) _____

H.P. 3/4 Depth of intake 230 ft.

REMARKS: Hit bedrock at 10', hole to be reamed 10" to depth of 50' and to set 6-1/4" galvanized casing. Hole has not been completed is why I had not sent in this form.

LOG

FURNISHED BY J. L. Eagle

DATE: 7-8-60

DEPTH (feet)		TYPE OF SOIL OR ROCK PENETRATED (gravel, clay, etc., hardness, color, etc)	REMARKS (water, caving, shot, screen, sample, etc)
FROM	TO		
1	2	Top soil	
2	10	Red clay	
10	240	Grey sandstone	

265 ✓
487

COMMONWEALTH OF VIRGINIA
DEPARTMENT OF CONSERVATION AND ECONOMIC DEVELOPMENT
DIVISION OF MINERAL RESOURCES

Box 3667, University Station, Charlottesville, Virginia

WATER WELL COMPLETION REPORT

OWNER: Mr. Jack Harris Mailing Address: 1106 Brandon Avenue
 TENANT: Windsor Hills Subdivision Mailing Address: Roanoke, Virginia
 DRILLER: J. L. Eagle (Fa/well) Mailing Address: Box 937, Lynchburg, Va.
 WELL LOCATION: County Campbell Approx. 3 ~~XX~~ miles
west (direction) of Lynchburg and _____ ft miles _____ of _____

(Give direction and distance in feet or tenths of mile from two reference points—roads, towns, rivers, etc.—on county highway or other map.)

WATER CONDITIONS

DEPTH

STATIC WATER LEVEL 60'

WATER ZONES (fissures or formations supplying water)

(from) _____ (to) _____, _____ (from) _____ (to) _____
 _____ ft. 140 _____, 140 _____ ft. 141
 _____ ft. _____, _____ ft. _____

QUANTITY OF WATER

WELL PUMPED (or bailed) at 10 Gal. per Min. with
230 feet DRAWDOWN after 150 HOURS PUMPING.

FLOW (natural) 10 G.P.M. HEAD _____ ft. (above ground) **W**

REMARKS: Pumped well 150 hrs. with meter on pump. **E**

QUALITY OF WATER

COLOR Clear TASTE _____

ODOR None OTHER _____

ANALYSIS: AVAILABLE— Yes No ATTACHED Yes No

TEMPERATURE _____
 _____ WATER _____ (from) _____ ft. (to) _____ ft.
(salt, brackish, iron, sulfur, acid, other)

USE OF WATER: Domestic Town Industry Farm Public **S**

CONSTRUCTION

RIG TYPE (or method) down-the-hole drill
(rotary, cable, bored, driven, etc...)

DATE: Started 7-5-60; Completed 7-8-60

TOTAL DEPTH 240 ft.

BEDROCK at 10 ft.

GROUTING INFORMATION

METHOD USED _____

GROUTING MATERIAL _____

DEPTH OF GROUTING _____

HOLE SIZE

(diam) _____ in. (from) _____ ft. (to) _____ ft.

CASING SIZE

(diam) _____ in. (from) _____ ft. (to) _____ ft.

SCREEN (or perforations)

(diam) _____ in. (from) _____ ft. (to) _____ ft. (opening size)

PUMP (installed)

TYPE Submersible Cap. (gpm) _____

H.P. 3/4 Depth of intake 230 ft.

REMARKS: Hit bedrock at 10', hole to be reamed 10" to depth of 50' and to set 6-1/4" galvanized casing. Hole has not been completed is why I had not sent in this form.

