



Box 3667, University Station, Charlottesville, Virginia

Well No. 2

## WATER WELL COMPLETION REPORT

OWNER: B. R. and Harriet J. Fauber Mailing Address: Mt. Sidney, Virginia

TENANT: \_\_\_\_\_ Mailing Address: \_\_\_\_\_

DRILLER: Sydnor Pump and Well Co., Inc. Mailing Address: Richmond, Va.

WELL LOCATION: County Augusta Approx. \_\_\_\_\_ ft. miles  
(direction) of Mt. Sidney and \_\_\_\_\_ ft. miles of \_\_\_\_\_

(Give direction and distance in feet or tenths of mile from two reference points - roads, towns, rivers, etc. - on county highway or other map.)

### WATER CONDITIONS

#### DEPTH

STATIC WATER LEVEL \_\_\_\_\_

WATER ZONES (fissures or formations supplying water)

134 (from) \_\_\_\_\_ (to) \_\_\_\_\_ (from) \_\_\_\_\_ (to) \_\_\_\_\_  
ft. \_\_\_\_\_ ft. \_\_\_\_\_

#### QUANTITY OF WATER

WELL PUMPED (or bailed) at \_\_\_\_\_ Gal. per Min. with \_\_\_\_\_ feet DRAWDOWN after \_\_\_\_\_ HOURS PUMPING.

FLOW (natural) \_\_\_\_\_ G.P.M. HEAD \_\_\_\_\_ ft. (above ground) **W**

REMARKS: \_\_\_\_\_

#### QUALITY OF WATER

COLOR \_\_\_\_\_ TASTE \_\_\_\_\_

ODOR \_\_\_\_\_ OTHER \_\_\_\_\_

ANALYSIS: AVAILABLE - Yes  No  ATTACHED Yes  No

TEMPERATURE \_\_\_\_\_

\_\_\_\_\_ WATER (from) \_\_\_\_\_ ft. (to) \_\_\_\_\_ ft.  
(salt, brackish, iron, sulfur, acid, other)

USE OF WATER: Domestic  Town  Industry  Farm  Public  **S**

### CONSTRUCTION

RIG TYPE (or method) Air Rotary  
(rotary, cable, bored, driven, etc..)

DATE: Started 9-13-60; Completed 9-14-60

TOTAL DEPTH 147 ft.

BEDROCK at 19 ft.

#### GROUTING INFORMATION

METHOD USED Class II B Construction

GROUTING MATERIAL But casing not

DEPTH OF GROUTING grouted

#### REMARKS:

This well blew dust from 0-147'  
Had slight moisture trace at 134'

**N**

West side of Hwy U. S. 11 on north end of Mt. Sidney, Va.

**E**

#### HOLE SIZE

(diam) \_\_\_\_\_ in. (from) \_\_\_\_\_ ft. (to) \_\_\_\_\_ ft.  
9 \_\_\_\_\_ 0 \_\_\_\_\_ 50 \_\_\_\_\_  
5 \_\_\_\_\_ 0 \_\_\_\_\_ 147 \_\_\_\_\_

#### CASING SIZE

(diam) \_\_\_\_\_ in. (from) \_\_\_\_\_ ft. (to) \_\_\_\_\_ ft.  
5 \_\_\_\_\_ 0 \_\_\_\_\_ 51'-2" \_\_\_\_\_

#### SCREEN (or perforations)

(diam) \_\_\_\_\_ in. (from) \_\_\_\_\_ ft. (to) \_\_\_\_\_ ft. (opening size)

### PUMP (installed)

TYPE \_\_\_\_\_ Cap. (gpm) \_\_\_\_\_

H.P. \_\_\_\_\_ Depth of intake \_\_\_\_\_ ft.

LOG

FURNISHED BY Sydnor Pump and Well Co., Inc.

DATE: 12-14-60

From Driller Mitchell & Seay Logs - By Jesse Snyder Jr.

DEPTH (feet)		TYPE OF SOIL OR ROCK PENETRATED (gravel, clay, etc., hardness, color, etc)	REMARKS (water, caving, shot, screen, sample, etc.)
FROM	TO		
0	2	Top soil fill	
2	4	Yellow clay	
4	19	Red clay	
19	147'	Trace of water on Bedrock contact - was not enough to completely stop drilling dust while drilling from 19' to 50' - to set in pipe. Gray limestone med. hard, slight trace moisture at 134'	

COMMONWEALTH OF VIRGINIA  
 DEPARTMENT OF CONSERVATION AND ECONOMIC DEVELOPMENT  
 DIVISION OF MINERAL RESOURCES

222  
 W-532

Well No 2

Box 3667, University Station, Charlottesville, Virginia

WATER WELL COMPLETION REPORT

OWNER: ~~A.B.~~ and Harriet J. Fahey Mailing Address: Mt. Sidney Virginia  
 TENANT: B.R. Mailing Address:  
 DRILLER: Sydney Pump and Well Co. Inc. Mailing Address: Richmond Va  
 WELL LOCATION: County Augusta Approx. \_\_\_\_\_ ft. miles  
 (direction) of MT. SIDNEY and \_\_\_\_\_ ft. miles of \_\_\_\_\_  
 (Give direction and distance in feet or tenths of mile from two reference points—roads, towns, rivers, etc.—on county highway or other map.)

WATER CONDITIONS

DEPTH

STATIC WATER LEVEL \_\_\_\_\_  
 WATER ZONES (fissures or formations supplying water)  
 (from) (to) (from) (to)  
 134 ft. \_\_\_\_\_, \_\_\_\_\_ ft.  
 \_\_\_\_\_ ft. \_\_\_\_\_, \_\_\_\_\_ ft.

QUANTITY OF WATER

WELL PUMPED (or bailed) at \_\_\_\_\_ Gal. per Min. with \_\_\_\_\_ feet DRAWDOWN after \_\_\_\_\_ HOURS PUMPING.  
 FLOW (natural) \_\_\_\_\_ G.P.M. HEAD \_\_\_\_\_ ft. (above ground)  
 REMARKS: \_\_\_\_\_

QUALITY OF WATER

COLOR \_\_\_\_\_ TASTE \_\_\_\_\_  
 ODOR \_\_\_\_\_ OTHER \_\_\_\_\_  
 ANALYSIS: AVAILABLE— Yes  No  ATTACHED Yes  No   
 TEMPERATURE \_\_\_\_\_  
 WATER (from) \_\_\_\_\_ ft. (to) \_\_\_\_\_ ft.  
 (salt, brackish, iron, sulfur, acid, other)

USE OF WATER: Domestic  Town  Industry  Farm  Public

CONSTRUCTION

RIG TYPE (or method) Air Rotary (rotary, cable, bored, driven, etc.)  
 DATE: Started 9-13-60; Completed 9-14-60  
 TOTAL DEPTH 147 ft.  
 BEDROCK at 19 ft.

GROUTING INFORMATION

METHOD USED Class # B Construction  
 GROUTING MATERIAL Best casing flt  
 DEPTH OF GROUTING grouted

HOLE SIZE

(diam)	(from)	(to)
9 in	0 ft	50 ft
5 in	0 ft	147 ft

CASING SIZE

(diam)	(from)	(to)
5 in	0 ft	51-2 ft

SCREEN (or perforations)

(diam)	(from)	(to)	(opening size)
_____ in	_____ ft	_____ ft	_____

PUMP (installed)

TYPE \_\_\_\_\_ Cap. (gpm) \_\_\_\_\_  
 H.P. \_\_\_\_\_ Depth of intake \_\_\_\_\_ ft.

REMARKS: This well Blew dust from 0-147' -  
 Had slight moisture trace at 134'

Log of well (over)

FURNISHED BY Sydnor Pump and Well Co Inc

DATE: 12-14-66

From Driller Mitchell + Seay Logs - By Jesse Myers Jr.

DEPTH (feet)		TYPE OF SOIL OR ROCK PENETRATED (gravel, clay, etc., hardness, color, etc)	REMARKS (water, caving, shot, screen, sample, etc)
FROM	TO		
0	2	Top soil - fill	
2	4	yellow clay	
4	19	Red clay	
19	50	Trace of water on Bed-Rock Contact - was not enough to completely stop drilling dust while drilling from 19' to 50' - To set in pipe	
19	147'	Cray limestone med. Hard - slight trace moisture at 134'	
<p><del>This well was left with top on casing and pipe not grouted in case Mr Fauber wants to drill deeper</del></p>			
GASING SIZE		HOLE SIZE	
(ft)	(in)	(ft)	(in)
27-2	0	20	2
		147	2
SCREEN (or perforations)		CONSTRUCTION	
(ft)	(in)	DATE Started 9-13-60; Completed 9-14-60	
		TOTAL DEPTH 147	
		BEDROCK at 19	
PUMP (installed)		GRouting INFORMATION	
TYPE		METHOD USED Class II B construction	
Depth of intake		GRouting MATERIAL Red casing not	
		DEPTH OF GRouting Grouted	
REMARKS:			
This well stop dust from 6-147'			
Had slight moisture trace at 134'			
Log of well cover			