

COMMONWEALTH OF VIRGINIA
DEPARTMENT OF CONSERVATION AND ECONOMIC DEVELOPMENT
DIVISION OF MINERAL RESOURCES

Box 3667, University Station, Charlottesville, Virginia

WWCR-#136
VDMR-#573

WATER WELL COMPLETION REPORT

OWNER: Old Dominion Box Company Mailing Address: Martinsville, Virginia
 TENANT: _____ Mailing Address: _____
 DRILLER: Sydnor Pump & Well Co., Inc. Mailing Address: Richmond, Virginia
 WELL LOCATION: County Henry Approx. _____ ft. _____ miles
 _____ (direction) of _____ and _____ ft. _____ of _____
(Give direction and distance in feet or tenths of mile from two reference points - roads, towns, rivers, etc. - on county highway or other map.)

WATER CONDITIONS

DEPTH

STATIC WATER LEVEL 19 feet
 WATER ZONES (fissures or formations supplying water)
 (from) 170 ft. (to) _____, (from) 196 ft. (to) 197
183 ft. 184, 234 ft. 236

QUANTITY OF WATER

WELL PUMPED (or bailed) at 170 Gal. per Min. with
46 feet **DRAWDOWN** after 24 HOURS PUMPING.
 FLOW (natural) _____ G.P.M. HEAD _____ ft. (above ground) **W**
 REMARKS: _____

QUALITY OF WATER

COLOR clear TASTE _____
 ODOR _____ OTHER _____
 ANALYSIS: AVAILABLE - Yes No ATTACHED Yes No
 TEMPERATURE _____
 _____ WATER (from) _____ ft. (to) _____ ft.
(salt, brackish, iron, sulfur, acid, other)
 USE OF WATER: Domestic Town Industry Farm Public

N

Located on the North bank of the Smith River near the Corporate Limits on property owned by Old Dominion Box Company. Fronting on State Route 220.

CONSTRUCTION

RIG TYPE (or method) rotary
(rotary, cable, bored, driven, etc..)
 DATE: Started 11/21/60; Completed 12/1/60
 TOTAL DEPTH 265 ft.
 BEDROCK at 28 ft.

GROUTING INFORMATION

METHOD USED pressure
 GROUTING MATERIAL cement and water
 DEPTH OF GROUTING 100 feet

HOLE SIZE

(diam) _____ in. (from) _____ ft. (to) _____ ft.
10 in. 0 ft. 103 ft.
6 1/2 ID 103 265

CASING SIZE

(diam) _____ in. (from) _____ ft. (to) _____ ft.
7 OD in. +1 ft. 103

SCREEN (or perforations)

(diam.) _____ in. (from) _____ ft. (to) _____ ft. (opening size)

PUMP (Installed)

TYPE _____ Cap. (gpm) _____
 H.P. _____ Depth of intake _____ ft.

REMARKS: 68 sacks of cement used to grout casing

COMMONWEALTH OF VIRGINIA
DEPARTMENT OF CONSERVATION AND ECONOMIC DEVELOPMENT
DIVISION OF MINERAL RESOURCES
Box 3667, University Station, Charlottesville, Virginia

(136)
W-573

WATER WELL COMPLETION REPORT

OWNER: Old Dominion Box Company Mailing Address: Martinsville, Virginia
 TENANT: _____ Mailing Address: _____
 DRILLER: Sydnor Pump & Well Co., Inc. Mailing Address: Richmond, Virginia
 WELL LOCATION: County Henry Approx. _____ ft. miles
 (direction) of _____ and _____ ft. miles of _____
 (Give direction and distance in feet or tenths of mile from two reference points - roads, towns, rivers, etc. - on county highway or other map.)

WATER CONDITIONS

DEPTH
 STATIC WATER LEVEL 19 ft.
 WATER ZONES (fissures or formations supplying water)
170 (from) (to) 184 , 184 (from) (to) 187
183 ft. 234 ft. 234 ft. 236 ft.
QUANTITY OF WATER
 WELL PUMPED (or bailed) at 170 Gal. per Min. with
46 feet **DRAWDOWN** after 24 HOURS PUMPING.
 FLOW (natural) _____ G.P.M. HEAD _____ ft. (above ground) **W**
 REMARKS: _____

N

Located on the North bank of the Smith River near the Corporate Limits on property owned by Old Dominion Box Company. Fronting on State Route 220.

E

QUALITY OF WATER

COLOR Clear TASTE _____
 ODOR _____ OTHER _____
 ANALYSIS: AVAILABLE - Yes No ATTACHED Yes No
 TEMPERATURE _____
 WATER (from) _____ ft. (to) _____ ft.
 (salt, brackish, iron, sulfur, acid, other)
 USE OF WATER: Domestic Town Industry Farm Public

CONSTRUCTION

RIG TYPE (or method) rotary
 (rotary, cable, bored, driven, etc...)
 DATE: Started 11/21/60; Completed 12/1/60
 TOTAL DEPTH 265 ft.
 BEDROCK at 28 ft.
GROUTING INFORMATION
 METHOD USED pressure
 GROUTING MATERIAL cement and water
 DEPTH OF GROUTING 100 feet

HOLE SIZE

CASING SIZE

| | |
|--|--|
| (diam) in (from) ft (to) ft <u>10</u> in <u>0</u> ft <u>103</u> ft <u>6 1/2</u> in <u>103</u> ft <u>265</u> ft | (diam) in (from) ft (to) ft <u>7</u> in <u>1</u> ft <u>103</u> ft |
|--|--|

SCREEN (or perforations)
 (diam) (from) (to) (opening size)
 _____ in _____ ft _____ ft _____

PUMP (installed)

TYPE _____ Cap. (gpm) _____
 H.P. _____ Depth of intake _____ ft.

REMARKS: 68 sacks of cement used to grout casing.
