

INTERVAL SHEET

Page 1

VDMR Well No.: 588

Date 10-31-61

Sample Interval: from 5 to 170

PROP: Campbell Dev. Corp.  
Popular Hills Subdiv.

Total depth 170

COMP: Falwell

Oil \_\_\_\_\_ Gas \_\_\_\_\_ Water X Exploratory \_\_\_\_\_

COUNTY: Campbell

Cuttings X Core \_\_\_\_\_ Other \_\_\_\_\_

From-To	From-To	From-To	From-To	From-To
-	5-	150-155	-	-
-	5-10	155-160	Insufficient quantity of material	-
-	10-15	160-165	to wash.	-
-	15-20	165-170	-	-
-	20-25	-	-	-
-	25-30	-	-	-
-	30-35	-	-	-
-	35-40	-	-	-
-	40-45	-	-	-
-	45-50	-	-	-
-	50-55	-	-	-
-	55-60	-	-	-
-	60-65	-	-	-
-	65-70	-	-	-
-	70-75	-	-	-
-	75-80	-	-	-
-	80-85	-	-	-
-	85-90	-	-	-
-	90-95	-	-	-
-	95-100	-	-	-
-	Missing	-	-	-
-	105-110	-	-	-
-	110-115	-	-	-
-	115-120	-	-	-
-	120-125	-	-	-
-	125-130	-	-	-
-	130-135	-	-	-
-	135-140	-	-	-
-	140-145	-	-	-
-	145-150	-	-	-

COMMONWEALTH OF VIRGINIA  
DEPARTMENT OF CONSERVATION AND ECONOMIC DEVELOPMENT  
DIVISION OF MINERAL RESOURCES

Box 3667, University Station, Charlottesville, Virginia

WWCR 269  
VDMR 588

## WATER WELL COMPLETION REPORT

OWNER: Poplar Hills Development, Corp. Mailing Address: P. O. Box 1106, Richmond, Va.  
 TENANT: \_\_\_\_\_ Mailing Address: \_\_\_\_\_  
 DRILLER: Kinkle Campbell (Falwell) Mailing Address: P. O. Box 937, Lynchburg  
 WELL LOCATION: County Campbell Approx. 5? mi. ft. miles  
west (direction) of Lynchburg and \_\_\_\_\_ ft. miles of \_\_\_\_\_  
(Give direction and distance in feet or tenths of mile from two reference points - roads, towns, rivers, etc. - on county highway or other map.)

### WATER CONDITIONS

#### DEPTH

STATIC WATER LEVEL 10 feet

WATER ZONES (fissures or formations supplying water)

(from)	(to)	(from)	(to)
<u>50</u> ft.	<u>51</u> ft.	_____	_____
_____	_____	_____	_____

#### QUANTITY OF WATER

WELL PUMPED (or bailed) at 12 Gal. per Min. with \_\_\_\_\_ feet DRAWDOWN after \_\_\_\_\_ HOURS PUMPING.

FLOW (natural) \_\_\_\_\_ G.P.M. HEAD \_\_\_\_\_ ft. (above ground) **W**

REMARKS: Picked this water up at 50 to 51'

#### QUALITY OF WATER

COLOR clear TASTE \_\_\_\_\_

ODOR \_\_\_\_\_ OTHER \_\_\_\_\_

ANALYSIS: AVAILABLE - Yes  No  ATTACHED Yes  No

TEMPERATURE \_\_\_\_\_  
 \_\_\_\_\_ WATER (from) \_\_\_\_\_ ft. (to) \_\_\_\_\_ ft.  
(salt, brackish, iron, sulfur, acid, other)

USE OF WATER: Domestic  Town  Industry  Farm  Public

### CONSTRUCTION

RIG TYPE (or method) Down-the-hole drill  
(rotary, cable, bored, driven, etc..)

DATE: Started 6-24-61; Completed 7-27-61

TOTAL DEPTH 170+ ft.

BEDROCK at 24 ft.

#### GROUTING INFORMATION

METHOD USED Has not been completed

GROUTING MATERIAL \_\_\_\_\_

DEPTH OF GROUTING \_\_\_\_\_

#### HOLE SIZE

(diam) \_\_\_\_\_ in. (from) \_\_\_\_\_ ft. (to) \_\_\_\_\_ ft.

#### CASING SIZE

(diam) \_\_\_\_\_ in. (from) \_\_\_\_\_ ft. (to) \_\_\_\_\_ ft.

#### SCREEN (or perforations)

(diam) \_\_\_\_\_ in. (from) \_\_\_\_\_ ft. (to) \_\_\_\_\_ ft. (opening size)

#### PUMP (installed)

TYPE None Cap. (gpm) \_\_\_\_\_

H.P. \_\_\_\_\_ Depth of intake \_\_\_\_\_ ft.

REMARKS: Well drilled 170'; hit 12 gpm 50 to 51 ft; bedrock at 24'; has not been completed; drilled with down-the-hole drill.



COMMONWEALTH OF VIRGINIA  
 DEPARTMENT OF CONSERVATION AND ECONOMIC DEVELOPMENT  
 DIVISION OF MINERAL RESOURCES

Box 3667, University Station, Charlottesville, Virginia

269  
 W-588

WATER WELL COMPLETION REPORT

OWNER: Poplar Hills Development Corp. Mailing Address: P. O. Box 1106  
 TENANT: \_\_\_\_\_ Mailing Address: Roanoke, Virginia  
 DRILLER: (Kinkle Campbell) (Falwell) Mailing Address: P. O. Box 937, Lynchburg, Va.  
 WELL LOCATION: County Campbell Approx. 5 miles  
west (direction) of Lynchburg and \_\_\_\_\_ ft miles of \_\_\_\_\_  
(Give direction and distance in feet or tenths of mile from two reference points - roads, towns, rivers, etc. - on county highway or other map.)

**WATER CONDITIONS**

**DEPTH**

STATIC WATER LEVEL 10 feet

WATER ZONES (fissures or formations supplying water)

(from)	(to)	(from)	(to)
<u>50</u> ft.	<u>51</u> ft.		

**QUANTITY OF WATER**

WELL PUMPED (or bailed) at 12 Gal. per Min. with \_\_\_\_\_ feet DRAWDOWN after \_\_\_\_\_ HOURS PUMPING.

FLOW (natural) 12 G.P.M. HEAD \_\_\_\_\_ ft. (above ground)

REMARKS: Picked this water up at 50 to 51'

**QUALITY OF WATER**

COLOR Clear TASTE \_\_\_\_\_

ODOR \_\_\_\_\_ OTHER \_\_\_\_\_

ANALYSIS: AVAILABLE - Yes  No  ATTACHED Yes  No

TEMPERATURE \_\_\_\_\_  
 WATER (from) \_\_\_\_\_ ft. (to) \_\_\_\_\_ ft.  
(salt, brackish, iron, sulfur, acid, other)

USE OF WATER: Domestic  Town  Industry  Farm  Public

**CONSTRUCTION**

RIG TYPE (or method) Down-the-hole drill  
(rotary, cable, bored, driven, etc..)

DATE: Started 7-24-61; Completed 7-27-61

TOTAL DEPTH 170+ ft.

BEDROCK at 24 ft.

**GROUTING INFORMATION**

METHOD USED Has not been completed

GROUTING MATERIAL \_\_\_\_\_

DEPTH OF GROUTING \_\_\_\_\_

**HOLE SIZE**

(diam)	(from)	(to)	(diam)	(from)	(to)
_____ in.	_____ ft.	_____ ft.	_____ in.	_____ ft.	_____ ft.

**CASING SIZE**

SCREEN (or perforations)  
 (diam.) (from) (to) (opening size)  
 \_\_\_\_\_ in. \_\_\_\_\_ ft. \_\_\_\_\_ ft.

**PUMP (Installed)**

TYPE None Cap. (gpm) \_\_\_\_\_

H.P. \_\_\_\_\_ Depth of intake \_\_\_\_\_ ft.

REMARKS: Well drilled 170'; hit 12 gpm 50 to 51 ft; bedrock at 24'; Has not been completed; drilled with down-the-hole drill.

