INTERVAL SHEET

			WWCR 320 VDMR Well No.: Well No. 1165 Sample Interval: from <u>40</u> to <u>150</u>			
Page	1					
Date	10/28/64	<u>.</u>				
PROP:	Oak Bow	er Motel	Total depth 155			
COMP:	C. R. M	oore	OilGasWater_X_Exploratory			
COUNTY: Augusta (Waynesboro)			Cuttings_X_CoreOther			
VDMR	VDMR Well No: W-1165		Washed samples			
From-To	0	From-To	From-To	Fr	om-To	. From-To
-		-	0 - 40	0 No sample	-	-
-		-	40 - 5	0	-	-
-		-	50 - 60	0	-	-
-		-	60 - 7	0	-	-
-		-	70 - 80	0	-	-
		_	80 - 90)		
-		-	90 - 10		2	-
_		-	100 - 11		_	-
_		_	110 - 12		-	-
-		-	120 - 13		-	-
			123 - 12	5		
-		-	130 - 14		-	-
_		2	140 - 15		_	_
-		-		5 No sample	-	-
-		-		o no sampie	-	-
-		-	-			-
-		-	-		-	-
_		-	-			-
-		-	-		-	-
-		-	-		-	-
-		-	-		-	2 - 5
		-	-		-	-
-		_	-		2	- /
					-	-
-		-	-		-	-
-		-	-		-	-
-			-		-	-
-		-	-		-	
-		-	-		-	

OWNER: L. W. Bowers (Oakbower Motel) DRILLER: C. R. Moore COUNTY: Augusta (Waynesboro) VDMR #1165 WWCR #320 TOTAL DEPTH: 155'

GEOLOGIC LOG

0-40 No sample.

Catoctin Formation (40-150')

- 40-50 Sandstone medium-pinkish-gray, coarse-grained, (up to 3 mm, average 1 mm), quartz, quartzite, rock fragments, feldspar; poorly sorted, subangular, chlorite, sericite cement.
- 50-60 Greenstone and Sandstone medium-dark-gray, very-finegrained, iron stained on fractures; platy minerals lineated. (X-ray examination: muscovite, chlorite, minor pyroxene, and epidote); very minor magnetite; (some of above sandstone fragments here).
- 60-70 As above no sandstone slightly green.
- 70-80 As above no iron staining.
- 80-90 As above slight iron stains, less foliation.
- 90-100 Greenstone medium-dark-greenish-gray, very-fine-grained, chlorite, muscovite, magnetite; round iron-stained spots on fractures.
- 100-110 Greenstone medium-blue-gray, very-fine-grained, chlorite, muscovite, epidote, magnetite; (X-ray examination: above plus plagioclase, minor amphibole and pyroxene)
- 110-120 As above with a buff layer rich in quartz and biotite.
- 120-130 Greenstone medium-greenish-gray, very-fine-grained, chlorite, muscovite, magnetite, plagioclase; a few fragments of metamorphosed basalt (see below).
- 123-125 Greenstone very-dark-gray, mottled green and purple, veryfine-grained, quartz, and epidote veins and amygdules, chlorite veins, jasper, magnetite, ilmenite, stilpnomelane. (X-ray examination: above minerals plus plagioclase and actinolite). About one-half the sample was pieces of above mentioned shale.
- 130-140 Greenstone medium-gray-green, very-fine-grained, foliated, chlorite, muscovite, magnetite, plagioclase, minor epidote, and quartz.

140-150 Greenstone — medium-gray-green, very-fine-grained, foliated, chlorite, muscovite, magnetite, plagioclase, minor epidote, and quartz.

- 2 -

150-155 No sample.

GEOLOGIC SUMMARY

ROCK UNIT

TIME ROCK UNIT

- 0-40 No sample
- 40-150Catoctin Formation150-155No sample

Precambrian or Cambrian

Virginia Division of Mineral Resources Hollis N. Walker, Geologist November 9, 1964