

INTERVAL SHEET

Page 1 of 1

VDMR Well No: 1499

Date rec'd: 2/25/66

Sample Interval: from 40 to 142

PROP: T. A. Allison

Number of samples: 5

COMP: Farmville Well Drilling Co.

Total Depth: 142

COUNTY: Albemarle (Scottsville)

Oil or Gas: Water: XExploratory:

From-To	From-To	From-To	From-To
40 - 62	-	-	-
62 - 82	-	-	-
82 - 102	-	-	-
102 - 122	-	-	-
122 - 142	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-

All intervals have both washed and unwashed samples.

OWNER: T. A. Allison
DRILLER: Farmville Well Drilling Co., Inc.
COUNTY: Albemarle (Scottsville)

VDMR #1499
WWCR #979
TOTAL DEPTH: 142'

GEOLOGIC LOG

0-40	No sample.
40-62	Siltstone — brick-red, ferruginous, micaceous.
62-82	"
82-102	"
102-122	trace contamination with phyllite fragments.
122-142	Shale — brick-red, ferruginous, slightly micaceous; trace contamination with phyllite fragments.

GEOLOGIC SUMMARY

	<u>ROCK UNIT</u>	<u>AGE</u>
0-40	No sample	
40-142	Newark Group	Triassic

Virginia Division of Mineral Resources
Hollis N. Walker, Geologist
March 16, 1966