

OWNER: Hunter Faulconer  
(Dinner Theaters, Inc., Well #2)  
DRILLER: C. R. Moore Well Drilling Co.  
COUNTY: Albemarle (Farmington)

VDMR: 2028  
WWCR: 1029  
TOTAL DEPTH: 300'

GEOLOGIC LOG

Depth in feet

0-50	No samples
50-60	Biotite-gneiss - gray; granitic; non-lineated, crystalline, coarse-grained feldspar and quartz; lineated to foliated; fine-grained biotite; trace of pink-red garnet
60-70	"
70-80	"
80-90	"
90-100	"
100-110	"
110-120	"
120-130	"
130-140	"
140-150	"
150-160	"
160-170	"
170-180	"
180-190	"
190-200	"
200-210	"
210-220	"
220-230	"
230-240	"

OWNER: Hunter Faulconer (Dinner Theaters, Inc., Well #2)

#2028

240-250 Biotite-gneiss - gray; granitic; non-lineated, crystalline,  
coarse-grained feldspar and quartz; lineated to foliated;  
fine-grained biotite; trace of pink-red garnet

250-260 "

260-270 "

270-280 "

280-290 "

290-300 "

GEOLOGIC SUMMARY

<u>Rock Unit</u>	<u>Age</u>
0-50'	No Samples
50-300'	Lovingston Formation
	Precambrian

Virginia Division of Mineral Resources  
Robert G. Willson, Geologist  
December 6, 1967

COMMONWEALTH OF VIRGINIA  
DEPARTMENT OF CONSERVATION AND ECONOMIC DEVELOPMENT

VDMR - 2028  
WWCR - 1029

MAILING ADDRESS:

B 3667  
Charlottesville, VA 22903

DIVISION OF MINERAL RESOURCES

JAMES L. CALVER, COMMISSIONER

OFFICE ADDRESS:

McCormick Road  
Charlottesville, Virginia

WATER WELL COMPLETION REPORT

OWNER: Hunter Faulconer Mailing Address: Charlottesville, Va.

TENANT: Dinner Theaters, Inc., Well #2 Mailing Address: Charlottesville, Va.

DRILLER: C. R. Moore Well Drilling Co. Mailing Address: 1427 Hazel Street, Charlottesville

WELL LOCATION: County Albemarle U. S. 250 and 3 miles west (direction) of Charlottesville  
Approx. 200 <sup>feet</sup>/<sub>miles</sub> north (direction) of

(GIVE DIRECTION AND DISTANCE IN FEET OR MILES FROM TWO REFERENCE POINTS - ROADS, TOWNS, RIVERS, ETC. - ON COUNTY HIGHWAY OR OTHER MAP.)

DATE STARTED: 10/15/67 DATE COMPLETED: 10/17/67

TYPE OF DRILL RIG USED: Rotary TOTAL DEPTH 300 feet

WATER LEVEL: Stands 70 feet below surface OR  
has NATURAL flow of \_\_\_\_\_ gallons per minute.

YIELD TEST: Method Air  
Drawdown \_\_\_\_\_ feet  
Rate 8 gal. per min.  
Duration \_\_\_\_\_ hrs., \_\_\_\_\_ min.

HOLE SIZE: 10+ inches from 0 to 50 feet  
6 1/4 inches from 50 to 300 feet  
\_\_\_\_\_ inches from \_\_\_\_\_ to \_\_\_\_\_ feet

WATER ZONES: from 230 to 240 feet  
from 250 to 270 feet  
from \_\_\_\_\_ to \_\_\_\_\_ feet

SCREEN SIZE: \_\_\_\_\_ inches from \_\_\_\_\_ to \_\_\_\_\_ feet  
\_\_\_\_\_ inches from \_\_\_\_\_ to \_\_\_\_\_ feet  
\_\_\_\_\_ inches from \_\_\_\_\_ to \_\_\_\_\_ feet

WATER: Color none Taste none  
Odor none Temp. \_\_\_\_\_ °F

CASE SIZE: 6 1/4 inches from 0 to 50 feet  
\_\_\_\_\_ inches from \_\_\_\_\_ to \_\_\_\_\_ feet  
\_\_\_\_\_ inches from \_\_\_\_\_ to \_\_\_\_\_ feet

WELL TO SUPPLY: (check one) Home \_\_\_\_\_  
Farm \_\_\_\_\_ Town \_\_\_\_\_ School \_\_\_\_\_  
Industry \_\_\_\_\_ Other Theater

GROUTING: Method Hand  
Material Cement Depth 50 feet

WATER ANALYSIS AVAILABLE: Yes \_\_\_\_\_ No \_\_\_\_\_

PUMP: Type Goulds 3/4 HP  
Capacity \_\_\_\_\_ gal. per min.  
Depth of intake 250 feet

DRILL CUTTINGS SAVED: Yes X No \_\_\_\_\_

(DRILL CUTTINGS SHOULD BE COLLECTED AT 10 FOOT INTERVALS. THESE SAMPLES MAY BE SHIPPED TO THIS OFFICE EXPRESS COLLECT. SAMPLE BAGS ARE FURNISHED FREE OF CHARGE UPON REQUEST.)

REMARKS: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_



INTERVAL SHEET

Page 1 of 1

VDMR Well No: 2028

Date rec'd:

Sample Interval: from 50' to: 300'

PROP: Hunter Faulconer (Dinner Theaters, Inc., #2)

Number of samples: 25

COMP: C. R. Moore Well Drilling Co.

Total Depth: 300'

COUNTY: Albemarle (Farmington)

Oil or Gas: Water~~X~~ Exploratory:

From-To	From-To	From-To	From-To
No sample	-	-	-
50 - 60	-	-	-
60 - 70	-	-	-
70 - 80	-	-	-
80 - 90	-	-	-
90 - 100	-	-	-
100 - 110	-	-	-
110 - 120	-	-	-
120 - 130	-	-	-
130 - 140	-	-	-
140 - 150	-	-	-
150 - 160	-	-	-
160 - 170	-	-	-
170 - 180	-	-	-
180 - 190	-	-	-
190 - 200	-	-	-
200 - 210	-	-	-
210 - 220	-	-	-
220 - 230	-	-	-
230 - 240	-	-	-
240 - 250	-	-	-
250 - 260	-	-	-
260 - 270	-	-	-
270 - 280	-	-	-
280 - 290	-	-	-
290 - 300	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-

All intervals have both washed and unwashed samples.