VDMR: 2341 WWCR: 1051

#### COMMONWEALTH OF VIRGINIA

DEPARTMENT OF CONSERVATION AND ECONOMIC DEVELOPMENT

MAILING ADDRESS:

# DIVISION OF MINERAL RESOURCES

B 3667 C. lottesville, VA 22903

JAMES L. CALVER, COMMISSIONER WATER WELL COMPLETION REPORT

McCormick Road Charlottesville, Virginia

OFFICE ADDRESS:

OWNER: R. N. Cronemeyer, Well #3	. Mailing Address: Garth Rd., Charlottesville
TENANT:	Mailing Address:
DRILLER: C.R. Moore Well Drilling Co.	- Mailing Address: Hazel St., Charlottesville
	Approx. 1/3 ** east (direction) of
Owensville and 50	00 feet north (direction) of St. Rd. 676
(GIVE DIRECTION AND DISTANCE IN FEET OR MILES FROM TOURNTY HIGHWAY OR OTHER MAP.)	WO REFERENCE POINTS - ROADS, TOWNS, RIVERS, ETC ON
DATE STARTED: November 1968	DATE COMPLETED: November 1968
TYPE OF DRILL RIG USED: air rotary	TOTAL DEPTH75 feet
WATER LEVEL: Stands 6 feet below	surface <u>OR</u>
has <u>NATURAL</u> flow of_	gallons per minute.
YIELD TEST: Methodair	HOLE SIZE: 10 inches from 0 to 28 feet
Drawdown feet	6 inches from 28 to 75 feet
Rate 12 gal. per min.	inches fromtofeet
Durationhrs.,min.	SCREEN SIZE:inches fromtofeet
WATER ZONES: fromtofeet	inches fromtofeet
fromfeet	inches fromtofeet
fromfeet	CASE SIZE: 6 inches from 0 to 30 feet
WATER: ColorTaste	inches fromtofeet
Odor°F	inches fromtofeet
WELL TO SUPPLY: (check one) Home X	GROUTING: Method
Farm Town School	Material Depth feet
IndustryOther	PUMP: Type
WATER ANALYSIS AVAILABLE: YesNo_X	Capacitygal. per min
DRILL CUTTINGS SAVED: Yes_X_No	Depth of intakefeet
OFFICE EXPRESS COLLECT. SAMPLE BAGS ARE FURNISH	
R ARKS:	

## INTERVAL SHEET

Page 1 of 1

1051 WWCR:

VDMR Well No: 2341

Date rec'd:

12/13/68

Sample Interval: from 27 to: 70'

PROP:

R. N. Cronemeyer, Well #3

Number of samples:

COMP:

C.R. Moore Well Drilling Co.

Total Depth: 75'

COUNTY:

Albemarle (Owensville)

Oil or Gas: Water: XExploratory:

From-To	From-To	From-To	From-To
No samples			
No samples 27 - 30	-	, <del>-</del>	-
40 -	-	-	-
50	-	-	-
60 -	~	-	æ
70 -	**	_	-
**	-	-	
	_	-	
***	_	_	-
	_	_	<b>(4</b> )
	_	-	_
<u>.</u>	_	_	-
	-	-	_
on .	_	-	_
	_	-	=
_	_	: <u>-</u>	_
-	=		
	_	_	
		_	·-
	<del>-</del> ,	) <del>-</del> ,	-
-		414	-
•	-	-	-
	-	-	-
-	. <del></del> (	-	-
	-	-	-
-	-	r <del>-</del> -	-
**	-	-	-
	-	=	=
-	-	V <b>-</b>	-
-		-	-
and the same of th	-	-	=
-	<del>(4)</del>	-	=
**	-	-	-

OWNER: R. N. Cronemeyer, Well #3
DRILLER: C. R. Moore Well Drilling Co.

COUNTY: Albemarle (Owensville)

VDMR: 2341 WWCR: 1051 TOTAL DEPTH: 75'

## GEOLOGIC LOG

Depth in feet	
0-27	No samples
27-30	Biotite gneiss — tannish-gray, slightly weathered and iron-oxide stained, foliated, micaceous; feldspar, quartz and biotite, with trace of chlorite
40	ш
50	gray, unweathered and unstained
60	п
70	шшшшшшшшшшшшшшшшшшшшшшшшшшшшшшшшшшшшшшш
70-75	No sample

## GEOLOGIC SUMMARY

	Rock Unit	Age
0-27	No samples	
27-701	Lovingston Formation	Precambrian
70-751	No sample	

Virginia Division of Mineral Resources Robert G. Willson, Geologist December 18, 1968