COMMONWEALTH OF VIRGINIA

DEPARTMENT OF CONSERVATION AND ECONOMIC DEVELOPMENT

DIVISION OF MINERAL RESOURCES MAILING ADDRESS: OFFICE ADDRESS: JAMES L. CALVER, COMMISSIONER B 3667 McCormick Road Colottesville, VA 22903 WATER WELL COMPLETION REPORT Charlottesville, Virginia OWNER: Sam Arrington Moiling Address: Rt. 3, Bassett, Virginia TENANT: _____ Mailing Address:_____ DRILLER: Moore Well Drilling, Inc. Mailing Address: Box 97, Rustburg, Va. WELL LOCATION: County Henry Approx. 1/4 xxxxx south (direction) of and 75 feet (direction) of St. Rd. 672 St. Rd. 674 (GIVE DIRECTION AND DISTANCE IN FEET OR MILES FROM TWO REFERENCE POINTS - ROADS, TOWNS, RIVERS, ETC. - ON COUNTY HIGHWAY OR OTHER MAP.) DATE STARTED:___8/5/68 _____DATE COMPLETED: 8/6/68 TYPE OF DRILL RIG USED: air rotary TOTAL DEPTH 172 feet WATER LEVEL: Stands 60 feet below surface OR has NATURAL flow of_____gallons per minute. YIELD TEST: Method ____air lift HOLE SIZE: 9 inches from 0 to 91 feet 6 inches from 91 to 172 feet Drawdown _____ feet Rate ____5 ___ gal. per min. _____inches from _____to ____feet Duration _____hrs.,___min. SCREEN SIZE:____inches from _____to ____feet WATER ZONES: from ______to _____feet ____inches from ____to ___feet from_____feet inches from to feet CASE SIZE: 6 1/4 inches from 0 to 91 feet from ______feet WATER: Color_____Taste____ ____inches from___to___feet Odor_________°F ____inches from ____to___feet WELL TO SUPPLY: (check one) Home X GROUTING: Method Farm_____Town___School____ Material _____ Depth_____ feet PUMP: Industry____Other___ Туре _____ WATER ANALYSIS AVAILABLE: Yes _____No X Capacity_____gal. per min Yes_5_No___ Depth of intake _____ DRILL CUTTINGS SAVED: (DRILL CUTTINGS SHOULD BE COLLECTED AT 10 FOOT INTERVALS. THESE SAMPLES MAY BE SHIPPED TO THIS OFFICE EXPRESS COLLECT, SAMPLE BAGS ARE FURNISHED FREE OF CHARGE UPON REQUEST.) ARKS:

VIRGINIA DIVISION OF MINERAL RESOURCES Box 3667, Charlottesville, VA 22903

INTERVAL SHEET

C- 210

Page 1 of 1

Well Repository No: W-2385

Date rec'd: 1/8/69

Sample Interval: from 90 to: 172'

PROPERTY: Sam Arrington

Number of samples: 5

COMPANY: Moore Well

Total Depth: 172'

COUNTY:

Moore Well Drilling, Inc.

Henry (Bassett)

Oil or Gas: Water:XExploratory:

From-To	From-To	From-To	From-To
No samples	¥	<u>~</u>	-
90 - 105	_	-	-
105 _ 130		:=-	-
130 _ 145	-	-	-
145 _ 160	- 	()	
160 - 172	_	7 ≥ 7	= 7
-	-	9 - 0	-
-		r = :	_
k.co ure	-		<u> </u>
	<u>~2</u>	=	<u>~</u>
-	-	-	_
-	-	,2	=
<u>.</u>	~	-	_
200 200	_	- 3	_
	_	_	_
	*=	2	_
1 71			=
·-		-	_
-	-	-	_
i .	.)	The	
	<u>-</u>	5 .	-
-	-	-	-
ಪ		Res.	### A
-) = }		
Start's	<u>-</u>	₩	-
-	(-)	-	-

Unwashed samples only; not enough to split.

OWNER: Sam Arrington

DRILLER: Moore Well Drilling, Inc.

COUNTY: Henry (Bassett)

W-2385 C- 210

TOTAL DEPTH - 1721

GEOLOGIC LOG

Depth in feet	
0-90	No samples
90-105	Weathered gneiss — brown; weathered and iron-oxide stained, fine to coarse grained, foliated; feldspar, quartz, mica and clay
105-130	Gneiss — tannish-gray; slightly weathered, medium to coarse grained, foliated, micaceous; feldspar, quartz, muscovite (some is pegmatitic) and biotite, with trace of garnet
130-145	light gray; not weathered
145-160	п
160-172	н

GEOLOGIC SUMMARY

	Rock Unit	$\underline{\mathrm{Age}}$
0-901	No samples	
90-172'	Gneiss	Precambrian (?)

Virginia Division of Mineral Resources Robert G. Willson, Geologist January 16, 1969