## COMMONWEALTH OF VIRGINIA

DEPARTMENT OF CONSERVATION AND ECONOMIC DEVELOPMENT

DIVISION OF MINERAL RESOURCES " MAILING ADDRESS: OFFICE ADDRESS: JAMES L. CALVER, COMMISSIONER Be 3667 McCormick Road WELL COMPLETION REPORT C lottesville, VA 22903 WATER Charlottesville, Virginia OWNER: \_\_ Curtis A. Jones Mailing Address: Rt. 1, Rustburg, Virginia TENANT: \_\_\_\_\_ Mailing Address: \_\_\_\_\_ DRILLER: Moore Well Drilling, Inc. Mailing Address: Rustburg, Virginia \_\_\_miles\_northeast WELL LOCATION: County Campbell Approx. 5 (direction) of at end of and 1/4 miles south (direction) St. Rd. 617 Evington (GIVE DIRECTION AND DISTANCE IN FEET OR MILES FROM TWO REFERENCE POINTS - ROADS, TOWNS, RIVERS, ETC. - ON COUNTY HIGHWAY OR OTHER MAP.) DATE STARTED: 5/17/68 DATE COMPLETED: 5/20/68 TYPE OF DRILL RIG USED: air rotary TOTAL DEPTH 160 feet Stands 45 feet below surface OR WATER LEVEL: has NATURAL flow of\_\_\_\_\_gallons per minute. YIELD TEST: Method \_\_\_ air lift HOLE SIZE: 9 inches from 0 to 86 feet \_inches from 86 to 160 Drawdown \_\_\_\_\_ feet Rate \_\_\_\_ gal. per min. \_\_\_\_\_inches from \_\_\_\_\_to \_\_\_\_feet SCREEN SIZE:\_\_\_\_\_inches from \_\_\_\_\_to \_\_\_\_feet Duration \_\_\_\_\_hrs., \_\_\_\_min. \_\_\_\_inches from \_\_\_\_to \_\_\_feet WATER ZONES: from \_\_\_\_\_\_\_to \_\_\_\_\_feet \_\_\_\_inches from \_\_\_\_to\_\_\_ feet from\_\_\_\_\_to\_\_\_\_ CASE SIZE: 6 inches from 0 to 86 feet from \_\_\_\_\_feet WATER: Color\_\_\_\_\_Taste\_\_\_\_ \_\_\_\_inches from\_\_\_\_to\_\_\_\_feet Odor Temp. °F \_\_\_\_inches from \_\_\_\_to\_\_\_feet WELL TO SUPPLY: (check one) Home X GROUTING: Method \_\_\_\_\_ Farm\_\_\_\_\_ Town\_\_\_\_ School\_\_\_\_ Material \_\_\_\_\_ Depth\_\_\_\_ PUMP: Industry\_\_\_\_Other\_\_\_ Туре \_\_\_\_\_ Capacity\_\_\_\_\_gal\_per min WATER ANALYSIS AVAILABLE: Yes \_\_\_\_\_No\_X\_ Yes\_7\_No\_\_\_ DRILL CUTTINGS SAVED: Depth of intake \_\_\_ feet

(DRILL CUTTINGS SHOULD BE COLLECTED AT 10 FOOT INTERVALS. THESE SAMPLES MAY BE SHIPPED TO THIS

OFFICE EXPRESS COLLECT, SAMPLE BAGS ARE FURNISHED FREE OF CHARGE UPON REQUEST.)

ARKS:\_\_\_\_

## VIRGINIA DIVISION OF MINERAL RESOURCES Box 3667, Charlottesville, VA 22903

## INTERVAL SHEET

C- 321

Page 1 of 1 Well Repository No: W-2405

Date rec'd: 1/15/69 Sample Interval: from 0 to:160'

PROPERTY: Curtis A. Jones Number of samples: 7

COMPANY: Moore Well Drilling, Inc. Total Depth: 160'

COUNTY: Campbell (Evington) Oil or Gas: Water: XExploratory:

Fro	m	- То	From-To	From-To	From-To
0	_	85	<u> </u>	<u> </u>	<u>-</u>
	_		~	=	-
89	_	100	-	-	-
100		110	-	_	_
110		135	-	<u></u>	:#
135	_	140	_	-	-
140		147	-	-	-
147		160		-	-
	-		-	-	( <del>-</del> )
	-		æ	-	9 <b>-</b> 8
	-		-	1 <del></del> 1	0=.
	-		-	-	-
	-		÷ ·	無	-
	_			· <u>··</u>	2 <b>-</b>
	-		-2"	: <b>-</b> 1	-
	ė		<del>'</del> =		7.
	-		<u>~</u>	1-1	-
	-		<sup>2</sup> ~	a—e a	-
	-		-	l <del>e</del> s	-
	-		<del>;=</del> '	<del>[2</del> ]	=
	-			: <del>-</del> -	-
	-		:	.=.	-
	-		æ		
	-		-		-
	-		E=1	( <del></del> )	-

Unwashed samples only; not enough to split.

OWNER: Curtis A. Jones

DRILLER: Moore Well Drilling, Inc.

COUNTY: Campbell (Evington)

W-2405 C- 321 TOTAL DEPTH-160'

## GEOLOGIC LOG

Depth in feet		
0-85	Saprolite — tan, weathered and iron-oxide stained, fine grained quartz, mica, clay and feldspar	
85-89	No sample	
89-100	Muscovite schist — light gray; fine grained, very micaceous; muscovite, with minor amounts of quartz, feldspar, biotite and amphiboles	
100-110	m .	
110-135	Π	
135-140	" with fragments of vein quartz and graphite (?)	
140-147	Mica schist — silver-gray, fine grained, micaceous, gneissic; muscovite, biotite, feldspar, quartz and amphiboles	
147-160	п	
	GEOLOGIC SUMMARY	

	Rock Unit	Age
0-85 <sup>t</sup>	Saprolite	
85-89 <sup>t</sup>	No sample	
89-1601	Evington Group (?)	Cambrian (?)

Virginia Division of Mineral Resources Robert G. Willson, Geologist January 21, 1969