#### COMMONWEALTH OF VIRGINIA

DEPARTMENT OF CONSERVATION AND ECONOMIC DEVELOPMENT

MAILING ADDRESS:

DIVISION OF MINERAL RESOURCES

JAMES L. CALVER, COMMISSIONER

OFFICE ADDRESS: McCormick Road

B 3667

C. lottesville, VA 22903 WATER WELL COMPLETION REPORT

Charlottesville, Virginia

HEMARKS :	- 63 99 000 4 02 90 000 1000 1000
OWNER: Russell Shananbeger	Mailing Address: RFD 2, P. O. Box 411 7A
TENANT:	
	Mailing Address: Rustburg, Virginia
	Approx. 3 XDENIX south (direction) of
Lynchburgand_	75 feet southeast (direction) of St. Rd. 677
(GIVE DIRECTION AND DISTANCE IN FEET OR MILES COUNTY HIGHWAY OR OTHER MAP.)	FROM TWO REFERENCE POINTS - ROADS, TOWNS, RIVERS, ETC ON
DATE STARTED: 12/17/68	DATE COMPLETED: 12/18/68
TYPE OF DRILL RIG USED: air rotar	TOTAL DEPTH 197 feet
WATER LEVEL: Stands 70 feet b	elow surface <u>OR</u>
has <u>NATURAL</u> flo	w ofgallons per minute.
YIELD TEST: Methodair lift	HOLE SIZE: 9 inches from 0 to 104 feet
Drawdown feet	6inches from <u>104</u> to <u>197</u> feet
Rate $\frac{4}{}$ gal. per min.	inches fromtofeet
Durationhrs.,min.	SCREEN SIZE:inches fromtofeet
WATER ZONES: from to	feetinches fromtofeet
fromto	feetinches fromtofeet
fromto	_feet
WATER: ColorTaste	inches fromtofeet
OdorTemp	inches fromtofeet
WELL TO SUPPLY: (check one) Home X	GROUTING: Method
Farm Town School	Depth feet
IndustryOther	PUMP: Type
WATER ANALYSIS AVAILABLE:YesNo_	X Capacity gal. per min
DRILL CUTTINGS SAVED: Yes 3 No_ (DRILL CUTTINGS SHOULD BE COLLECTED AT 10 OFFICE EXPRESS COLLECT. SAMPLE BAGS ARE	FOOT INTERVALS. THESE SAMPLES MAY BE SHIPPED TO THIS
R ARKS:	

## VIRGINIA DIVISION OF MINERAL RESOURCES Box 3667, Charlottesville, VA 22903

#### INTERVAL SHEET

C- 340

Page 1 of 1

Well Repository No: W-2435

Date rec'd: 2/3/69 Sample Interval: from 0 to: 197'

PROPERTY: R. Shananbeger

Number of samples: 3

COMPANY:

Moore Well Drilling, Inc.

Total Depth: 1971

COUNTY:

Campbell (Lynchburg)

Oil or Gas: Water:XExploratory:

From-To	From-To	From-To	From-To
0 - 104	_	-	_ *
104 - 122	-	-	-
122 - 197	, -	Ε.	-
#	-	-	-
	-	-	_
~	=.	=	-
-	-	=	-
=	-	=	-
_	-	-	_
-	=	_	-
<u>~</u>	<del>-</del>	-	<del>-</del>
-	-	-	-
-	-	_	-
-	-	_	-
-	-	-	
_	_	-	_
-	-	-	-
_	-	-	-
-	-	-	-
_	-	-	-
-	-	=	-
<u> </u>	-	-	-
4	_	-	
-	-	-	: <del>L</del>
2	=	<u> </u>	_

Unwashed samples only; not enough to split.

OWNER: Russell Shananbeger DRILLER: Moore Well Drilling, Inc.

COUNTY: Campbell (Lynchburg)

W-2435 C- 340

TOTAL DEPTH - 197'

### GEOLOGIC LOG

Depth in feet	
0-104	Saprolite — reddish-tan, weathered and iron-oxide stained, fine grained, quartz, feldspar, clay and mica (?)
104-122	Phyllite and vein quartz — tan; weathered and iron-oxide stained vein quartz with partially weathered and iron-oxide stained phyllite; phyllite is aphanitic, foliated, micaceous; sericite, chlorite, feldspar and quartz
122-197	Quartzite — gray; very fine grained, calcareous, sheared; quartz, with traces of dark minerals

# GEOLOGIC SUMMARY

	Rock Unit	Age
0-1041	Saprolite	
104-1971	Evington Group (?)	Cambrian (?)

Virginia Division of Mineral Resources Robert G. Willson, Geologist February 4, 1969