

VIRGINIA DIVISION OF MINERAL RESOURCES  
 Box 3667, Charlottesville, VA 22903

INTERVAL SHEET

c-719

Page 1 of 1

Well Repository No: **3516**

Date rec'd: 4/18/72 Date Processed: 4/25/72

Sample Interval: from 0 to 300

PROPERTY: Fairfax Co. Water Auth.

Number of samples: 30

COMPANY: (Coburn Mill Run)

Total Depth: 305'

R. R. Runyon

COUNTY: Fairfax (Greenway)

Oil or Gas: Water  Exploratory:

| From-To | From-To | From-To | From-To |
|---------|---------|---------|---------|
| - 10    | - 260   | -       | -       |
| - 20    | - 270   | -       | -       |
| - 30    | - 280   | -       | -       |
| - 40    | - 290   | -       | -       |
| - 50    | - 300   | -       | -       |
| - 60    | -       | -       | -       |
| - 70    | -       | -       | -       |
| - 80    | -       | -       | -       |
| - 90    | -       | -       | -       |
| - 100   | -       | -       | -       |
| - 110   | -       | -       | -       |
| - 120   | -       | -       | -       |
| - 130   | -       | -       | -       |
| - 140   | -       | -       | -       |
| - 150   | -       | -       | -       |
| - 160   | -       | -       | -       |
| - 170   | -       | -       | -       |
| - 180   | -       | -       | -       |
| - 190   | -       | -       | -       |
| - 200   | -       | -       | -       |
| - 210   | -       | -       | -       |
| - 220   | -       | -       | -       |
| - 230   | -       | -       | -       |
| - 240   | -       | -       | -       |
| - 250   | -       | -       | -       |

all intervals have been washed & crushed samples

W-3516  
C-719

COMMONWEALTH OF VIRGINIA  
DEPARTMENT OF CONSERVATION AND ECONOMIC DEVELOPMENT

W-3516

MAILING ADDRESS:  
Box 3667  
Charlottesville, VA 22903

DIVISION OF MINERAL RESOURCES  
JAMES L. CALVER, COMMISSIONER  
WATER WELL COMPLETION REPORT

OFFICE ADDRESS:  
McCormick Road  
Charlottesville, Virginia

OWNER: Fairfax County Water Authority Mailing Address: Annandale

TENANT: (Colvin Run Mill #1) Mailing Address: Greenway

DRILLER: R.R. Runyon Mailing Address: Herndon

WELL LOCATION: County Fairfax Approx. 700 feet miles west (direction) of  
Route 681 and 600 feet miles northwest (direction) of

(GIVE DIRECTION AND DISTANCE IN FEET OR MILES FROM TWO REFERENCE POINTS - ROADS, TOWNS, RIVERS, ETC. - ON COUNTY HIGHWAY OR OTHER MAP.)

DATE STARTED: 3/2/72 DATE COMPLETED: 3/8/72

TYPE OF DRILL RIG USED: \_\_\_\_\_ TOTAL DEPTH 305 feet

WATER LEVEL: Stands \_\_\_\_\_ feet below surface OR  
has NATURAL flow of \_\_\_\_\_ gallons per minute.

YIELD TEST: Method \_\_\_\_\_  
Drawdown \_\_\_\_\_ feet  
Rate \_\_\_\_\_ gal. per min.  
Duration \_\_\_\_\_ hrs., \_\_\_\_\_ min.

WATER ZONES: at 40 (ceased off) feet  
at 73 (4gpm) feet  
from \_\_\_\_\_ to \_\_\_\_\_ feet

WATER: Color \_\_\_\_\_ Taste \_\_\_\_\_  
Odor \_\_\_\_\_ Temp. \_\_\_\_\_ °F

WELL TO SUPPLY: (check one) Home \_\_\_\_\_  
Farm \_\_\_\_\_ Town \_\_\_\_\_ School \_\_\_\_\_  
Industry \_\_\_\_\_ Other \_\_\_\_\_

WATER ANALYSIS AVAILABLE: Yes \_\_\_\_\_ No \_\_\_\_\_

DRILL CUTTINGS SAVED: Yes \_\_\_\_\_ No \_\_\_\_\_

(DRILL CUTTINGS SHOULD BE COLLECTED AT 10 FOOT INTERVALS. THESE SAMPLES MAY BE SHIPPED TO THIS OFFICE EXPRESS COLLECT. SAMPLE BAGS ARE FURNISHED FREE OF CHARGE UPON REQUEST.)

REMARKS: Ab

HOLE SIZE: \_\_\_\_\_ inches from \_\_\_\_\_ to \_\_\_\_\_ feet  
\_\_\_\_\_ inches from \_\_\_\_\_ to \_\_\_\_\_ feet  
\_\_\_\_\_ inches from \_\_\_\_\_ to \_\_\_\_\_ feet

SCREEN SIZE: \_\_\_\_\_ inches from \_\_\_\_\_ to \_\_\_\_\_ feet  
\_\_\_\_\_ inches from \_\_\_\_\_ to \_\_\_\_\_ feet  
\_\_\_\_\_ inches from \_\_\_\_\_ to \_\_\_\_\_ feet

CASE SIZE: 10 1/4 inches from 0 to 56 1/2 feet  
6 1/4 inches from 7.2 to 60 feet  
(both pulled)  
\_\_\_\_\_ inches from \_\_\_\_\_ to \_\_\_\_\_ feet

GROUTING: Method \_\_\_\_\_  
Material \_\_\_\_\_ Depth \_\_\_\_\_ feet

PUMP: Type \_\_\_\_\_  
Capacity \_\_\_\_\_ gal. per min.  
Depth of intake \_\_\_\_\_ feet

FURNISHED BY: \_\_\_\_\_

DATE: \_\_\_\_\_

| DEPTH<br>(feet) |     | TYPE OF ROCK OR SOIL PENETRATED<br>(gravel, clay, etc., hardness, color, etc.) | REMARKS<br>(water, caving, shot, screen, sample, etc.) |
|-----------------|-----|--|--|
| FROM            | TO  |  |  |
|                 | 43' | rotten sandstone   |  |
|                 | 105 | blue schist  |  |
|                 | 165 | hard blue shale  |  |
|                 | 175 | " " "  |  |
|                 | 180 | " " "  |  |
| 180             | 182 | soft white rock  |  |
|                 | 195 | hard blue shale  |  |
|                 | 205 | " " "  |  |
|                 | 215 | " " " with some white flint  |  |
|                 | 225 | hard blue shale  |  |
|                 | 240 | harder marble granite  |  |
|                 | 265 | hard granite   |  |
|                 | 280 | hard rock  |  |
|                 | 285 | " "  |  |
|                 | 295 | " "  |  |
|                 | 305 |  |  |