

VIRGINIA DIVISION OF MINERAL RESOURCES
 Box 3667, Charlottesville, VA 22903

INTERVAL SHEET

C-279

Page 1 of 1

Well Repository No: 3757

Date rec'd: 1/4/73 Date Processed: 5/17/73

Sample Interval: from 120' to: 447'

PROPERTY: Daniel Cross Water Co Well #14

Number of samples: 32

COMPANY: Aqueductors, Inc.

Total Depth: 447'

COUNTY: Henry (Collinsville)

Oil or Gas: Water Exploratory:

From-To	From-To	From-To	From-To
no sample	60-70	-	-
120-30	70-80	-	-
30-40	80-90	-	-
40-50	90-400	-	-
50-60	400-10	-	-
60-70	10-20	-	-
70-80	20-30	-	-
80-90	430-447	-	-
90-200	-	-	-
200-10	-	-	-
10-20	-	-	-
20-30	-	-	-
30-40	-	-	-
40-50	-	-	-
50-60	-	-	-
60-70	-	-	-
70-80	-	-	-
80-90	-	-	-
90-300	-	-	-
300-10	-	-	-
10-20	-	-	-
20-30	-	-	-
30-40	-	-	-
40-50	-	-	-
50-60	-	-	-

unmarked only.