COMMONWEALTH OF VIRGINIA

DEPARTMENT OF CONSERVATION AND ECONOMIC DEVELOPMENT

MAILING ADDRESS:

Box 3667

DIVISION OF MINERAL RESOURCES

JAMES L. CALVER, COMMISSIONER

McCormick Road Chriottesville, VA 22903 WATER WELL COMPLETION REPORT Charlottesville, Virginia

OFFICE ADDRESS:

and many, community against suffering a sound	2111 Magnolia Street
OWNER: Sydnor Hydrodynamics, Incorporated	
TENANT: Mayfield Farms #3	Mailing Address:
DRILLER: Sydnor Hydrodynamics	Mailing Address. Same as above
WELL LOCATION: County Hanover	
State Road 640and100	feet southeast (direction) of State Road 627
(GIVE DIRECTION AND DISTANCE IN FEET OR MILES FROM T COUNTY HIGHWAY OR OTHER MAP.)	WO REFERENCE POINTS - ROADS, TOWNS, RIVERS, ETC ON
DATE STARTED: March 18, 1975	DATE COMPLETED: April 22, 1975
WATER LEVEL: Stands 186 feet below	surface OR Completed at 300 Teet
has <u>NATURAL</u> flow of	gallons per minute
YIELD TEST: Methodpump	HOLE SIZE: 124 inches from 0 to 320 feet
Drawdown16feet	volo inches from 00 to 00 feet
Rate 40 gal. per min.	valo state man minches from to feet
Duration 48 hrs., min.	SCREEN SIZE: 6 inches from 206 to 276 feet
WATER ZONES: fromtofeet	inches fromtofeet
fromtofeet	inches fromtofeet
fromfeet	CASE SIZE: 6 inches from +2 to 206 feet
WATER: ColorTaste	6inches from 276to 300feet
Odor°F	inches fromtofeet
WELL TO SUPPLY: (check one) Home	GROUTING: Methodyes
Farm Town School	Material Depth50 feet
IndustryOther_subdivision	PUMP: Type
WATER ANALYSIS AVAILABLE:Yes X No By: State Lab	Capacitygal per min
DRILL CUTTINGS SAVED: Yes 32 No (DRILL CUTTINGS SHOULD BE COLLECTED AT 10 FOOT IN OFFICE EXPRESS COLLECT. SAMPLE BAGS ARE FURNISHE	
RFMARKS: Electric log by driller.	

FURNISHED BY: Charles Mitchell

__DATE:____

DEPTH (feet)		TYPE OF ROCK OR SOIL PENE	
ROM	ТО	(gravel, clay, etc., hardness, colo	r, etc.) (water, caving, shot, screen, sample, etc.)
			Vib. comments. In the State of the
_	15	Wand house alon	Wayfield Parms #3
0	15	Hard brown clay	ed, pink, and white and whose control control
15	23	Mixed colors of clay- brown, r	ed, pink, and white
23	35	Brown sand clay with some grav	'el
35	43	Brown gravel	and a second production of the second
43	46	Brown clay	State Soad 640
46	60	Brown clay Brown gravel	13
60	68	Brown clay	er ann eil i na deal mailt a' mailtean an am am ann an de
68	150	Blue clay	848 TJ
150	152	Hard streak-like rock	CONTRACTOR OF THE ACT
152	175	Dark gray clay	F _ 1 Marr 1 Marr 18, 1975
175	200	Gray sand clay and clay streak	s
200	217	Gray clay and shells	NAME OF THE PARTY OF THE
217	237	Hard gray sand	7679.5
237	247	Soft gray sand	4.147 1 38E 2. IL FI HETS
247	252	Hard gray sand	
252	255	Green clay	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
255	265	Gray sand	
265	280	Hard gray sand	CIFEC
280	300	Hard green clay	
Control of the	and the same of th	Hard green clay, some white	
300	310		
310	316	Gray, green, and white clay	
316	320	Soft gray granite	
-			Bay 48 a
- 1			
		- 4-4 /41	Males and a second and a selection of the second and a selection of the second and a second and
1			
		_ M = 1	111
301	Ca.		
		for a reason that the reason of	
00			
		1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	
		The state of the s	
		Chou I have delived a view	The second of th
	68		
			and the second section of the section of the second section of the section of the second section of the section of th
- 1			
		PUMP - The second secon	nolalviboua
- 1			
5		and the second s	La marina de la residencia de la finicia de la 1927.
			state Lab
		and the second second	
			A 1997 A T THE REAL PLAN AND THE STATE OF
			nach in Kalandara (1966)
			Electric log by driller.
1			

VIRGINIA DIVISION OF MINERAL RESOURCES Box 3667, Charlottesville, VA 22903

INTERVAL SHEET

C-179

Page 1 of 1 Well Repository No.: W-4391

Date rec'd: 07/01/75 Date Processed: 07/01/76 Sample Interval: from 0 to: 320

PROPERTY: Sydnor Hydrodynamics Number of samples: 32

(Mayfield Farms #3)

COMPANY: Sydnor Hydrodynamics Total Depth: 320'

COUNTY: Hanover (Ellerson) Oil or Gas: Water: x Exploratory:

From-To	From-	То	From-To		From-To	From-To	
0-10	300-1	0	-		_	_	
10-20	10-2				_		
20-30			_		_	, = 1	
30-40	_		_		_	_	
40-50			-			-	
50-60	1-1					=	
60-70	-		-		_	-	
70-80	-		_			-	
80-90	-		_		-	_	
90-100			. .2			-	
100-10	·		-		***	-	
10-20	-		-		-	1 -	
20-30			-		-	-	
30-40	· ·		_		-	-	
40-50			_		_		
50-60	1		-				
60-70	-		_		- ,	-	
70-80			-		-	_	
80-90	3 5-1 8		-		-	Service Control of the Control of th	
90 - 200			_		-	523 926	
200_10	-		-		-	-	
10_20			-		(*****)	-	
20_30	<u> </u>		_		-	-	
30_40	-		-		-	5	
40_50	:-		-		-	-	
50 – 60	-				-	-	
60 _ 70			-		-	-	
70_80	· · · · · · · · · · · · · · · · · · ·		:==			-	
80_90	1-1				6.55	-	
90 - 300	-		-		-	_	
₽	Contains both	wached and	unwaahad	gammle.			
*	Contraring Docti	washed allo	unwasned	sampres	(=)		
-	=		-		-	-	
:=:	_				-	-	
-	(* =)				-	=	
M 	-		_		-	-	

(Mayfield Farms #3)
OWNER : Sydnor Hydrodynamics C# : 4391 DRILLER: Sydnor Hydrodynamics : 179 COUNTY: Hanover (Ellerson) TOTAL DEPTH: 320'

QUAD : Yellow Tavern

GEOLOGIC LOG

	01010010 100
Depth (feet)	
0-10	Sand- dark yellowish-orange; slightly clayey; very fine to medium grained; subangular to subrounded; moderately well sorted; quartz; feldspar; few opaques.
10-20	Sand- dark yellowish-orange; slightly clayey; slightly silty; very fine to medium grained, some coarse grains; subangular to subrounded; moderately sorted; quartz; feldspar; some opaques; few flakes of biotite.
20-30	As above plus some moderately to heavily stained grains; some ferricrete.
30-40	Sand- grayish-orange; slightly clayey; medium grained to gravel (20%), some fine grains; subangular to subrounded; poorly sorted; quartz; feldspar; some opaques; few ferricrete fragments.
40-50	As above.
50-60	Gravel- grayish-orange; slightly sandy; coarse grained to granular; subrounded; moderately sorted; quartz; feldspar; few opaques.
60-70	Sand and gravel- grayish-orange; coarse grained to granular, some medium grains, 35% gravel; subangular to subrounded; poorly sorted; quartz; feldspar; few opaques.
70-80	As above except yellowish-gray; some light olive gray clay.
80-90	Sand- light olive gray; slightly clayey; fine to coarse grained, some granules; subangular to subrounded; moderately sorted; quartz; some feldspar; few opaques; few grains of glauconite.
90-100	Sand- light olive gray; slightly clayey; medium to coarse grained; subangular to subrounded; moderately well sorted; quartz; few opaques; glauconite; garnet; muscovite.
100-110	As above plus some fine grains; some opaques; no glauconite.
110-120	As above except no clay.

Depth (feet)

- 120-130 Sand- light olive gray; moderate clay; medium to coarse grained, few granules; subangular to subrounded; moderately well sorted; quartz; some black phosphatic material; few opaques; muscovite.
- 130-140 As above plus some fine grains; few black phosphatic fragments.
- 140-150 Sand- light olive gray; moderate clay; fine to coarse grained, few granules; subangular to subrounded; moderately sorted; quartz; 15% glauconite; some black phosphatic material; some feldspar; few limestone fragments; few grains of garnet; muscovite.
- 150-160 As above plus few grains of pyrite; no feldspar.
- 160-170 As above plus shark's teeth.
- 170-180 Sand- olive light gray; moderate clay- olive light gray, white, moderate orange pink; fine to coarse grained, some granules; subangular to subrounded; moderately sorted; quartz; 2% black phosphatic material; some glauconite; few flakes of muscovite; forams rare (inc. Nodosaria).
- 180-190 As above except 5% glauconite; some black phosphatic material; no Nodosaria.
- 190-200 Sand- olive light gray; moderate clay- olive light gray, light gray; fine to medium grained, some coarse grains, few granules; subangular to subrounded; moderately sorted; quartz; 7% glauconite; some black phosphatic material; some limestone and shell fragments; few flakes of muscovite.
- 200-210 Sand- olive light gray; slightly clayey; fine to medium grained; subangular to subrounded; moderately well sorted; quartz; 10% glauconite; 7% shell fragments; few limestone fragments; few flakes of muscovite; feldspar.
- 210-220 Sand- off-white; coarse grained, some medium grains; subangular to subrounded; well sorted; quartz; feldspar; 3% glauconite; few shell fragments; muscovite.
- 220-230 Sand- off-white; coarse grained to granular; subangular to subrounded; moderately well sorted; quartz; feldspar; 2% glauconite; few shell fragments; muscovite.

Depth (feet)

- 230-240 As above plus some fine grains, some medium grains; poorly sorted.
- 240-250 Sand- off-white; coarse grained to granular, some medium grains; subangular to subrounded; moderately sorted; quartz; feldspar; some glauconite; few flakes of muscovite.
- 250-260 Sand- off-white; very coarse grained to granular; subangular to subrounded; moderately well sorted; quartz; feldspar; few grains of glauconite; muscovite.
- 260-270 As above except coarse grained to granular; moderately sorted.
- 270-280 As above.
- 280-290 Sand and granules- yellowish-gray; coarse to very coarse grained, 35% granules; subangular to subrounded; poorly sorted; quartz; feldspar; few grains of glauconite; muscovite.
- 290-300 Gravel- yellowish-gray; moderately sandy; coarse to very coarse grained; subangular to subrounded; moderately well sorted; quartz; feldspar; few grains of glauconite.
- 300-310 As above except slightly clayey; some granules; few shell fragments.
- 310-320 Sand- off-white; coarse grained to granular, some fine grains, some medium grains; subangular to subrounded; poorly sorted; quartz; feldspar; some glauconite; muscovite.

Logged by: Michael T. Currie May 29, 1979