COMMONWEALTH OF VIRGINIA

DEPARTMENT OF CONSERVATION AND ECONOMIC DEVELOPMENT

MAILING ADDRESS:

DIVISION OF MINERAL RESOURCES

Bc 3667

JAMES L. CALVER, COMMISSIONER

OFFICE ADDRESS: McCormick Road

C lottesville, VA 22903

WATER

WELL COMPLETION REPORT

Charlottesville, Virginia

OWNER: Nepratex Industries	Mailing Address: Virginia Beach
TENANT:	_ Mailing Address:
DRILLER:	- Mailing Address:
	Approxfeet(direction) of(direction) of
	TWO REFERENCE POINTS - ROADS, TOWNS, RIVERS, ETC ON
DATE STARTED:	DATE COMPLETED:
TYPE OF DRILL RIG USED:	TOTAL DEPTH 1143 feet
WATER LEVEL: Stands 50.5 feet below	surface <u>OR</u>
has <u>NATURAL</u> flow of_	gallons per minute.
YIELD TEST: Method	HOLE SIZE: 20 inches from 0 to 72 feet
Drawdownfeet	
Rate 1000 gal. per min.	
Durationhrs.,min.	SCREEN SIZE: 10 inches from 993 to 1028 feet
WATER ZONES: fromtofeet	
fromtofeet	
fromtofeet	CASE SIZE: 20 inches from 0 to 72 feet
WATER: ColorTaste	10 inches from 542 to 993 feet 10 1049
Odor°F	10 1028 1049 10 inches from 1084 to 1110 feet 10 1125
WELL TO SUPPLY: (check one) Home	10 1120 1125 GROUTING: Method
FarmTownSchool	Material cement Depth 72 feet
IndustryOther	PUMP: Type
WATER ANALYSIS AVAILABLE:YesNo	Capacitygal. per min
DRILL CUTTINGS SAVED: Yes_X_No DRILL CUTTINGS SHOULD BE COLLECTED AT 10 FOOT OFFICE EXPRESS COLLECT. SAMPLE BAGS ARE FURNISH ROARKS:	

VIRGINIA DIVISION OF MINERAL RESOURCES Box 3667, Charlottesville, VA 22903

INTERVAL SHEET

		,		C-71
Page 1	of 1		Well Repository N	
Date rec'd:	2/7/77 Date Processed:	7/6/77	Sample Interval:	from 916 to: 1142
PROPERTY:	Nepratex Industries	÷	Number of samples	1 10
COMPANY:	Layne-Atlantic	2	Total Depth:	1143
COUNTY:	Princess Anne		Oil or Gas: Wa	ter: X Exploratory:
	-			
From-To	From-To	From-To	From-To	From-To
916-937	_	_	-	-
937-958	-	-	÷ =	-
958-981	-	-	-	_
981-1004	-	-	-	-
1004-1027	-	-	-	-
1027-1057	- 1	_	-	-
1057-1073	· - *	7 	-	
1073-1096	=	-	-	-
1096-1119	-	-		-
1119-1142			-	. =
-	-		-	-
- .	-	-	-	-
-	-	-	-	-
_	-	-	=	-
-	-	-	-	-
				4
-		-	-	
-	-	. 	-	_
-	-	_		
		, <u> </u>	_	11
	_	¥.		2
_	_	-	_	_
-	_	-	-	-
_	-	-	-	-
-	-	-	—	-
-		-	-	, -
-	_	-	-	-
-	-	-	-	_
	-	-	~	-
-	-	=	-	-
		-	-	

OWNER: Nepretex Ind.
DRILLER: Layne-Atlantic
COUNTY: Princess Anne

W # 4809 C # 71 TOTAL DEPTH - 1143'

QUAD - Little Creek ELEV. - 26'

DE	P1	Н	
(F	E	T)

WELL LOG

0-916	No samples	•	
916-981	Sand	-	light olive gray (5Y 6/1); abundant clay; very fine to very coarse, subangular with rounded granules, poorly sorted; 10%+ glauconite; rare shell fragments; mica.
981-1073	Sand	=	light olive gray (5Y 6/2); moderate clay; very fine to very coarse, subrounded, moderately poor sorting; rare glauconite/shell fragments; rose quartz; feldspar; clay clasts with yellow-gray zone at 1033-1057'.
1076-1096	Sand	-	light olive gray (5Y 7/1); medium to granule, subrounded, poorly sorted; rose quartz; feldspar; mica.
1096-1142	Sand	-	moderate olive gray (5Y 5/1); abundant clay; fine to very coarse, with rounded granules, subrounded, poorly sorted; rose quartz; mica; feldspar.

Logged by: J. K. Polzin Jan. 21, 1981