

P

VIRGINIA DIVISION OF MINERAL RESOURCES
Box 3667, Charlottesville, VA 22903

INTERVAL SHEET

C-309

Page 1 of 1

Well Repository No: 5349

Date rec'd: 9/6/78 Date Processed: 11/8/78 Sample Interval: from: 0 to: 300'

PROPERTY: Penn Development Corp.

Number of samples: 30

COMPANY: Harbour Village

Total Depth: 305'

Nelson-Roanoke Corp.

COUNTY: Bedford (Cross Street)

Oil or Gas: Water Exploratory:

From-To	From-To	From-To	From-To
0-10	50-60	-	-
10-20	60-70	-	-
20-30	70-80	-	-
30-40	80-90	-	-
40-50	90-300	-	-
50-60	-	-	-
60-70	-	-	-
70-80	-	-	-
80-90	-	-	-
90-100	-	-	-
100-110	-	-	-
110-120	-	-	-
120-130	-	-	-
130-140	-	-	-
140-150	-	-	-
150-160	-	-	-
160-170	-	-	-
170-180	-	-	-
180-190	-	-	-
190-200	-	-	-
200-210	-	-	-
210-220	-	-	-
220-230	-	-	-
230-240	-	-	-
240-250	-	-	-

unwashed only