

COMMONWEALTH OF VIRGINIA  
DEPARTMENT OF CONSERVATION AND ECONOMIC DEVELOPMENT

W- 5702  
C- 91

MAILING ADDRESS:  
Box 3667  
Charlottesville, VA 22903

DIVISION OF MINERAL RESOURCES  
JAMES L. CALVER, COMMISSIONER  
WATER WELL COMPLETION REPORT

OFFICE ADDRESS:  
McCormick Road  
Charlottesville, Virginia

OWNER: Robert Marshall #8 Mailing Address: Rt. 6 Box 608 Stafford, VA. 22554

TENANT: Mailing Address:

DRILLER: John L. Danielson, Jr., Inc. Mailing Address: 4616 Hood Dr. Fredericksburg, VA. 22401

WELL LOCATION: County \_\_\_\_\_ Approx. \_\_\_\_\_ feet miles \_\_\_\_\_ (direction) of \_\_\_\_\_ and \_\_\_\_\_ feet miles \_\_\_\_\_ (direction) of \_\_\_\_\_

(GIVE DIRECTION AND DISTANCE IN FEET OR MILES FROM TWO REFERENCE POINTS - ROADS, TOWNS, RIVERS, ETC. - ON COUNTY HIGHWAY OR OTHER MAP.)

DATE STARTED: December 29, 1978 DATE COMPLETED: January 5, 1979

TYPE OF DRILL RIG USED: Air Rotary TOTAL DEPTH \_\_\_\_\_ feet

WATER LEVEL: Stands \_\_\_\_\_ feet below surface OR has NATURAL flow of \_\_\_\_\_ gallons per minute.

YIELD TEST: Method \_\_\_\_\_  
Drawdown \_\_\_\_\_ feet  
Rate \_\_\_\_\_ gal. per min.  
Duration \_\_\_\_\_ hrs., \_\_\_\_\_ min.

HOLE SIZE: 8½ inches from 0 to 80 feet  
6 inches from 80 to 325 feet  
\_\_\_\_\_ inches from \_\_\_\_\_ to \_\_\_\_\_ feet

WATER ZONES: from 135 to 140 feet  
from 190 to 210 feet  
from 315 to 317 feet

SCREEN SIZE: \_\_\_\_\_ inches from \_\_\_\_\_ to \_\_\_\_\_ feet  
\_\_\_\_\_ inches from \_\_\_\_\_ to \_\_\_\_\_ feet  
\_\_\_\_\_ inches from \_\_\_\_\_ to \_\_\_\_\_ feet

WATER: Color \_\_\_\_\_ Taste \_\_\_\_\_  
Odor \_\_\_\_\_ Temp. \_\_\_\_\_ °F

CASE SIZE: 6¼ inches from 0 to 80 feet  
\_\_\_\_\_ inches from \_\_\_\_\_ to \_\_\_\_\_ feet  
\_\_\_\_\_ inches from \_\_\_\_\_ to \_\_\_\_\_ feet

WELL TO SUPPLY: (check one) Home   
Farm \_\_\_\_\_ Town \_\_\_\_\_ School \_\_\_\_\_  
Industry \_\_\_\_\_ Other \_\_\_\_\_

GROUTING: Method \_\_\_\_\_  
Material \_\_\_\_\_ Depth \_\_\_\_\_ feet

WATER ANALYSIS AVAILABLE: Yes \_\_\_\_\_ No \_\_\_\_\_

PUMP: Type \_\_\_\_\_  
Capacity \_\_\_\_\_ gal per min  
Depth of intake \_\_\_\_\_ feet

DRILL CUTTINGS SAVED: Yes \_\_\_\_\_ No \_\_\_\_\_

(DRILL CUTTINGS SHOULD BE COLLECTED AT 10 FOOT INTERVALS. THESE SAMPLES MAY BE SHIPPED TO THIS OFFICE EXPRESS COLLECT. SAMPLE BAGS ARE FURNISHED FREE OF CHARGE UPON REQUEST.)

REMARKS: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

FURNISHED BY: \_\_\_\_\_

DATE: \_\_\_\_\_

DEPTH (feet)		TYPE OF ROCK OR SOIL PENETRATED (gravel, clay, etc., hardness, color, etc.)	REMARKS (water, caving, shot, screen, sample, etc.)
FROM	TO		
0	12	Red clay	
12	30	Sand	
30	80	Red sandstone	
80	325	Diorite	

VIRGINIA DIVISION OF MINERAL RESOURCES  
Box 3667, Charlottesville, VA 22903

INTERVAL SHEET

Page 1 of 1

Well Repository No.: W- 5702  
C- 91

Date rec'd: 7-23-79 Date Processed: 2-4-80

Sample Interval: from 80 to: 300

PROPERTY: Robert Marshall #8

Number of samples: 23

COMPANY: Danielson

Total Depth: 325

COUNTY: Stafford (Morres Corner)

Oil or Gas: Water: X Exploratory:

From-To	From-To	From-To	From-To	From-To
NØ	-	-	-	-
-	-	-	-	-
SAMPLE	-	-	-	-
-	-	-	-	-
-	-	-	-	-
80-90	-	-	-	-
90-100	-	-	-	-
100-110	-	-	-	-
-	-	-	-	-
-	-	-	-	-
110-120	-	-	-	-
120-130	-	-	-	-
130-140	-	-	-	-
140-150	-	-	-	-
150-160	-	-	-	-
160-170	-	-	-	-
170-180	-	-	-	-
180-190	-	-	-	-
190-200	-	-	-	-
200-210	-	-	-	-
210-220	-	-	-	-
220-230	-	-	-	-
230-240	-	-	-	-
240-250	-	-	-	-
250-260	-	-	-	-
Unwashed only.				
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-

Owner: Robert Marshall  
Driller: Danielson  
County: Stafford (Moore's Corner)

W# 5702  
C# 91  
Total Depth: 300  
Quad: Stafford  
Elev: 275

Depth  
(feet)

WELL LOG

0-80	No Samples.
80-310	Granite - Salt and Pepper, dark, fine grained fragments; quartz; feldspar; hornblende; biotite.