

VIRGINIA DIVISION OF MINERAL RESOURCES  
 Box 3667, Charlottesville, VA 22903

INTERVAL SHEET

C-124

Page of

Well Repository No.: W-6353

Date rec'd: 2/2/81 Date Processed: 7/24/81

Sample Interval: from 0 to: 535

PROPERTY: Duggett Bros. Oyster House

Number of samples: 53

COMPANY: Fettesloft Bros.

Total Depth: 535\*

COUNTY: Lancaster

Oil or Gas: Water Exploratory:

From-To	From-To	From-To	From-To	From-To
0-10	300-310	-	-	-
10-20	310-320	-	-	-
20-30	320-330	-	-	-
30-40	330-340	-	-	-
40-50	340-350	-	-	-
50-60	350-60	-	-	-
60-70	360-70	-	-	-
70-80	370-380	-	-	-
80-90	380-390	-	-	-
90-100	390-400	-	-	-
100-110	400-410	-	-	-
110-120	410-420	-	-	-
120-130	420-430	-	-	-
130-140	430-440	-	-	-
140-150	440-450	-	-	-
160-170	450-460	-	-	-
170-180	460-470	-	-	-
180-190	470-480	-	-	-
190-200	480-490	-	-	-
	490-500	-	-	-
200-210	500-510	-	-	-
210-220	510-520	-	-	-
220-230	520-535	-	-	-
230-240	-	-	-	-
240-250	-	-	-	-
250-260	-	-	-	-
260-270	-	-	-	-
270-280	-	-	-	-
280-290	-	-	-	-
290-300	-	-	-	-

UNWASHED  
 \* sample insufficient for washing