




Areas underlain by rocks of unit 4 provide soils and level land on ridgetops for row-crop agriculture and home sites. Photo by Dan Carey, Kentucky Geological Survey.



Anti-Leakage Strategy
Deny water access to permeable materials and/or alter materials to an impermeable condition

Top of Dam
Erosion-resistant siltstone of unit 6 forms steep hillsides and cliffs; erodible shale forms flatter slopes. A roadcut along U.S. 127 (below) shows the siltstone and underlying shale. Photos by Dan Carey, Kentucky Geological Survey.

Structured Clay Soil
Limestone bedrock with Plumbing

Perm - Imperm Boundary
Successful pond construction must prevent water from seeping through structured soils into limestone solution channels below. A compacted clay liner or artificial liner may prevent pond failure. Getting the basin filled with water as soon as possible after construction prevents drying and cracking, and possible leakage, of the clayey soil liner. Ponds constructed in dry weather are more apt to leak than ponds constructed in wet weather. A geotechnical engineer or geologist should be consulted regarding the requirements of a specific site. Other leakage prevention measures include synthetic liners, bentonite, and asphaltic emulsions. The U.S. Department of Agriculture-Natural Resources Conservation Service can provide guidance on the application of these liners to new construction, and for treatment of existing leaking ponds.

Dams should be constructed of compacted clayey soils at slopes flatter than three units horizontal to one unit vertical. Ponds with dam heights exceeding 25 feet, or pond volumes exceeding 50 acre-feet, require permits. Contact the Kentucky Division of Water, 14 Reilly Rd., Frankfort, KY 40601, telephone: 502.564.3410. Illustration by Paul Howell, U.S. Department of Agriculture-Natural Resources Conservation Service.

Groundwater
In the uplands of eastern Casey County, about three-fourths of the wells drilled yield enough water for a domestic supply. In the rest of the county, very few wells yield enough water for a domestic supply, in a few lowland areas bordering streams, a few wells may meet domestic needs. Because of perched water bodies with limited recharge zones, many wells in this area dry in late summer and fall.

Numerous small springs and seeps are found throughout the county. Most discharge from small solution openings and joints in limestone or siltstone and are supported by shale layers. Flows are as much as 20 gallons per minute, but most have minimum flows of less than 1 gallon per minute.

For more information on groundwater in the county, see Carey and Stickney (2005).

LAND-USE PLANNING TABLE DEFINITIONS
FOUNDATION AND EXCAVATION
The terms "earth" and "rock" excavation are used in the engineering sense; earth can be excavated by hand tools, whereas rock requires heavy equipment or blasting to remove.

LIMITATIONS
Slight—A slight limitation is one that commonly requires some corrective measure but can be overcome without a great deal of difficulty or expense.
Moderate—A moderate limitation is one that can normally be overcome but the difficulty and expense are great enough that completing the project is commonly a question of feasibility.
Severe—A severe limitation is one that is difficult to overcome and commonly is not feasible because of the expense involved.

LAND USES
Septic tank disposal system—A septic tank disposal system consists of a septic tank and a filter field. The filter field is a subsurface tile system laid in such a way that effluent from the septic tank is distributed with reasonable uniformity into the soil.
Residences—Ratings are made for residences with basements because the degree of limitation is dependent upon ease and required depth of excavation. For example, excavation in limestone has greater limitation than excavation in shale for a house with a basement.

Highways and streets—Refers to paved roads in which cuts and fills are made in hilly topography, and considerable work is done preparing subgrades and bases before the surface is applied.
Access roads—These are low-cost roads, driveways, etc., usually surfaced with crushed stone or a thin layer of blacktop. A minimum of cuts and fills are made. Little work is done preparing a subgrade, and generally only a thin base is used. The degree of limitation is based on year-around use and would be less severe if not used during the winter and early spring. Some types of recreation areas would not be used during these seasons.

Light industry and malls—Ratings are based on developments having structures or equivalent load limit requirements of three stories or less, and large paved areas for parking lots. Structures with greater load limit requirements would normally need footings in solid rock, and the rock would need to be core drilled to determine the presence of caverns, cracks, etc.

Intensive recreation—Athletic fields, stadiums, etc.
Extensive recreation—Camp sites, picnic areas, parks, etc.
Reservoir areas—The floor of the area where the water is impounded. Ratings are based on the permeability of the rock.

Reservoir embankments—The rocks are rated on limitations for embankment material.
Underground utilities—Included in this category are sanitary sewers, storm sewers, water mains, and other pipes that require fairly deep trenches.

Radon
Radon gas can be a local problem, in some areas exceeding the U.S. Environmental Protection Agency's maximum recommended limit of 4 picocuries per liter. The limestones of unit 5 and shales of unit 8 may contain high levels of uranium or radium, parent materials for radon gas. Homes in these areas should be tested for radon, but the homeowner should keep in mind that the threat to health results from relatively high levels of exposure over long periods, and the remedy may simply be additional ventilation of the home.

Radon Risk If You've Never Smoked (U.S. Environmental Protection Agency, 2005)

Radon Level	If 1,000 people who never smoked were exposed to this level over a lifetime*	The risk of cancer from radon exposure compares to**	WHAT TO DO
20 pCi/L	About 36 people could get lung cancer	35 times the risk of drowning	Fix your home
10 pCi/L	About 18 people could get lung cancer	20 times the risk of dying in a home fire	Fix your home
8 pCi/L	About 15 people could get lung cancer	4 times the risk of dying in a fall	Fix your home
4 pCi/L	About 7 people could get lung cancer	The risk of dying in a car crash	Fix your home
2 pCi/L	About 4 people could get lung cancer	The risk of dying from poison	Consider fixing between 2 and 4 pCi/L
1.3 pCi/L	About 2 people could get lung cancer	(Average indoor radon level)	(Reducing radon levels below 4 pCi/L is difficult)
0.4 pCi/L		(Average outdoor radon level)	

Note: If you are a former smoker, your risk may be higher.
* Lifetime risk of lung cancer deaths from EPA Assessment of Risks from Radon in Homes (EPA 402-R-03-003)
** Comparison data calculated using the Centers for Disease Control and Prevention's 1999-2001 National Center for Injury Prevention and Control Reports.

Radon Ventilation
Ventilation system removes radon from the basement area of this home. Photo by Dan Carey, Kentucky Geological Survey.

Water Resources
Casey County is blessed with an abundance of water. Lake Liberty provides water for Liberty Water Works, fishing recreation for residents, and a resting place for geese. Photo by Dan Carey, Kentucky Geological Survey.

Siltstone, Shale, Limestone (Unit 7)
Siltstone, shale, and limestone of unit 7 are exposed along U.S. 127 (right). Photo by Dan Carey, Kentucky Geological Survey.

Shale and Siltstone—Unit 6
Thick limestones overlying shale create a rolling terrain along Ky. 70 in southeastern Casey County. Photo by Dan Carey, Kentucky Geological Survey.

Aluvium—Unit 1
Erosion-resistant siltstone of unit 6 forms steep hillsides and cliffs; erodible shale forms flatter slopes. A roadcut along U.S. 127 (below) shows the siltstone and underlying shale. Photos by Dan Carey, Kentucky Geological Survey.

Rock Unit 4 Terrain
Areas underlain by rocks of unit 4 provide soils and level land on ridgetops for row-crop agriculture and home sites. Photo by Dan Carey, Kentucky Geological Survey.

Limestone, Minor Shale and Siltstone—Unit 5
The Boyle Dolomite of unit 3 is seen in this roadcut on U.S. 127. Water seeps from the surface through cracks, dissolving the rock and creating underground flow paths for pollutants from the surface. Photo by Dan Carey, Kentucky Geological Survey.

Black Shale—Unit 8
The black shale of unit 8 contains enough organic matter to burn. It is unstable on slopes, breaks down quickly when exposed, and may swell when wet and shrink when dry. Photo by Dan Carey, Kentucky Geological Survey.

Limestone and Dolomite—Unit 3
The Boyle Dolomite of unit 3 is seen in this roadcut on U.S. 127. Water seeps from the surface through cracks, dissolving the rock and creating underground flow paths for pollutants from the surface. Photo by Dan Carey, Kentucky Geological Survey.

Mineral Resources
Casey Stone Co excavates the St. Louis Limestone in unit 5 for aggregate and agricultural limestone. Photo by Dan Carey, Kentucky Geological Survey.

Timber Resources
Sustainably managed and harvested hardwoods can contribute to the local economy for generations. Photo by Dan Carey, Kentucky Geological Survey.

Swelling and Shrinking Shales
A problem of some concern in Casey County is the swelling of some of the clay minerals in shale units 6 and 8. The process is exacerbated when the shale contains the mineral pyrite (fool's gold). Pyrite is a common mineral and can be found distributed throughout the black shale, although it is not always present and may be discontinuous both laterally and horizontally. In the presence of moisture and oxygen, pyrite oxidizes and produces sulfuric acid. The acid reacts with calcium carbonates found in water, the rock itself, crushed limestone, and concrete. This chemical reaction produces sulfate and can form the mineral gypsum, whose crystallization can cause layers of shale to expand and burst, backfill to swell, and concrete to crack and crumble. It can leave the foundation, the slab, and interior partitions resting on it, and damage upper floors and interior partitions. This phenomenon has been responsible for extensive damage to schools, homes, and businesses in Kentucky. During times of drought, these same shales may shrink, causing foundations to drop. Anyone planning construction on these shales should seek professional advice from a geologist or engineer familiar with the problem.

Swelling Shale and Foundation Damage
Some shales, and the soils derived from them, swell when exposed to water or air. These swelling shales and soils can have severe impacts on building foundations and other structures (e.g., bridges, dams, roads). Photo by John Kiefer, Kentucky Geological Survey.

Slope Failure
Virtually all units containing shale on slopes are subject to landslides. Shales will break down and weather rapidly when exposed to air and water. Gravity is the main driving force, but water nearby always plays a critical role by adding weight and lubricating the shale. Cutting into or overloading a slope with structures and fill can also be major contributing factors. The failure of the slope may be rapid, but more commonly is a slow almost imperceptible movement, called creep, of a few inches per year. Whether rapid or slow, the end results and damage are similar and costly: broken plumbing, cracked walls and foundations, cracked streets and sidewalks, and commonly total loss of the structures.

Precautions include taking care of all surface-water runoff by making certain that all runoff from roofs, gutters, patios, sidewalks, and driveways is carried well away from and not toward the house; diverting drainage from areas sloping toward the house; cutting into natural slopes as little as possible and avoiding the use of fill, and trying to place the foundation of the structure on undisturbed bedrock. When in doubt, consult an engineering geologist or a geotechnical engineer.

Source-Water Protection Areas
Source-water protection areas are those in which activities are likely to affect the quality of the drinking-water source. For more information, see kgweb.uky.edu/underground/water/wpp/wpp.htm.

References Cited
American Institute of Professional Geologists, 1993. The citizens' guide to geologic hazards: 134 p.
Carey, D.I., and Stickney, J.F., 2005. Groundwater resources of Casey County, Kentucky. Kentucky Geological Survey, ser. 12, County Report 23. www.uky.edu/kgwater/library/watbas/Casey/Casey.htm [accessed 8/19/06].
Crawford, M.M., 2004. Spatial database of the Gravel Switch quadrangle, central Kentucky. Kentucky Geological Survey, ser. 12, Digitally Vectorized Geologic Quadrangle Data DVQG-1506. Adapted from Moore, S.L., 1978. Geologic map of the Gravel Switch quadrangle, central Kentucky. U.S. Geological Survey Geologic Quadrangle Map GQ-1508, scale 1:24,000.
Evans, H.S., and Fehr, J.P., 1994. Survey of Casey County, Kentucky. U.S. Department of Agriculture, Soil Conservation Service, 151 p.
Federal Emergency Management Agency, 2005. www.fema.gov [accessed 8/20/06].
Hettinger, C.P., and Peterson, C., 2006. Spatial database of the Hustonville quadrangle, Casey and Lincoln Counties, Kentucky. Kentucky Geological Survey, ser. 12, Digitally Vectorized Geologic Quadrangle Data DVQG-910. Adapted from Taylor, A.R., and Lewis, R.Q., Sr., 1971. Geologic map of the Hustonville quadrangle, Casey and Lincoln Counties, Kentucky. U.S. Geological Survey Geologic Quadrangle Map GQ-916, scale 1:24,000.
Hettinger, C.P., Zhang, Q., and Peterson, C., 2006. Spatial database of the Yosemite quadrangle, Casey and Lincoln Counties, Kentucky. Kentucky Geological Survey, ser. 12, Digitally Vectorized Geologic Quadrangle Data DVQG-918. Adapted from Lewis, R.Q., Sr., and Taylor, A.R., 1971. Geologic map of the Yosemite quadrangle, Casey and Lincoln Counties, Kentucky. U.S. Geological Survey Geologic Quadrangle Map GQ-916, scale 1:24,000.
Murphy, M.L., 2004a. Spatial database of the Bradfordsville Northeast quadrangle, central Kentucky. Kentucky Geological Survey, ser. 12, Digitally Vectorized Geologic Quadrangle Data DVQG-910. Adapted from Taylor, A.R., and Lewis, R.Q., Sr., 1971. Geologic map of the Bradfordsville Northeast quadrangle, central Kentucky. U.S. Geological Survey Geologic Quadrangle Map GQ-910, scale 1:24,000.
Murphy, M.L., 2004b. Spatial database of the Bradfordsville Northwest quadrangle, central Kentucky. Kentucky Geological Survey, ser. 12, Digitally Vectorized Geologic Quadrangle Data DVQG-912. Adapted from Moore, S.L., 1977. Geologic map of the Bradfordsville Northwest quadrangle, central Kentucky. U.S. Geological Survey Geologic Quadrangle Map GQ-1396, scale 1:24,000.
Murphy, M.L., 2004c. Spatial database of the Mansfieldville quadrangle, south-central Kentucky. Kentucky Geological Survey, ser. 12, Digitally Vectorized Geologic Quadrangle Data DVQG-962. Adapted from Taylor, A.R., and Lewis, R.Q., Sr., 1971. Geologic map of the Mansfieldville quadrangle, south-central Kentucky. U.S. Geological Survey Geologic Quadrangle Map GQ-962, scale 1:24,000.
Murphy, M.L., 2006. Spatial database of the Mintonville quadrangle, Casey and Pulaski Counties, Kentucky. Kentucky Geological Survey, ser. 12, Digitally Vectorized Geologic Quadrangle Data DVQG-1198. Adapted from Lewis, R.Q., Sr., and Taylor, A.R., 1974. Geologic map of the Mintonville quadrangle, Casey and Pulaski Counties, Kentucky. U.S. Geological Survey Geologic Quadrangle Map GQ-1198, scale 1:24,000.
Paylor, R.L., Forns, L., Gaudin, M., and Currens, J.C., 2004. A GIS coverage of karst sinkholes in Kentucky. Kentucky Geological Survey, ser. 12, Digital Publication 5, 1 CD-ROM.
Patton, J.A., 2002. Spatial database of the Fankville quadrangle, Boyle and Casey Counties, Kentucky. Kentucky Geological Survey, ser. 12, Digitally Vectorized Geologic Quadrangle Data DVQG-1484. Adapted from Moore, S.L., 1978. Geologic map of the Fankville quadrangle, Boyle and Casey Counties, Kentucky. U.S. Geological Survey Geologic Quadrangle Map GQ-1484, scale 1:24,000.
Peterson, C., 2004a. Spatial database of the Bradfordsville Southeast quadrangle, central Kentucky. Kentucky Geological Survey, ser. 12, Digitally Vectorized Geologic Quadrangle Data DVQG-1386. Adapted from Moore, S.L., 1977. Geologic map of the Bradfordsville Southeast quadrangle, central Kentucky. U.S. Geological Survey Geologic Quadrangle Map GQ-1386, scale 1:24,000.
Peterson, C., 2004b. Spatial database of the Clemensteville quadrangle, Casey and Adair Counties, Kentucky. Kentucky Geological Survey, ser. 12, Digitally Vectorized Geologic Quadrangle Data DVQG-1033. Adapted from Taylor, A.R., and Lewis, R.Q., Sr., 1971. Geologic map of the Clemensteville quadrangle, Casey and Adair Counties, Kentucky. U.S. Geological Survey Geologic Quadrangle Map GQ-1033, scale 1:24,000.
Peterson, C., 2004c. Spatial database of the Dunmore quadrangle, Kentucky. Kentucky Geological Survey, ser. 12, Digitally Vectorized Geologic Quadrangle Data DVQG-387. Adapted from Maxwell, C.H., 1965. Geology of the Dunmore quadrangle, Kentucky. U.S. Geological Survey Geologic Quadrangle Map GQ-387, scale 1:24,000.
U.S. Fish and Wildlife Service, 2003. National Wetlands Inventory. www.fws.gov [accessed 8/24/06].
U.S. Environmental Protection Agency, 2005. A citizen's guide to radon: the what to protect yourself and your family from. radon.epa.gov/radon/pubs/citguide.html [accessed 8/31/06].
Yang, X.Y., 2006a. Spatial database of the Eubank quadrangle, south-central Kentucky. Kentucky Geological Survey, ser. 12, Digitally Vectorized Geologic Quadrangle Data DVQG-1060. Adapted from Taylor, A.R., and Lewis, R.Q., Sr., 1973. Geologic map of the Eubank quadrangle, south-central Kentucky. U.S. Geological Survey Geologic Quadrangle Map GQ-1060, scale 1:24,000.
Yang, X.Y., 2006b. Spatial database of the Science Hill quadrangle, south-central Kentucky. Kentucky Geological Survey, ser. 12, Digitally Vectorized Geologic Quadrangle Data DVQG-1105. Adapted from Taylor, A.R., and Lewis, R.Q., Sr., 1973. Geologic map of the Science Hill quadrangle, south-central Kentucky. U.S. Geological Survey Geologic Quadrangle Map GQ-1105, scale 1:24,000.
Yang, X.Y., Zhang, Q., and Peterson, C., 2006. Spatial database of the Ellisburg quadrangle, Casey County, Kentucky. Kentucky Geological Survey, ser. 12, Digitally Vectorized Geologic Quadrangle Data DVQG-981. Adapted from Harris, L.D., 1972. Geologic map of the Ellisburg quadrangle, Casey County, Kentucky. U.S. Geological Survey Geologic Quadrangle Map GQ-981, scale 1:24,000.
Yang, X.Y., and Zhang, Q., 2006. Spatial database of the Liberty quadrangle, Casey County, Kentucky. Kentucky Geological Survey, ser. 12, Digitally Vectorized Geologic Quadrangle Data DVQG-946. Adapted from Taylor, A.R., and Lewis, R.Q., Sr., 1971. Geologic map of the Liberty quadrangle, Casey County, Kentucky. U.S. Geological Survey Geologic Quadrangle Map GQ-946, scale 1:24,000.
Zhang, Q., 2000. Spatial database of the Junction City quadrangle, central Kentucky. Kentucky Geological Survey, ser. 12, Digitally Vectorized Geologic Quadrangle Data DVQG-981. Adapted from Harris, L.D., 1972. Geologic map of the Junction City quadrangle, central Kentucky. U.S. Geological Survey Geologic Quadrangle Map GQ-981, scale 1:24,000.
Zhang, Q., 2006. Spatial database of the Phi quadrangle, Kentucky. Kentucky Geological Survey, ser. 12, Digitally Vectorized Geologic Quadrangle Data DVQG-393. Adapted from Thadler, R.E., and Lewis, R.Q., Sr., 1965. Geology of the Phi quadrangle, Kentucky. U.S. Geological Survey Geologic Quadrangle Map GQ-393, scale 1:24,000.
Zhang, Q., and Melton, C.E., 2006. Spatial database of the Phi quadrangle, Kentucky. Kentucky Geological Survey, ser. 12, Digitally Vectorized Geologic Quadrangle Data DVQG-393. Adapted from Thadler, R.E., and Lewis, R.Q., Sr., 1965. Geology of the Phi quadrangle, Kentucky. U.S. Geological Survey Geologic Quadrangle Map GQ-393, scale 1:24,000.

*Shales and clays in these units may shrink during dry periods and swell during wet periods, and cause cracking of foundations. On hillsides, especially where seeps and springs are present, they can also be susceptible to landslides.
**Erosion-resistant shales are as the top of the unit, usually in cliffs or steep hillsides. Erosive shales are at the bottom of the unit on gentler slopes.

